



Ochsner Health Plan Premier (HMO)
Ochsner Health Plan Freedom (HMO POS)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN**

This formulary was updated on 06/01/2022. We have made no changes to this formulary since 05/01/2022. This is a complete list of drugs covered by our plan. For more recent information or other questions, please contact 1-800-910-1837. Hours of Operation: Member Services: 24 hours a day, 7 days a week. Member Services also has free language interpreter services available for non-English speakers or visit www.ochsnerhealthplan.com.

List of Covered Drugs

Ochsner Health Plan Premier (HMO)

Ochsner Health Plan Freedom (HMO POS)

When this drug list (formulary) refers to “we,” “us”, or “our,” it means Ochsner Health Plan. When it refers to “plan” or “our plan,” it means Ochsner Health Plan Premier (HMO) and Ochsner Health Plan Freedom (HMO POS).

This document includes a list of the drugs (formulary) for our plan which is current as of 06/01/2022.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2023 and from time to time during the year.

What is the Ochsner Health Plan Formulary?

A formulary is a list of covered drugs selected by Ochsner Health Plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Ochsner Health Plan will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Ochsner Health Plan network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.

- o If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can find information in the section below titled "How do I request an exception to the Ochsner Health Plan's Formulary?"

- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.

- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a new generic drug to replace a brand name drug currently on the formulary; or add new restrictions to the brand name drug or move it to a different cost-sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

- o If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled "How do I request an exception to the Ochsner Health Plan's Formulary?"

Changes that will not affect you if you are currently taking the drug.

Generally, if you are taking a drug on our 2022 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2022 coverage year except as described above. This means these drugs will remain available at the same cost sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1st of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 12/15/21. To get updated information about the drugs covered by Ochsner Health Plan please contact us. Our contact information appears on the front and back cover pages. If there are negative changes made to the printed drug list within the covered year, you may be notified by mail identifying the changes. Drug lists located on our website are reviewed and updated monthly.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 3. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, Cardiovascular Agents. If you know what your drug is used for, look for the category name in the list that begins on page 1. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Ochsner Health Plan covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Ochsner Health Plan requires you [or your physician] to get prior authorization for certain drugs. This means that you will need to get approval from Ochsner Health Plan before you fill your prescriptions. If you don't get approval, Ochsner Health Plan may not cover the drug.
- **Quantity Limits:** For certain drugs, Ochsner Health Plan limits the amount of the drug that Ochsner Health Plan will cover. For example, Ochsner Health Plan provides 56 per 28 days per prescription for AFINITOR ORAL TABLET 10 MG. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, Ochsner Health Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Ochsner Health Plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Ochsner Health Plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 3. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Ochsner Health Plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Ochsner Health Plan's formulary?" on the next page for information about how to request an exception.



What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered. This document includes only a partial list of covered drugs, so Ochsner Health Plan may cover your drug. For more information, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you learn that Ochsner Health Plan does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by Ochsner Health Plan. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by Ochsner Health Plan.
- You can ask Ochsner Health Plan to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Ochsner Health Plan's Formulary?

You can ask Ochsner Health Plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at lower cost-sharing level, unless the drug is on the specialty tier.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Ochsner Health Plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Ochsner Health Plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, [the lower cost-sharing drug] or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tier, or utilization restriction exception. **When you request a formulary, tier, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

You should contact us to ask us for an initial coverage decision for a formulary, tier, or utilization restriction exception. **When you request a formulary, tier, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary, or you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

An Emergency Supply is defined by CMS as a one-time fill of a non-formulary drug that is necessary with respect to current members in the LTC setting. Current members that need a one-time Emergency Fill or that are prescribed a non-formulary drug as a result of a level of care change can be placed in transition via an NCPDP pharmacy submission clarification code. Ochsner Health Plan can also accommodate a one-time fill in these scenarios via a manual override at point-of-sale.

This formulary was updated on 06/01/2022.

For more information

For more detailed information about your Ochsner Health Plan prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Ochsner Health Plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

Ochsner Health Plan Formulary

The formulary that begins on the following pages provides coverage information about the drugs covered by Ochsner Health Plan. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

Remember: This is a list of drugs covered by Ochsner Health Plan. If your prescription is not in this formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., OXTELLAR XR and generic drugs are listed in lower-case italics (e.g., *lidocaine hcl*).



The information in the Requirements/Limits column tells you if Ochsner Health Plan has any special requirements for coverage of your drug.

You can find information on what the symbols and abbreviations on this table here:

COVERAGE NOTES ABBREVIATIONS

ABBREVIATION	DESCRIPTION
PA	Prior Authorization Applies
PA NSO	PA for New Starts Only
PA BvD	Part D vs. Part B Only
PA-HRM	PA for High Risk Meds
QL	Quantity Limit Applies
ST	Step Therapy Applies
ST NSO	ST for New Starts Only
CB	Capped Benefit
GM	Male Only
GF	Female Only
AGE (Max x Years)	Prior Authorization Age Edit
AGE (Min x Years)	Prior Authorization Age Edit
AGE (Min x Years and Max y Years)	Prior Authorization Age Edit
AGE (Min x Years and Max y Years)	Prior Authorization Age Edit
EX	Excluded Drug
FF	First Fill (Generic Use Incentive)
LA	Limited Access Drug
GC	Gap Coverage
NDS	Non-Extended Days' Supply
NM	Non-Mail Order Drug
HI	Home Infusion Drug
SI	Select Insulin
*	ADD Drug

GC: We provide additional coverage of this prescription drug in the coverage gap. Please refer to our Evidence of Coverage for more information about this coverage.



Table of Contents

Analgesics.....	3
Anesthetics.....	7
Anti-Addiction/Substance Abuse Treatment Agents.....	8
Antianxiety Agents.....	9
Antibacterials.....	10
Anticancer Agents.....	18
Anticonvulsants.....	34
Antidementia Agents.....	39
Antidepressants.....	40
Antidiabetic Agents.....	43
Antifungals.....	48
Antigout Agents.....	50
Antihistamines.....	50
Anti-Infectives (Skin And Mucous Membrane).....	50
Antimigraine Agents.....	51
Antimycobacterials.....	52
Antinausea Agents.....	53
Antiparasite Agents.....	54
Antiparkinsonian Agents.....	55
Antipsychotic Agents.....	57
Antivirals (Systemic).....	63
Blood Products/Modifiers/Volume Expanders.....	70
Caloric Agents.....	74
Cardiovascular Agents.....	76
Central Nervous System Agents.....	87
Contraceptives.....	91
Dental And Oral Agents.....	100
Dermatological Agents.....	100
Devices.....	106
Enzyme Replacement/Modifiers.....	145
Eye, Ear, Nose, Throat Agents.....	147
Gastrointestinal Agents.....	152
Genitourinary Agents.....	155
Heavy Metal Antagonists.....	156
Hormonal Agents, Stimulant/Replacement/Modifying.....	157
Immunological Agents.....	164

Inflammatory Bowel Disease Agents.....	173
Metabolic Bone Disease Agents.....	174
Miscellaneous Therapeutic Agents.....	176
Ophthalmic Agents.....	178
Replacement Preparations.....	179
Respiratory Tract Agents.....	181
Skeletal Muscle Relaxants.....	186
Sleep Disorder Agents.....	187
Vasodilating Agents.....	187

Drug Name	Drug Tier	Requirements/Limits
Analgesics		
Analgesics, Miscellaneous		
<i>acetaminophen-codeine oral solution</i> 120-12 mg/5 ml	1	GC; NDS; QL (4500 per 30 days)
<i>acetaminophen-codeine oral tablet</i> 300-15 mg, 300-30 mg	2	GC; NDS; QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet</i> 300-60 mg	2	GC; NDS; QL (180 per 30 days)
<i>buprenorphine hcl injection solution</i> (Buprenex) 0.3 mg/ml	2	GC
<i>buprenorphine hcl injection syringe</i> 0.3 mg/ml	2	GC
<i>butalbital-acetaminophen-caff oral tablet</i> (Esgic) 50-325-40 mg	2	PA-HRM; GC; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral capsule</i> 50-325-40 mg	2	PA-HRM; GC; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral tablet</i> 50-325-40 mg	2	PA-HRM; GC; QL (180 per 30 days); AGE (Max 64 Years)
<i>codeine sulfate oral tablet</i> 30 mg, 60 mg	2	GC; NDS; QL (180 per 30 days)
<i>endocet oral tablet</i> 10-325 mg (oxycodone-acetaminophen)	2	GC; NDS; QL (180 per 30 days)
<i>endocet oral tablet</i> 2.5-325 mg, 5-325 mg (oxycodone-acetaminophen)	2	GC; NDS; QL (360 per 30 days)
<i>endocet oral tablet</i> 7.5-325 mg (oxycodone-acetaminophen)	2	GC; NDS; QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle</i> 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg (Actiq)	5	PA; NM; NDS; QL (120 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle</i> 200 mcg (Actiq)	2	PA; GC; NDS; QL (120 per 30 days)
<i>fentanyl transdermal patch</i> 72 hour 100 mcg/1hr, 12 mcg/1hr, 25 mcg/1hr, 50 mcg/1hr, 75 mcg/1hr	2	GC; NDS; QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution</i> 7.5-325 mg/15 ml	2	GC; NDS; QL (2700 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg</i>	2	GC; NDS; QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i>	2	GC; NDS; QL (240 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i>	2	GC; NDS; QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	2	GC
<i>hydromorphone oral liquid 1 mg/ml (Dilaudid)</i>	2	GC; NDS; QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg (Dilaudid)</i>	2	GC; NDS; QL (180 per 30 days)
LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY	5	PA; NM; NDS; QL (30 per 30 days)
<i>methadone injection solution 10 mg/ml</i>	2	GC; QL (120 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>	2	GC; NDS; QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	2	GC; NDS; QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i>	2	GC; NDS; QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i>	2	GC; NDS; QL (180 per 30 days)
<i>methadose oral tablet, soluble 40 mg (methadone)</i>	2	GC; NDS; QL (30 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	2	PA; GC; NDS; QL (180 per 30 days)
<i>morphine oral solution 10 mg/5 ml</i>	2	GC; NDS; QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	GC; NDS; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	NDS; QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i> (MS Contin)	2	GC; NDS; QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)	2	GC; NDS; QL (90 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	2	GC; NDS; QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg</i>	2	GC; NDS; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)	2	GC; NDS; QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	2	GC; NDS; QL (120 per 30 days)
<i>oxycodone oral tablet 5 mg</i> (Roxicodone)	2	GC; NDS; QL (180 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i> (OxyContin)	3	NDS; QL (60 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet)	2	GC; NDS; QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet)	2	GC; NDS; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet)	2	GC; NDS; QL (240 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>	2	GC; NDS; QL (360 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG (oxycodone)	3	NDS; QL (60 per 30 days)
<i>tramadol oral tablet 50 mg</i> (Ultram)	1	GC; NDS; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i> (Ultracet)	2	GC; NDS; QL (300 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG	3	NDS; QL (60 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG	3	NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG	3	NDS; QL (240 per 30 days)
Nonsteroidal Anti-Inflammatory Agents		
<i>celecoxib oral capsule 100 mg, 200 mg, 50 mg</i> (Celebrex)	2	GC; QL (60 per 30 days)
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector)	4	PA; QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i> (Cataflam)	2	GC; QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	2	GC; QL (60 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 25 mg</i>	2	GC; QL (150 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 50 mg</i>	2	GC; QL (120 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 75 mg</i>	2	GC; QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>	2	GC; QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i> (Arthritis Pain (diclofenac))	2	GC; QL (1000 per 30 days)
<i>diclofenac sodium topical gel 3 %</i>	2	PA; GC; QL (100 per 28 days)
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	GC
<i>etodolac oral tablet 400 mg</i> (Lodine)	2	GC
<i>etodolac oral tablet 500 mg</i>	2	GC
<i>flurbiprofen oral tablet 100 mg</i>	2	GC
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i> (ibuprofen)	1	GC
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)	2	GC
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU)	1	GC
<i>indomethacin oral capsule 25 mg</i>	1	PA-HRM; GC; QL (240 per 30 days); AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>indomethacin oral capsule 50 mg</i>	1	PA-HRM; GC; QL (120 per 30 days); AGE (Max 64 Years)
<i>ketorolac oral tablet 10 mg</i>	2	PA-HRM; GC; QL (20 per 30 days); AGE (Max 64 Years)
<i>mefenamic acid oral capsule 250 mg</i>	2	GC
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	1	GC
<i>nabumetone oral tablet 500 mg, 750 mg</i> (Relafen)	2	GC
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	GC
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	GC
<i>naproxen oral tablet, delayed release (drlec) 375 mg, 500 mg</i> (EC-Naprosyn)	2	GC
PENNSAID TOPICAL SOLUTION IN METERED-DOSE PUMP 20 MG/GRAM /ACTUATION(2%)	5	PA; NM; NDS; QL (224 per 28 days)
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	GC
Anesthetics		
Local Anesthetics		
<i>glydo mucous membrane jelly in applicator 2%</i> (lidocaine hcl)	2	GC; QL (30 per 30 days)
<i>lidocaine (pf) injection solution 15 mg/ml (1.5%), 20 mg/ml (2%), 5 mg/ml (0.5%)</i> (Xylocaine-MPF)	1	GC
<i>lidocaine (pf) injection solution 40 mg/ml (4%)</i>	1	GC
<i>lidocaine hcl 1% 20 mg/2 ml vl sdv, plf 10 mg/ml (1%)</i> (Xylocaine-MPF)	1	GC
<i>lidocaine hcl injection solution 10 mg/ml (1%), 20 mg/ml (2%), 5 mg/ml (0.5%)</i> (Xylocaine)	1	GC
<i>lidocaine hcl mucous membrane jelly 2%</i>	2	GC; QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4% (40 mg/ml)</i>	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>lidocaine topical adhesive patch,medicated 5 %</i> (Lidoderm)	2	PA; GC; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	2	PA; GC; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i> (lidocaine hcl)	2	GC
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	2	PA; GC; QL (30 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %	3	PA; QL (90 per 30 days)
Anti-Addiction/Substance Abuse Treatment Agents		
Anti-Addiction/Substance Abuse Treatment Agents		
<i>acamprosate oral tablet, delayed release (drlec) 333 mg</i>	2	GC
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	2	GC; QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg</i> (Suboxone)	2	GC; QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone)	2	GC; QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	2	GC; QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	2	GC
CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG (varenicline)	3	QL (336 per 365 days)
CHANTIX STARTING MONTH BOX ORAL TABLETS,DOSE PACK 0.5 MG (11)- 1 MG (42)	3	
<i>disulfiram oral tablet 250 mg, 500 mg</i>	2	GC
KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION	3	QL (4 per 30 days)
LUCEMYRA ORAL TABLET 0.18 MG	5	NM; NDS; QL (228 per 14 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>naloxone injection solution 0.4 mg/ml</i>	2	GC
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	2	GC
<i>naloxone nasal spray, non-aerosol 4 mg/actuation</i> (Narcan)	3	QL (4 per 30 days)
<i>naltrexone oral tablet 50 mg</i>	2	GC
NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION (naloxone)	3	QL (4 per 30 days)
NICOTROL INHALATION CARTRIDGE 10 MG	4	QL (1008 per 90 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML	5	NM; NDS; QL (0.5 per 30 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 300 MG/1.5 ML	5	NM; NDS; QL (1.5 per 30 days)
<i>varenicline oral tablet 0.5 mg</i>	2	GC; QL (336 per 365 days)
<i>varenicline oral tablet 1 mg</i> (Chantix Continuing Month Box)	2	GC; QL (336 per 365 days)
Antianxiety Agents		
Benzodiazepines		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	GC; NDS; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	GC; NDS; QL (150 per 30 days)
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	GC; NDS; QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	GC; QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	GC; QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>clonazepam oral tablet, disintegrating 2 mg</i>	2	GC; QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg</i>	2	GC; QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg</i> (Tranxene T-Tab)	2	GC; QL (180 per 30 days)
<i>diazepam 5 mg/ml oral conc 5 mg/ml</i> (Diazepam Intensol)	2	GC; QL (1200 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	2	GC; QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	2	GC; QL (10 per 28 days)
<i>diazepam intensol oral concentrate 5 mg/ml</i> (diazepam)	2	GC; QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	GC; QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	GC; QL (120 per 30 days)
<i>lorazepam injection solution 2 mg/ml, 4 mg/ml</i> (Ativan)	1	GC; QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml, 4 mg/ml</i>	1	GC; QL (2 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	GC; NDS; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	GC; NDS; QL (150 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	1	GC; NDS; QL (30 per 30 days)
Antibacterials		
Aminoglycosides		
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	2	GC
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	GC
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>	2	GC
<i>neomycin oral tablet 500 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>streptomycin intramuscular recon soln 1 gram</i>	5	NM; NDS
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	NM; NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl (Tobi) inhalation solution for nebulization 300 mg/5 ml</i>	5	PA BvD; NM; NDS
<i>tobramycin inhalation solution for (Bethkis) nebulization 300 mg/4 ml</i>	5	PA BvD; NM; NDS
<i>tobramycin sulfate injection solution 40 mg/ml</i>	2	GC
Antibacterials, Miscellaneous		
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	2	GC
<i>clindamycin hcl oral capsule 150 mg, (Cleocin HCl) 300 mg, 75 mg</i>	1	GC
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml</i>	2	GC
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	2	GC
<i>clindamycin phosphate injection (Cleocin) solution 150 mg/ml</i>	2	GC
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	2	GC
<i>colistin (colistimethate na) injection (Coly-Mycin M recon soln 150 mg Parenteral)</i>	5	NM; NDS
<i>daptomycin intravenous recon soln (Cubicin) 500 mg</i>	5	NM; NDS
FIRVANQ ORAL RECON SOLN 25 MG/ML	4	
<i>linezolid 600 mg/300 ml-0.9% nacl 600 mg/300 ml</i>	2	GC
<i>linezolid in dextrose 5% intravenous (Zyvox) piggyback 600 mg/300 ml</i>	2	GC
<i>linezolid oral suspension for (Zyvox) reconstitution 100 mg/5 ml</i>	5	NM; NDS
<i>linezolid oral tablet 600 mg (Zyvox)</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>methenamine hippurate oral tablet 1 gram</i> (Hiprex)	2	GC
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)	2	GC
<i>metronidazole oral tablet 250 mg, 500 mg</i>	1	GC
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i> (Macrochantin)	2	GC; QL (120 per 30 days)
<i>nitrofurantoin monohydlm-cryst oral capsule 100 mg</i> (Macrobid)	2	GC; QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	2	GC
SYNERCID INTRAVENOUS RECON SOLN 500 MG	5	NM; NDS
<i>trimethoprim oral tablet 100 mg</i>	1	GC
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i>	2	GC
<i>vancomycin oral capsule 125 mg</i> (Vancocin)	2	GC; QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg</i> (Vancocin)	2	GC; QL (112 per 14 days)
XIFAXAN ORAL TABLET 200 MG	5	PA; NM; NDS; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NM; NDS; QL (90 per 30 days)
Cephalosporins		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	2	GC
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	2	GC
<i>cefadroxil oral capsule 500 mg</i>	2	GC
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	GC
<i>cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/50 ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	GC
<i>cefdinir oral capsule 300 mg</i>	2	GC
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>cefepime injection recon soln 1 gram, 2 gram</i>	2	GC
<i>cefixime oral capsule 400 mg</i> (Suprax)	2	GC
<i>cefotaxime injection recon soln 1 gram</i>	2	GC
<i>cefoxitin 1 gm piggyback bag 1 gram/50 ml</i>	2	GC
<i>cefoxitin intravenous recon soln 1 gram</i>	2	GC
<i>cefoxitin intravenous recon soln 10 gram, 2 gram</i>	2	GC
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	2	GC
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	GC
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	GC
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i> (Tazicef)	2	GC
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	GC
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	GC
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	GC
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	GC
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NM; NDS
Macrolides		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	2	GC
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	2	GC
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack)</i>	1	GC
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	1	GC
<i>azithromycin oral tablet 600 mg</i>	2	GC
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	GC
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML	5	NM; NDS; QL (136 per 10 days)
DIFICID ORAL TABLET 200 MG	5	NM; NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	2	GC
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	2	GC
<i>erythromycin oral tablet 250 mg, 500 mg</i>	2	GC
Miscellaneous B-Lactam Antibiotics		
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	2	GC
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; NM; LA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>ertapenem injection recon soln 1 gram</i> (Invanz)	2	GC
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	2	GC
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	2	GC
<i>meropenem intravenous recon soln 1 gram</i>	2	GC
<i>meropenem intravenous recon soln 500 mg</i>	2	GC
<i>meropenem-0.9% nacl 500 mg/50 ml</i>	2	GC
Penicillins		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	GC
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	GC
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	GC
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	2	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	2	GC
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)	1	GC
<i>amoxicillin-pot clavulanate oral tablet 875-125 mg</i>	1	GC
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	2	GC
<i>ampicillin oral capsule 250 mg, 500 mg</i>	2	GC
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	2	GC
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	GC
<i>nafcillin 1 gml 50 ml inj 1 gram/50 ml</i>	2	GC
<i>nafcillin 2 gml 100 ml inj 2 gram/100 ml</i>	2	GC
<i>nafcillin injection recon soln 1 gram, 2 gram</i>	2	GC
<i>nafcillin injection recon soln 10 gram</i>	5	NM; NDS
<i>penicillin g potassium injection recon soln 20 million unit</i> (Pfizerpen-G)	2	GC
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	GC
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	GC
<i>pfizerpen-g injection recon soln 20 million unit</i> (penicillin g potassium)	2	GC
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	2	GC
Quinolones		
BAXDELA ORAL TABLET 450 MG	5	PA; NM; NDS; QL (28 per 14 days)
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)	1	GC
<i>ciprofloxacin hcl oral tablet 750 mg</i>	1	GC
<i>ciprofloxacin in 5% dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i> (Cipro)	2	GC
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	GC
<i>levofloxacin intravenous solution 25 mg/ml</i>	2	GC
<i>levofloxacin oral solution 250 mg/10 ml</i>	2	GC
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	GC
<i>moxifloxacin oral tablet 400 mg</i>	2	GC
Sulfonamides		
<i>sulfadiazine oral tablet 500 mg</i>	2	GC
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	2	GC
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	2	GC
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	GC
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	GC
Tetracyclines		
<i>doxy-100 intravenous recon soln 100 mg</i> (doxycycline hyclate)	2	GC
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	2	GC
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> (Morgidox)	2	GC
<i>doxycycline hyclate oral tablet 100 mg</i> (LymePak)	2	GC
<i>doxycycline hyclate oral tablet 20 mg</i>	2	GC
<i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxyne NL)	2	GC; QL (60 per 30 days)
<i>doxycycline monohydrate oral capsule 50 mg</i> (Monodox)	2	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i> (Vibramycin)	2	GC
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	2	GC; QL (60 per 30 days)
<i>doxycycline monohydrate oral tablet 50 mg</i>	2	GC; QL (60 per 30 days)
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	2	GC
<i>mondoxyne nl oral capsule 100 mg</i> (doxycycline monohydrate)	2	GC; QL (60 per 30 days)
<i>tetracycline oral capsule 250 mg, 500 mg</i>	2	GC
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	5	NM; NDS
Anticancer Agents		
Anticancer Agents		
<i>abiraterone oral tablet 250 mg, 500 mg</i> (Zytiga)	5	PA NSO; NM; NDS; QL (120 per 30 days)
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG (paclitaxel protein-bound)	5	PA BvD; NM; NDS
ADCETRIS INTRAVENOUS RECON SOLN 50 MG	5	PA NSO; NM; NDS
<i>adriamycin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i> (doxorubicin)	2	PA BvD; GC
<i>adrucil intravenous solution 2.5 gram/50 ml</i> (fluorouracil)	2	PA BvD; GC
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG	5	NM; NDS
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	5	PA NSO; NM; NDS
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	GC
<i>arsenic trioxide intravenous solution 1 mg/ml</i>	5	NM; NDS
<i>arsenic trioxide intravenous solution 2 mg/ml</i> (Trisenox)	5	NM; NDS
ASPARLAS INTRAVENOUS SOLUTION 750 UNIT/ML	5	PA NSO; NM; NDS
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	5	NM; NDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	5	PA NSO; NM; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)	5	PA NSO; NM; NDS
BESPONSA INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	5	PA NSO; NM; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NM; NDS
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	2	GC
BLENREP INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
BLINCYTO INTRAVENOUS KIT 35 MCG	5	PA NSO; NM; NDS
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 (vandetanib) MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 (vandetanib) MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>clofarabine intravenous solution 1 mg/ml</i> (Clolar)	5	NM; NDS
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NM; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; NM; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NM; NDS
<i>cyclophosphamide intravenous solution 200 mg/ml</i>	5	PA BvD; NM; NDS
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	4	PA BvD; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	3	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NM; NDS; QL (120 per 28 days)
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	5	PA NSO; NM; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; LA; NDS
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i> (Dacogen)	5	NM; NDS
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	PA BvD; GC
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Doxil)	5	PA BvD; NM; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	
EMCYT ORAL CAPSULE 140 MG	5	NM; NDS
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	5	PA NSO; NM; NDS
ENHERTU INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	PA NSO; NM; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg</i> (Tarceva)	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i> (Tarceva)	5	PA NSO; NM; NDS; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml</i> (Toposar)	2	GC
<i>everolimus (antineoplastic) oral tablet 10 mg</i> (Afinitor)	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Afinitor)	5	PA NSO; NM; NDS; QL (28 per 28 days)
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz)	5	PA NSO; NM; NDS; QL (112 per 28 days)
<i>exemestane oral tablet 25 mg</i> (Aromasin)	2	GC
EXKIVITY ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	5	PA NSO; NM; NDS
<i>floxuridine injection recon soln 0.5 gram</i>	2	PA BvD; GC
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD; GC
<i>flutamide oral capsule 125 mg</i> (Eulexin)	2	GC
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	5	NM; NDS
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	5	PA NSO; NM; NDS
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NM; NDS; QL (5 per 21 days)
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG	5	PA NSO; NM; NDS
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	2	GC
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)	2	GC
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	GC
<i>imatinib oral tablet 100 mg</i> (Gleevec)	2	PA NSO; GC; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	2	PA NSO; GC; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	4	PA NSO; QL (4 per 365 days)
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	5	PA NSO; NM; NDS; QL (8 per 28 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NM; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IRESSA ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	5	NM; NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS; QL (8 per 21 days)
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NM; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NM; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (21 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NM; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NM; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	5	PA NSO; NM; NDS
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NM; NDS
<i>lenalidomide oral capsule 10 mg, 15 mg, 25 mg, 5 mg</i> (Revlimid)	5	PA NSO; NM; NDS; QL (28 per 28 days)
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY (10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X 2), 20 MG/DAY (10 MG X 2), 24 MG/DAY (10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NM; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	GC
LEUKERAN ORAL TABLET 2 MG	5	NM; NDS
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	5	NM; NDS
LIBTAYO INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS; QL (7 per 21 days)
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NM; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NM; NDS; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
LUMOXITI INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	NM; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	NM; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NM; NDS
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
MATULANE ORAL CAPSULE 50 MG	5	NM; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	PA NSO-HRM; GC; AGE (Max 64 Years)
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>mercaptopurine oral tablet 50 mg</i>	2	GC
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	PA BvD; GC
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	PA BvD; GC
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	PA BvD; GC
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST; GC
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
MONJUVI INTRAVENOUS RECON SOLN 200 MG	5	PA NSO; NM; NDS
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	5	PA NSO; NM; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
NEXAVAR ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	5	NM; NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; NM; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	5	PA NSO; NM; NDS
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	5	NM; NDS
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NM; NDS
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	5	PA NSO; NM; NDS
<i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i> (Abraxane)	5	PA BvD; NM; NDS
PADCEV INTRAVENOUS RECON SOLN 20 MG, 30 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NM; NDS; QL (14 per 21 days)
PEPAXTO INTRAVENOUS RECON SOLN 20 MG	5	PA NSO; NM; NDS; QL (2 per 28 days)
PHESGO SUBCUTANEOUS SOLUTION 1,200 MG-600MG- 30000 UNIT/15ML	5	PA NSO; NM; NDS; QL (15 per 21 days)
PHESGO SUBCUTANEOUS SOLUTION 600 MG-600 MG- 20000 UNIT/10ML	5	PA NSO; NM; NDS; QL (10 per 21 days)
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NM; NDS; QL (56 per 28 days)
POLIVY INTRAVENOUS RECON SOLN 140 MG, 30 MG	5	PA NSO; NM; NDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	5	PA NSO; NM; NDS; QL (100 per 21 days)
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	5	NM; NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NM; NDS
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
REVLIMID ORAL CAPSULE 2.5 MG, 20 MG	5	PA NSO; NM; LA; NDS; QL (28 per 28 days)
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NM; NDS
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	5	PA NSO; NM; NDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
SARCLISA INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
SCEMBLIX ORAL TABLET 20 MG, 40 MG	5	PA NSO; NM; NDS
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NM; NDS
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
<i>sunitinib oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	5	PA NSO; NM; NDS; QL (30 per 30 days)
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	5	PA NSO; NM; NDS
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
TABLOID ORAL TABLET 40 (thioguanine) MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAGRISSE ORAL TABLET 40 MG, 80 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
TALZENNA ORAL CAPSULE 0.5 MG, 0.75 MG, 1 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	GC
TARGRETIN TOPICAL GEL 1 %	5	PA NSO; NM; NDS
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	5	PA NSO; NM; NDS
TEMODAR INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>thiotepa injection recon soln 100 mg, (Tepadina) 15 mg</i>	5	NM; NDS
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
TIVDAK INTRAVENOUS RECON SOLN 40 MG	5	PA NSO; NM; NDS; QL (5 per 21 days)
<i>toposar intravenous solution 20 mg/ml</i> (etoposide)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NM; NDS
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	5	PA NSO; NM; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG	5	NM; NDS; QL (1 per 84 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NM; NDS; QL (1 per 168 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG	4	QL (1 per 28 days)
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	5	NM; NDS
TRODELVY INTRAVENOUS RECON SOLN 180 MG	5	PA NSO; NM; NDS
TRUSELTIQ ORAL CAPSULE 100 MG/DAY (100 MG X 1), 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2), 75 MG/DAY (25 MG X 3)	5	PA NSO; NM; NDS
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
UKONIQ ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	5	PA NSO; NM; NDS
<i>valrubicin intravesical solution 40 mg/ml</i> (Valstar)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
VELCADE INJECTION RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; NM; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	3	PA NSO; LA; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; NM; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i> (Navelbine)	2	GC
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NM; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
VONJO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VOTRIENT ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	5	PA BvD; NM; NDS
WELIREG ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
XPOVIO ORAL TABLET 100 MG/WEEK (20 MG X 5)	5	PA NSO; NM; NDS; QL (20 per 28 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40 MG/WEEK (20 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA NSO; NM; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NM; NDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 40MG TWICE WEEK (80 MG/WEEK), 80 MG/WEEK (20 MG X 4)	5	PA NSO; NM; NDS; QL (16 per 28 days)
XPOVIO ORAL TABLET 60 MG/WEEK (20 MG X 3)	5	PA NSO; NM; NDS; QL (12 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NM; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NM; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NM; NDS
YONDELIS INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NM; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ZEPZELCA INTRAVENOUS RECON SOLN 4 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG	4	QL (1 per 84 days)
ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG	4	QL (1 per 28 days)
ZOLINZA ORAL CAPSULE 100 MG	5	NM; NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	5	PA NSO; NM; NDS
ZYTIGA ORAL TABLET 250 MG (abiraterone)	5	PA NSO; NM; NDS; QL (120 per 30 days)
Anticonvulsants		
Anticonvulsants		
APTIOM ORAL TABLET 200 MG, 400 MG	5	ST; NM; NDS; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	5	ST; NM; NDS; QL (60 per 30 days)
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	3	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	3	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	3	QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)	2	GC
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	2	GC
<i>carbamazepine oral tablet 200 mg</i> (Epilex)	2	GC
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>carbamazepine oral tablet, chewable</i> 100 mg	2	GC
CELONTIN ORAL CAPSULE 300 MG	4	
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	2	PA NSO; GC; QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	2	PA NSO; GC; QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20</i> <i>mg, 5-7.5-10 mg</i> (Diastat AcuDial)	4	
<i>diazepam rectal kit 2.5 mg</i> (Diastat)	4	
<i>divalproex oral capsule, delayed rel</i> <i>sprinkle 125 mg</i> (Depakote Sprinkles)	2	GC
<i>divalproex oral tablet extended</i> <i>release 24 hr 250 mg, 500 mg</i> (Depakote ER)	2	GC
<i>divalproex oral tablet, delayed</i> <i>release (drlec) 125 mg, 250 mg, 500</i> <i>mg</i> (Depakote)	2	GC
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NM; NDS
<i>epitol oral tablet 200 mg</i> (carbamazepine)	2	GC
EPRONTIA ORAL SOLUTION 25 MG/ML	4	QL (480 per 30 days)
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	2	GC
<i>ethosuximide oral solution 250 mg/5</i> <i>ml</i> (Zarontin)	2	GC
<i>felbamate oral suspension 600 mg/5</i> <i>ml</i> (Felbatol)	2	GC
<i>felbamate oral tablet 400 mg, 600</i> <i>mg</i> (Felbatol)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NM; NDS
<i>fosphenytoin injection solution 100 mg per 2 ml, 500 mg per 10 ml</i> (Cerebyx)	2	GC
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	ST; NM; NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	ST; NM; NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG	4	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	ST; NM; NDS; QL (60 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	1	GC; QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	1	GC; QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	2	GC; QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	2	GC; QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	2	GC; QL (120 per 30 days)
<i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat)	2	GC; QL (200 per 5 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)	2	GC; QL (60 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	GC
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	2	GC
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	2	GC
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	2	GC
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	2	GC
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	4	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	2	GC
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	2	GC
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG	4	ST
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 600 MG	5	ST; NM; NDS
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	2	PA NSO-HRM; GC; AGE (Max 64 Years)
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	PA NSO-HRM; GC; AGE (Max 64 Years)
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	2	GC
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	2	GC
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	2	GC
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	2	GC
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	2	GC
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	2	GC
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica)	2	GC; QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)	2	GC; QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	2	GC; QL (900 per 30 days)
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	2	GC
<i>rufinamide oral suspension 40 mg/ml</i> (Banzel)	5	ST; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>rufinamide oral tablet 200 mg, 400 mg</i> (Banzel)	5	ST; NM; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	4	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	4	ST; QL (120 per 30 days)
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (lamotrigine)	1	GC
SYMPAZAN ORAL FILM 10 MG, 20 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
SYMPAZAN ORAL FILM 5 MG	4	PA NSO; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> (Gabitril)	2	GC
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	2	GC
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	GC
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	2	GC
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	GC
<i>valproic acid oral capsule 250 mg</i>	2	GC
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	4	
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigabatrin oral tablet 500 mg</i> (Sabril)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigadrone oral powder in packet 500 mg</i> (vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML (lacosamide)	3	QL (200 per 5 days)
VIMPAT ORAL SOLUTION 10 MG/ML (lacosamide)	3	QL (1200 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
XCOPRI MAINTENANCE PACK ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 250MG/DAY(150 MG X1- 100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	4	ST; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 50 MG	4	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	4	ST; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	4	ST
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	2	GC
<i>zonisamide oral capsule 50 mg</i>	2	GC
Antidementia Agents		
Antidementia Agents		
<i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)	1	GC; QL (30 per 30 days)
<i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	2	GC
<i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> (Razadyne ER)	2	GC; QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	2	GC; QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	2	GC; QL (60 per 30 days)
<i>memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR)	2	ST; GC; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	2	GC; QL (300 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i> (Namenda)	2	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	3	ST
NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	3	ST; QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule</i> 1.5 mg, 3 mg, 4.5 mg, 6 mg	2	GC; QL (60 per 30 days)
<i>rivastigmine transdermal patch 24</i> (Exelon Patch) <i>hour 13.3 mg/24 hour, 4.6 mg/24</i> <i>hour, 9.5 mg/24 hour</i>	2	GC; QL (30 per 30 days)
Antidepressants		
Antidepressants		
<i>amitriptyline oral tablet 10 mg, 100</i> <i>mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	GC
<i>amoxapine oral tablet 100 mg, 150</i> <i>mg, 25 mg, 50 mg</i>	2	GC
<i>bupropion hcl oral tablet 100 mg, 75</i> <i>mg</i>	2	GC
<i>bupropion hcl oral tablet extended</i> (Wellbutrin XL) <i>release 24 hr 150 mg, 300 mg</i>	2	GC
<i>bupropion hcl oral tablet sustained-</i> (Wellbutrin SR) <i>release 12 hr 100 mg, 150 mg, 200</i> <i>mg</i>	2	GC
<i>citalopram oral solution 10 mg/5 ml</i>	2	GC; QL (600 per 30 days)
<i>citalopram oral tablet 10 mg</i> (Celexa)	1	GC; QL (120 per 30 days)
<i>citalopram oral tablet 20 mg, 40 mg</i> (Celexa)	1	GC; QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50</i> (Anafranil) <i>mg, 75 mg</i>	2	GC
<i>desipramine oral tablet 10 mg, 25</i> (Norpramin) <i>mg</i>	2	GC
<i>desipramine oral tablet 100 mg, 150</i> <i>mg, 50 mg, 75 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>desvenlafaxine succinate oral tablet (Pristiq)</i> <i>extended release 24 hr 100 mg, 25 mg, 50 mg</i>	2	GC; QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	GC
<i>doxepin oral concentrate 10 mg/ml</i>	1	GC
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release (drlec) 20 mg, 30 mg, 60 mg</i> (Cymbalta)	2	GC; QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NM; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	2	GC
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	GC
FETZIMA ORAL CAPSULE, EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE, EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	GC
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	GC
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	GC
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	GC
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	2	GC
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	GC
<i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	2	GC
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	2	GC
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	GC
<i>nortriptyline oral solution 10 mg/5 ml</i>	2	GC
<i>paroxetine hcl oral suspension 10 mg/5 ml</i> (Paxil)	2	PA NSO-HRM; GC; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	PA NSO-HRM; GC; AGE (Max 64 Years)
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	2	GC
<i>phenelzine oral tablet 15 mg</i> (Nardil)	2	GC
<i>protriptyline oral tablet 10 mg, 5 mg</i>	2	GC
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	2	GC
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	GC
SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG	4	PA NSO
SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)	5	PA NSO; NM; NDS
<i>tranylcypromine oral tablet 10 mg</i> (Parnate)	2	GC
<i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>	1	GC
<i>trazodone oral tablet 300 mg</i>	2	GC
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)	2	GC; QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	2	GC; QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	GC
VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG	3	QL (30 per 30 days)
VIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23)	3	
ZULRESSO INTRAVENOUS SOLUTION 5 MG/ML	5	NM; NDS
Antidiabetic Agents		
Antidiabetic Agents, Miscellaneous		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	2	GC; QL (90 per 30 days)
FARXIGA ORAL TABLET 10 MG, 5 MG	3	QL (30 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>metformin oral tablet 1,000 mg</i>	1	GC; QL (75 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>metformin oral tablet 500 mg</i>	1	GC; QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	1	GC; QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	1	GC; QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	1	GC; QL (60 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)	3	QL (1.5 per 28 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 1 MG/DOSE (2 MG/1.5 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	3	QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	1	GC; QL (30 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	2	GC; QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	2	GC; QL (240 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	3	QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; NM; NDS; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; NM; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TRADJENTA ORAL TABLET 5 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	3	QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	QL (2 per 28 days)
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	3	QL (9 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
Insulins		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	SI; QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	SI; QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	SI; QL (24 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
LANTUS U-100 INSULIN (insulin glargine) SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	SI; QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70- 30)	3	SI; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U- 100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	SI; QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	SI; QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
NOVOLIN R REGULAR U-100 INSULIN INJECTION SOLUTION 100 UNIT/ML	3	SI; QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 (insulin aspart u-100) INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; SI; QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 (insulin asp prt-insulin aspart) INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70- 30)	2	GC; SI; QL (40 per 28 days)
NOVOLOG MIX 70- 30FLEXPEN U-100 (insulin asp prt-insulin aspart) SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	2	GC; SI; QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
NOVOLOG PENFILL U-100 (insulin aspart u-100) INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	2	GC; SI; QL (30 per 28 days)
NOVOLOG U-100 INSULIN (insulin aspart u-100) ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	GC; SI; QL (40 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	3	SI; QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	3	SI; QL (13.5 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	QL (15 per 28 days)
Sulfonylureas		
<i>glimepiride oral tablet 1 mg, 2 mg</i> (Amaryl)	1	GC; QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i> (Amaryl)	1	GC; QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i>	1	GC; QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i>	1	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i> (Glucotrol XL)	1	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i> (Glucotrol XL)	1	GC; QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	2	GC; QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	2	GC; QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i> (Glynase)	2	PA-HRM; GC; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	2	PA-HRM; GC; AGE (Max 64 Years)
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	1	PA-HRM; GC; AGE (Max 64 Years)
Antifungals		
Antifungals		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	4	PA BvD
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG (amphotericin b liposome)	5	PA BvD; NM; NDS
<i>amphotericin b injection recon soln 50 mg</i>	2	PA BvD; GC
<i>amphotericin b liposome intravenous suspension for reconstitution 50 mg</i> (AmBisome)	5	PA BvD; NM; NDS
<i>casposfungin intravenous recon soln 50 mg</i> (Cancidas)	5	NM; NDS
<i>casposfungin intravenous recon soln 70 mg</i> (Cancidas)	2	GC
<i>ciclopirox topical cream 0.77%</i> (Ciclodan)	2	GC; QL (180 per 30 days)
<i>ciclopirox topical solution 8%</i> (Ciclodan)	2	GC; QL (19.8 per 30 days)
<i>clotrimazole mucous membrane troche 10 mg</i>	2	GC
<i>clotrimazole topical cream 1%</i> (Antifungal (clotrimazole))	2	GC
<i>clotrimazole-betamethasone topical cream 1-0.05%</i>	2	GC; QL (90 per 30 days)
<i>econazole topical cream 1%</i>	2	GC; QL (170 per 30 days)
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>	2	GC
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i> (Diflucan)	2	GC
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Diflucan)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)	5	NM; NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	2	GC
<i>griseofulvin microsize oral tablet 500 mg</i>	2	GC
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	2	GC
<i>ketoconazole oral tablet 200 mg</i>	2	GC
<i>ketoconazole topical cream 2 %</i>	2	GC; QL (180 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>	2	GC; QL (360 per 30 days)
<i>miconazole-3 vaginal suppository 200 mg</i>	2	GC
NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML) (posaconazole)	5	PA; NM; NDS
<i>nyamyc topical powder 100,000 unit/gram</i> (nystatin)	2	GC; QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>	2	GC; QL (900 per 30 days)
<i>nystatin oral tablet 500,000 unit</i>	2	GC
<i>nystatin topical cream 100,000 unit/gram</i>	2	GC; QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>	2	GC; QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)	2	GC; QL (60 per 30 days)
<i>nystop topical powder 100,000 unit/gram</i> (nystatin)	2	GC; QL (60 per 30 days)
<i>posaconazole oral tablet, delayed release (dr/lec) 100 mg</i> (Noxafil)	5	PA; NM; NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	GC
<i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)	5	PA BvD; NM; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend)	5	PA; NM; NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i> (Vfend)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Antigout Agents		
Antigout Agents, Other		
<i>allopurinol oral tablet 100 mg</i> (Zyloprim)	1	GC
<i>allopurinol oral tablet 300 mg</i>	1	GC
<i>colchicine oral tablet 0.6 mg</i> (Colcris)	4	PA; QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	2	ST; GC; QL (30 per 30 days)
MITIGARE ORAL CAPSULE (colchicine) 0.6 MG	2	GC; QL (60 per 30 days)
<i>probenecid oral tablet 500 mg</i>	2	GC
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	2	GC
Antihistamines		
Antihistamines		
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	2	PA-HRM; GC; AGE (Max 64 Years)
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	2	GC
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	2	GC
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml</i> (Diphen)	2	PA-HRM; GC; AGE (Max 64 Years)
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>	2	GC
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	2	GC
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	GC
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	1	GC
<i>promethazine oral syrup 6.25 mg/5 ml</i>	2	PA-HRM; GC; AGE (Max 64 Years)
Anti-Infectives (Skin And Mucous Membrane)		
Anti-Infectives (Skin And Mucous Membrane)		
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	2	GC
<i>metronidazole vaginal gel 0.75 %</i> (Vandazole)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	GC
<i>terconazole vaginal suppository 80 mg</i>	2	GC
Antimigraine Agents		
Antimigraine Agents		
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 140 MG/ML, 70 MG/ML	3	PA; QL (1 per 30 days)
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine injection solution (D.H.E.45)</i> <i>1 mg/ml</i>	2	GC; QL (24 per 28 days)
<i>dihydroergotamine nasal spray,non- aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	5	NM; NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	3	PA; QL (18 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	2	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	2	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating</i> (Maxalt-MLT) <i>10 mg</i>	2	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating</i> <i>5 mg</i>	2	GC; QL (12 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>sumatriptan nasal spray,non-aerosol</i> (Imitrex) 20 mg/lactuation	2	GC; QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol</i> (Imitrex) 5 mg/lactuation	2	GC; QL (18 per 30 days)
<i>sumatriptan succinate oral tablet</i> (Imitrex) 100 mg	2	GC; QL (9 per 30 days)
<i>sumatriptan succinate oral tablet</i> 25 (Imitrex) mg, 50 mg	2	GC; QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous</i> (Imitrex STATdose <i>cartridge 4 mg/0.5 ml</i> Refill)	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous</i> (Imitrex STATdose <i>cartridge 6 mg/0.5 ml</i> Refill)	2	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous</i> (Imitrex STATdose <i>pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> Pen)	2	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous</i> (Imitrex) <i>solution 6 mg/0.5 ml</i>	2	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous</i> <i>syringe 6 mg/0.5 ml</i>	2	GC; QL (4 per 28 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	3	PA; QL (16 per 30 days)
Antimycobacterials		
Antimycobacterials		
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	GC
<i>ethambutol oral tablet 100 mg</i>	2	GC
<i>ethambutol oral tablet 400 mg</i> (Myambutol)	2	GC
<i>isoniazid oral solution 50 mg/5 ml</i>	2	GC
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	GC
PRETOMANID ORAL TABLET 200 MG	4	QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	2	GC
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	2	GC
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	2	GC
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NM; NDS
TRECTOR ORAL TABLET 250 MG	4	
Antinausea Agents		
Antinausea Agents		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	4	
AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML	4	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	4	PA BvD
<i>aprepitant oral capsule 125 mg</i>	2	PA BvD; GC; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	2	PA BvD; GC; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	2	PA BvD; GC; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	2	PA BvD; GC; QL (6 per 28 days)
<i>compro rectal suppository 25 mg</i> (prochlorperazine)	2	GC
<i>dimenhydrinate injection solution 50 mg/ml</i>	2	GC
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	2	PA; GC; QL (60 per 30 days)
<i>droperidol injection solution 2.5 mg/ml</i>	2	GC
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	4	PA BvD; QL (6 per 28 days)
<i>fosaprepitant intravenous recon soln 150 mg</i> (Emend (fosaprepitant))	2	GC; QL (2 per 28 days)
<i>granisetron (pf) intravenous solution 1 mg/ml (1 ml), 100 mcg/ml</i>	2	GC
<i>granisetron hcl intravenous solution 1 mg/ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>granisetron hcl oral tablet 1 mg</i>	2	PA BvD; GC
<i>meclizine oral tablet 12.5 mg</i>	2	GC
<i>meclizine oral tablet 25 mg</i> (Dramamine Less Drowsy)	2	GC
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	2	GC
<i>ondansetron hcl oral tablet 24 mg, 4 mg, 8 mg</i>	2	PA BvD; GC
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	2	PA BvD; GC
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i>	2	GC
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)	2	GC
<i>prochlorperazine rectal suppository 25 mg</i> (Compro)	2	GC
<i>promethazine injection solution 25 mg/ml, 50 mg/ml</i> (Phenergan)	2	PA-HRM; GC; AGE (Max 64 Years)
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	PA-HRM; GC; AGE (Max 64 Years)
<i>promethazine rectal suppository 50 mg</i> (Promethegan)	2	PA-HRM; GC; AGE (Max 64 Years)
<i>promethegan rectal suppository 12.5 mg, 25 mg</i> (promethazine)	2	PA-HRM; GC; AGE (Max 64 Years)
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop)	2	PA-HRM; GC; QL (10 per 30 days); AGE (Max 64 Years)
Antiparasite Agents		
Antiparasite Agents		
<i>albendazole oral tablet 200 mg</i> (Albenza)	5	NM; NDS
<i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)	2	GC
<i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>atovaquone-proguanil oral tablet</i> (Malarone Pediatric) 62.5-25 mg	2	GC
<i>chloroquine phosphate oral tablet</i> 250 mg	2	GC; QL (50 per 30 days)
<i>chloroquine phosphate oral tablet</i> 500 mg	2	GC; QL (25 per 30 days)
COARTEM ORAL TABLET 20-120 MG	4	
<i>hydroxychloroquine oral tablet</i> 200 (Plaquenil) mg	2	GC; QL (90 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG	5	PA; NM; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet</i> 3 mg (Stromectol)	2	GC
KRINTAFEL ORAL TABLET 150 MG	4	
<i>mefloquine oral tablet</i> 250 mg	2	GC
<i>nitazoxanide oral tablet</i> 500 mg (Alinia)	5	NM; NDS
<i>paromomycin oral capsule</i> 250 mg (Humatin)	2	GC
<i>pentamidine inhalation recon soln</i> (Nebupent) 300 mg	2	PA BvD; GC
<i>pentamidine injection recon soln</i> 300 (Pentam) mg	2	GC
PRIMAQUINE ORAL TABLET 26.3 MG	4	
<i>pyrimethamine oral tablet</i> 25 mg (Daraprim)	5	PA; NM; NDS
<i>quinine sulfate oral capsule</i> 324 mg (Qualaquin)	2	PA; GC; QL (42 per 7 days)
Antiparkinsonian Agents		
Antiparkinsonian Agents		
<i>amantadine hcl oral capsule</i> 100 mg	2	GC
<i>amantadine hcl oral solution</i> 50 mg/5 ml	1	GC
<i>apomorphine subcutaneous cartridge</i> (APOKYN) 10 mg/ml	5	PA; NM; NDS; QL (60 per 30 days)
<i>benztropine oral tablet</i> 0.5 mg, 1 mg, 2 mg	2	GC
<i>bromocriptine oral capsule</i> 5 mg (Parlodel)	2	GC
<i>bromocriptine oral tablet</i> 2.5 mg (Parlodel)	2	GC
<i>cabergoline oral tablet</i> 0.5 mg	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet)	2	GC
<i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy)	2	GC
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	2	GC
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	2	GC
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i> (Stalevo 50)	4	
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i> (Stalevo 75)	4	
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i> (Stalevo 100)	4	
<i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i> (Stalevo 125)	4	
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i> (Stalevo 150)	4	
<i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i> (Stalevo 200)	4	
<i>entacapone oral tablet 200 mg</i> (Comtan)	2	GC
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	5	PA; NM; NDS; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NM; NDS
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	3	QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	4	ST; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	4	ST; QL (60 per 30 days)
<i>pramipexole oral tablet 0.125 mg,</i> (Mirapex) <i>0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	1	GC
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	2	GC
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	2	GC
<i>selegiline hcl oral capsule 5 mg</i>	2	GC
<i>selegiline hcl oral tablet 5 mg</i>	2	GC
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	GC
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	GC
XADAGO ORAL TABLET 100 MG	4	PA; QL (30 per 30 days)
XADAGO ORAL TABLET 50 MG	5	PA; NM; NDS; QL (30 per 30 days)
Antipsychotic Agents		
Antipsychotic Agents		
<i>aripiprazole oral solution 1 mg/ml</i>	2	GC; QL (900 per 30 days)
<i>aripiprazole oral tablet 10 mg, 15</i> (Abilify) <i>mg, 20 mg, 30 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>aripiprazole oral tablet 2 mg</i> (Abilify)	2	GC; QL (60 per 30 days)
<i>aripiprazole oral tablet, disintegrating 10 mg</i>	2	ST; GC; QL (90 per 30 days)
<i>aripiprazole oral tablet, disintegrating 15 mg</i>	5	ST; NM; NDS; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 675 MG/2.4 ML	5	NM; NDS; QL (4.8 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NM; NDS; QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NM; NDS; QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NM; NDS; QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NM; NDS; QL (3.2 per 28 days)
<i>asenapine maleate sublingual tablet</i> (Saphris) 10 mg, 2.5 mg, 5 mg	2	GC; QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 42 MG	5	ST; NM; NDS; QL (30 per 30 days)
<i>chlorpromazine injection solution</i> 25 <i>mg/ml</i>	2	GC
<i>chlorpromazine oral concentrate</i> 100 <i>mg/ml, 30 mg/ml</i>	2	GC
<i>chlorpromazine oral tablet</i> 10 mg, 100 mg, 200 mg, 25 mg, 50 mg	2	GC
<i>clozapine oral tablet</i> 100 mg (Clozaril)	2	GC; QL (270 per 30 days)
<i>clozapine oral tablet</i> 200 mg (Clozaril)	2	GC; QL (135 per 30 days)
<i>clozapine oral tablet</i> 25 mg, 50 mg (Clozaril)	2	GC; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 100 mg, 12.5 mg, 25 mg	2	ST; GC; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 150 mg	2	ST; GC; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 200 mg	5	ST; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NM; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	4	ST
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	2	GC
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	2	GC
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	2	GC
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	2	GC
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	2	GC
<i>haloperidol decanoate intramuscular solution 100 mg/ml</i> (Haldol Decanoate)	2	GC
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml)</i>	2	GC
<i>haloperidol decanoate intramuscular solution 50 mg/ml</i> (Haldol Decanoate)	2	GC
<i>haloperidol decanoate intramuscular solution 50 mg/ml(1ml)</i>	2	GC
<i>haloperidol lactate injection solution 5 mg/ml</i>	2	GC
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	GC
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	GC
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	GC
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	5	NM; NDS; QL (3.5 per 180 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	5	NM; NDS; QL (5 per 180 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	5	NM; NDS; QL (0.88 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	NM; NDS; QL (1.32 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NM; NDS; QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	NM; NDS; QL (2.63 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG	3	QL (30 per 30 days)
LATUDA ORAL TABLET 80 MG	3	QL (60 per 30 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	GC
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>molindone oral tablet 10 mg</i>	2	GC; QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	GC; QL (270 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>molindone oral tablet 5 mg</i>	2	GC; QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln (Zyprexa) 10 mg</i>	2	GC; QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa)	2	GC; QL (30 per 30 days)
<i>olanzapine oral tablet, disintegrating (Zyprexa Zydis) 10 mg, 15 mg, 20 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i> (Invega)	2	GC; QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	2	GC; QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	GC
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 120 MG, 90 MG	5	NM; NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	GC
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Seroquel)	2	GC; QL (90 per 30 days)
<i>quetiapine oral tablet 300 mg, 400 mg</i> (Seroquel)	2	GC; QL (60 per 30 days)
REXULTI ORAL TABLET 0.25 MG	5	ST; NM; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	5	ST; NM; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NM; NDS; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML	4	QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML	5	NM; NDS; QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	2	GC; QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg</i>	2	GC; QL (60 per 30 days)
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg</i> (Risperdal)	2	GC; QL (60 per 30 days)
<i>risperidone oral tablet 4 mg</i> (Risperdal)	2	GC; QL (120 per 30 days)
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	2	GC; QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating 3 mg, 4 mg</i>	2	GC; QL (120 per 30 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NM; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	GC
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	GC
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	GC
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NM; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	2	GC; QL (60 per 30 days)
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon)	2	GC; QL (6 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NM; NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NM; NDS; QL (1 per 28 days)
Antivirals (Systemic)		
Antiretrovirals		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	2	GC
<i>abacavir oral tablet 300 mg</i> (Ziagen)	2	GC
<i>abacavir-lamivudine oral tablet 600-300 mg</i> (Epzicom)	2	GC
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i> (Trizivir)	5	NM; NDS
APRETUDE (cabotegravir) INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 600 MG/3 ML (200 MG/ML)	5	NM; NDS; QL (24 per 365 days)
APTIVUS (WITH VITAMIN E) ORAL SOLUTION 100 MG/ML	5	NM; NDS
APTIVUS ORAL CAPSULE 250 MG	5	NM; NDS
<i>atazanavir oral capsule 150 mg</i>	2	GC
<i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz)	2	GC
BIKTARVY ORAL TABLET 30- 120-15 MG, 50-200-25 MG	5	NM; NDS
CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>cabotegravir intramuscular suspension, extended release 400 mg/2 ml (200 mg/ml)</i>	5	NM; NDS; QL (24 per 365 days)
<i>cabotegravir intramuscular suspension, extended release 600 mg/3 ml (200 mg/ml)</i> (Apretude)	5	NM; NDS; QL (24 per 365 days)
CIMDUO ORAL TABLET 300-300 MG	5	NM; NDS
COMPLERA ORAL TABLET 200-25-300 MG	5	NM; NDS
CRIXIVAN ORAL CAPSULE 200 MG	4	
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NM; NDS
DESCOVY ORAL TABLET 120-15 MG, 200-25 MG	5	NM; NDS
<i>didanosine oral capsule, delayed release (drlec) 250 mg, 400 mg</i>	2	GC
DOVATO ORAL TABLET 50-300 MG	5	NM; NDS
EDURANT ORAL TABLET 25 MG	5	NM; NDS
<i>efavirenz oral capsule 200 mg, 50 mg</i> (Sustiva)	2	GC
<i>efavirenz oral tablet 600 mg</i> (Sustiva)	2	GC
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i> (Atripla)	5	NM; NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 400-300-300 mg</i> (Symfi Lo)	5	NM; NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 600-300-300 mg</i> (Symfi)	5	NM; NDS
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	2	GC
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg</i> (Truvada)	5	NM; NDS
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)	5	NM; NDS
EVOTAZ ORAL TABLET 300-150 MG	5	NM; NDS
<i>fosamprenavir oral tablet 700 mg</i> (Lexiva)	2	GC
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NM; NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NM; NDS
INTELENCE ORAL TABLET 25 MG	4	
INVIRASE ORAL TABLET 500 MG	5	NM; NDS
ISENTRESS HD ORAL TABLET 600 MG	5	NM; NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	4	
ISENTRESS ORAL TABLET 400 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG, 25 MG	4	
JULUCA ORAL TABLET 50-25 MG	5	NM; NDS
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	2	GC
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	2	GC
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	2	GC
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	2	GC
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	2	GC; QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)	2	GC; QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)	5	NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)	5	NM; NDS
<i>nevirapine oral suspension 50 mg/5 ml</i>	2	GC
<i>nevirapine oral tablet 200 mg</i>	2	GC
<i>nevirapine oral tablet extended release 24 hr 100 mg, 400 mg</i>	2	GC
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NM; NDS
PIFELTRO ORAL TABLET 100 MG	5	NM; NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NM; NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NM; NDS
PREZISTA ORAL TABLET 150 MG, 600 MG, 800 MG	5	NM; NDS
PREZISTA ORAL TABLET 75 MG	4	
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NM; NDS
<i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i>	5	NM; NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	2	GC
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NM; NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	4	
SELZENTRY ORAL TABLET 25 MG	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SELZENTRY ORAL TABLET 75 MG	5	NM; NDS
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	GC
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NM; NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	NM; NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NM; NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	2	GC
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NM; NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	4	
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NM; NDS
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	5	NM; NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NM; NDS
VEMLIDY ORAL TABLET 25 MG	5	NM; NDS; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NM; NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NM; NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NM; NDS
VOCABRIA ORAL TABLET 30 MG	4	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	GC
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	GC
<i>zidovudine oral tablet 300 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Antivirals, Miscellaneous		
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	2	PA BvD; GC
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	2	GC; QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	2	GC; QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	2	GC; QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	2	GC; QL (540 per 180 days)
PAXLOVID (EUA) ORAL TABLET 150 MG X 2- 100 MG	4	QL (30 per 5 days)
PAXLOVID (EUA) ORAL TABLET 150-100 MG	4	QL (20 per 5 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	5	PA; NM; NDS; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	5	PA; NM; NDS; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NM; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	2	GC
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
XOFLUZA ORAL TABLET 20 MG, 40 MG	4	QL (4 per 180 days)
XOFLUZA ORAL TABLET 80 MG	4	QL (2 per 180 days)
Hcv Antivirals		
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL PELLETS IN PACKET 200-50 MG	5	PA; NM; NDS; QL (56 per 28 days)
EPCLUSA ORAL TABLET 200-50 MG	5	PA; NM; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
EPCLUSA ORAL TABLET 400-100 MG (sofosbuvir-velpatasvir)	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NM; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 MG (ledipasvir-sofosbuvir)	5	PA; NM; NDS; QL (28 per 28 days)
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NM; NDS; QL (28 per 28 days)
Interferons		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	PA NSO; NM; NDS
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML	5	PA NSO; NM; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	NM; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	NM; NDS
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	5	NM; NDS
Nucleosides And Nucleotides		
<i>acyclovir oral capsule 200 mg</i>	2	GC
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	2	GC
<i>acyclovir oral tablet 400 mg, 800 mg</i>	2	GC
<i>acyclovir sodium intravenous recon soln 1,000 mg, 500 mg</i>	2	PA BvD; GC
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	2	PA BvD; GC
<i>adefovir oral tablet 10 mg</i> (Hepsera)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	2	GC
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2	GC
<i>ganciclovir sodium intravenous recon soln 500 mg</i>	5	PA BvD; NM; NDS
<i>ganciclovir sodium intravenous solution 50 mg/ml</i>	5	PA BvD; NM; NDS
<i>molnupiravir oral capsule 200 mg</i>	4	QL (40 per 5 days)
<i>ribavirin inhalation recon soln 6 gram</i> (Virazole)	5	PA BvD; NM; NDS
<i>ribavirin oral capsule 200 mg</i>	2	GC
<i>ribavirin oral tablet 200 mg</i>	2	GC
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	2	GC
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	2	GC
VEKLURY INTRAVENOUS RECON SOLN 100 MG (remdesivir)	5	PA BvD; NM; NDS
Blood Products/Modifiers/Volume Expanders		
Anticoagulants		
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
ELIQUIS ORAL TABLET 2.5 MG	3	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	3	QL (74 per 30 days)
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i> (Lovenox)	2	GC; QL (30 per 30 days)
<i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox)	2	GC; QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox)	2	GC; QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox)	2	GC; QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> (Lovenox)	2	GC; QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> (Lovenox)	2	GC; QL (36 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 10 mg/0.8 ml	5	NM; NDS; QL (24 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 2.5 mg/0.5 ml	2	GC; QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 5 mg/0.4 ml	5	NM; NDS; QL (12 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 7.5 mg/0.6 ml	5	NM; NDS; QL (18 per 30 days)
<i>heparin (porcine) injection cartridge</i> 5,000 unit/ml (1 ml)	2	GC
<i>heparin (porcine) injection solution</i> 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml	2	GC
<i>heparin (porcine) injection syringe</i> 5,000 unit/ml	2	GC
<i>heparin, porcine (pf) injection</i> <i>solution</i> 1,000 unit/ml	2	GC
<i>heparin, porcine (pf) injection</i> <i>syringe</i> 5,000 unit/0.5 ml	2	GC
<i>jantoven oral tablet</i> 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg (warfarin)	1	GC
<i>warfarin oral tablet</i> 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg (Jantoven)	1	GC
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML	3	QL (600 per 30 days)
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	3	QL (60 per 30 days)
Blood Formation Modifiers		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NM; NDS; QL (20 per 30 days)
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NM; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NM; NDS; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	5	NM; NDS
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	5	NM; NDS
MULPLETA ORAL TABLET 3 MG	5	PA; NM; NDS; QL (7 per 7 days)
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NM; NDS
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
ORLADEYO ORAL CAPSULE 110 MG, 150 MG	5	PA; NM; NDS; QL (30 per 30 days)
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NM; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
PROMACTA ORAL TABLET 25 MG	5	PA; NM; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; NM; NDS; QL (60 per 30 days)
RELEUKO INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
RELEUKO SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
Hematologic Agents, Miscellaneous		
ADAKVEO INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	2	GC
<i>anagrelide oral capsule 1 mg</i>	2	GC
CABLIVI INJECTION KIT 11 MG	5	PA; NM; NDS; QL (30 per 30 days)
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	
GIVLAARI SUBCUTANEOUS SOLUTION 189 MG/ML	5	PA; NM; NDS
<i>protamine intravenous solution 10 mg/ml</i>	2	GC
SIKLOS ORAL TABLET 1,000 MG, 100 MG	4	PA
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>tranexamic acid intravenous solution</i> (Cyklokapron) 1,000 mg/10 ml (100 mg/ml)	2	GC
<i>tranexamic acid oral tablet 650 mg</i> (Lysteda)	2	GC
Platelet-Aggregation Inhibitors		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	2	GC; QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	GC
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	GC
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	PA-HRM; GC; AGE (Max 64 Years)
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	GC
<i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)	2	GC; QL (30 per 30 days)
Caloric Agents		
Caloric Agents		
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	4	PA BvD
AMINOSYN-PF 7 % (SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	2	PA BvD; GC
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	4	
<i>dextrose 5 % in water (d5w) intravenous piggyback 5 %</i>	2	GC
<i>dextrose 5%-water iv soln single use</i>	1	GC
<i>dextrose 5%-water iv soln single use</i>	2	GC
HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION 8 %	4	PA BvD
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	4	PA BvD
NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION 5.4 %	4	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
Cardiovascular Agents		
Alpha-Adrenergic Agents		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	GC
<i>clonidine transdermal patch weekly (Catapres-TTS-1) 0.1 mg/24 hr</i>	2	GC; QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>clonidine transdermal patch weekly</i> (Catapres-TTS-2) 0.2 mg/24 hr	2	GC; QL (4 per 28 days)
<i>clonidine transdermal patch weekly</i> (Catapres-TTS-3) 0.3 mg/24 hr	2	GC; QL (8 per 28 days)
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	2	GC
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Northera)	5	PA; NM; NDS; QL (180 per 30 days)
<i>guanfacine oral tablet 1 mg, 2 mg</i>	2	GC
<i>methyldopa oral tablet 250 mg, 500 mg</i>	2	GC
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC
<i>phenylephrine hcl injection solution 10 mg/ml</i> (Vazculep)	2	GC
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> (Minipress)	2	GC
Angiotensin II Receptor Antagonists		
EDARBI ORAL TABLET 40 MG, 80 MG	3	
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	3	
ENTRESTO ORAL TABLET 24-26 MG	3	QL (180 per 30 days)
ENTRESTO ORAL TABLET 49-51 MG, 97-103 MG	3	QL (60 per 30 days)
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	2	GC
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	2	GC
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	1	GC
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	1	GC
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	2	GC
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	2	GC
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	2	GC
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	1	GC
Angiotensin-Converting Enzyme Inhibitors		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	1	GC
<i>benazepril oral tablet 5 mg</i>	1	GC
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)	2	GC
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	2	GC
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	2	GC
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	2	GC
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	2	GC
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	1	GC
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	1	GC
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	1	GC
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	1	GC
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	1	GC
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	1	GC
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)	2	GC
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	1	GC
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	2	GC
Antiarrhythmic Agents		
<i>amiodarone oral tablet 200 mg</i> (Pacerone)	1	GC
<i>amiodarone oral tablet 400 mg</i> (Pacerone)	2	GC
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	2	PA-HRM; GC; AGE (Max 64 Years)
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	2	GC
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	GC
<i>lidocaine (pf) injection solution 10 mg/ml (1%)</i> (Xylocaine-MPF)	1	GC
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2%), 50 mg/5 ml (1%)</i>	1	GC
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	GC
MULTAQ ORAL TABLET 400 MG	3	
<i>pacerone oral tablet 200 mg</i> (amiodarone)	1	GC
<i>pacerone oral tablet 400 mg</i> (amiodarone)	2	GC
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	2	GC
<i>procainamide intravenous syringe 100 mg/ml</i>	2	GC
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	GC
<i>quinidine sulfate oral tablet 200 mg</i>	1	GC
<i>quinidine sulfate oral tablet 300 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Beta-Adrenergic Blocking Agents		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	GC
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	1	GC
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)	2	GC
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)	2	GC
<i>betaxolol oral tablet 10 mg, 20 mg</i>	2	GC
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	GC
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i> (Ziac)	2	GC
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	1	GC
<i>labetalol intravenous solution 5 mg/ml</i>	2	GC
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	2	GC
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	GC
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)	1	GC
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>	2	GC
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	2	GC
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	GC
<i>metoprolol tartrate oral tablet 25 mg</i>	1	GC
<i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Bystolic)	2	GC
<i>propranolol intravenous solution 1 mg/ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	2	GC
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	GC
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	GC
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	2	GC
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (sotalol)	2	GC
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol)	2	GC
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (Sorine)	2	GC
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	2	GC
Calcium-Channel Blocking Agents		
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl)	2	GC
<i>diltiazem 24h er(cd) 300 mg cp 300 mg</i> (Cartia XT)	2	GC
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	2	GC
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	2	GC
<i>diltiazem hcl oral capsule,extended release 24 hr 420 mg</i> (Tiadylt ER)	2	GC
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	2	GC
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	2	GC
<i>diltiazem hcl oral tablet 90 mg</i>	2	GC
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl)	2	GC
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	2	GC
<i>verapamil intravenous syringe 2.5 mg/ml</i>	2	GC
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM)	2	GC
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i> (Verelan)	2	GC
<i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i> (Verelan)	4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	GC
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i> (Calan SR)	2	GC
Cardiovascular Agents, Miscellaneous		
CORLANOR ORAL SOLUTION 5 MG/5 ML	3	QL (600 per 30 days)
CORLANOR ORAL TABLET 5 MG, 7.5 MG	3	QL (60 per 30 days)
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin)	2	GC
<i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin)	2	GC
<i>digoxin 250 mcg tablet 250 mcg (0.25 mg)</i> (Digitek)	2	GC
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	2	GC
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)	2	GC
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	2	GC; QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)	2	GC; QL (4 per 30 days)
<i>epinephrine injection solution 1 mg/ml</i> (Adrenalin)	1	GC
<i>hydralazine injection solution 20 mg/ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	GC
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Sajazir)	5	PA; NM; NDS; QL (18 per 30 days)
<i>metyrosine oral capsule 250 mg</i> (Demser)	5	NM; NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i> (Ranexa)	2	GC; QL (60 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i> (Ranexa)	2	GC; QL (120 per 30 days)
<i>sajazir subcutaneous syringe 30 mg/3 ml</i> (icatibant)	5	PA; NM; NDS; QL (18 per 30 days)
VYNDAMAX ORAL CAPSULE 61 MG	5	PA; NM; NDS; QL (30 per 30 days)
VYNDAQEL ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (120 per 30 days)
Dihydropyridines		
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	GC
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel)	2	GC
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>	2	GC
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	2	GC
<i>nicardipine oral capsule 20 mg, 30 mg</i>	2	GC
<i>nifedipine oral capsule 10 mg, 20 mg</i>	2	GC
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL)	2	GC
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i> (Adalat CC)	2	GC
Diuretics		
<i>amiloride oral tablet 5 mg</i>	2	GC
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	GC
<i>bumetanide injection solution 0.25 mg/ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	GC
<i>chlorothiazide sodium intravenous recon soln 500 mg</i> (Diuril IV)	2	GC
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	GC
<i>furosemide injection solution 10 mg/ml</i>	2	GC
<i>furosemide injection syringe 10 mg/ml</i>	1	GC
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	GC
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)	1	GC
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	GC
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	GC
JYNARQUE ORAL TABLET 15 MG, 30 MG	5	PA; NM; NDS; QL (120 per 30 days)
JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	5	PA; NM; NDS; QL (56 per 28 days)
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)	1	GC
<i>toremide oral tablet 10 mg, 100 mg, 5 mg</i>	2	GC
<i>toremide oral tablet 20 mg</i> (Soanz)	2	GC
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i> (Maxzide-25mg)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i> (Maxzide)	1	GC
Dyslipidemics		
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)	1	GC; QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	2	GC
<i>cholestyramine light oral powder in packet 4 gram</i> (cholestyramine-aspartame)	2	GC
<i>colesevelam oral powder in packet 3.75 gram</i> (WelChol)	2	GC
<i>colesevelam oral tablet 625 mg</i> (WelChol)	2	GC
<i>colestipol oral packet 5 gram</i> (Colestid)	2	GC
<i>colestipol oral tablet 1 gram</i> (Colestid)	2	GC
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	2	GC; QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg</i>	2	GC
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	2	GC
<i>fenofibrate nanocrystallized oral tablet 160 mg</i>	2	GC
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	2	GC
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	GC
JUXTAPID ORAL CAPSULE 10 MG, 30 MG, 40 MG, 60 MG	5	PA; NM; NDS; QL (30 per 30 days)
JUXTAPID ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (90 per 30 days)
JUXTAPID ORAL CAPSULE 5 MG	5	PA; NM; NDS; QL (45 per 30 days)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG	3	QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	1	GC
NEXLETOL ORAL TABLET 180 MG	3	QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>niacin oral tablet 500 mg</i> (Niacor)	2	GC
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i> (Niaspan Extended-Release)	2	GC
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	2	GC; QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	3	QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>	1	GC
<i>pravastatin oral tablet 20 mg, 40 mg</i>	1	GC; QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i> (cholestyramine-aspartame)	2	GC
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	3	QL (7 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	3	QL (6 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	3	QL (6 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	1	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Zocor)	1	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg</i>	1	GC; QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM	2	GC; QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM (icosapent ethyl)	2	GC; QL (120 per 30 days)
Renin-Angiotensin-Aldosterone System Inhibitors		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	2	GC
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Vasodilators		
BIDIL ORAL TABLET 20-37.5 MG (isosorbide-hydralazine)	3	
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	GC
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradoso)	2	GC
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	GC
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	GC
<i>isosorbide-hydralazine oral tablet 20-37.5 mg</i> (BiDil)	2	GC
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (nitroglycerin)	2	GC
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	GC
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	2	GC
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	2	GC
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Nitro-Dur)	2	GC
Central Nervous System Agents		
Central Nervous System Agents		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> (Strattera)	2	GC; QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> (Strattera)	2	GC; QL (30 per 30 days)
AUBAGIO ORAL TABLET 14 MG, 7 MG	5	PA; NM; NDS; QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NM; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS; QL (15 per 30 days)
<i>caffeine citrate intravenous solution (Cafcit) 60 mg/3 ml (20 mg/ml)</i>	2	PA BvD; GC
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	2	GC
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML (glatiramer)	5	PA; NM; NDS; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML (glatiramer)	5	PA; NM; NDS; QL (12 per 28 days)
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)	2	PA; GC; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin)	2	GC; QL (60 per 30 days)
<i>dextroamphetamine sulfate oral tablet 10 mg</i> (Zenzedi)	2	GC; QL (180 per 30 days)
<i>dextroamphetamine sulfate oral tablet 15 mg, 5 mg</i> (Zenzedi)	2	GC; QL (90 per 30 days)
<i>dextroamphetamine sulfate oral tablet 20 mg, 30 mg</i> (Zenzedi)	2	GC; QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i> (Adderall XR)	2	GC; QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg</i> (Adderall XR)	2	GC; QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall)	2	GC; QL (60 per 30 days)
<i>dimethyl fumarate oral capsule, delayed release (dr/ec) 120 mg</i> (Tecfidera)	5	PA; NM; NDS; QL (14 per 7 days)
<i>dimethyl fumarate oral capsule, delayed release (dr/ec) 120 mg (14) - 240 mg (46)</i> (Tecfidera)	5	PA; NM; NDS
<i>dimethyl fumarate oral capsule, delayed release (dr/ec) 240 mg</i> (Tecfidera)	5	PA; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>flumazenil intravenous solution 0.1 mg/ml</i>	2	GC
GILENYA ORAL CAPSULE 0.25 MG, 0.5 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Copaxone)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i> (Copaxone)	5	PA; NM; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i> (glatiramer)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i> (glatiramer)	5	PA; NM; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	2	GC; QL (30 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	5	PA; NM; NDS; QL (1.2 per 28 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	GC
<i>lithium carbonate oral tablet 300 mg</i>	2	GC
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	2	GC
<i>lithium carbonate oral tablet extended release 450 mg</i>	2	GC
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
MAYZENT ORAL TABLET 0.25 MG	5	PA; NM; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 1 MG, 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	4	PA; NM
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NM; NDS
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	2	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 10 mg, 20 mg, 40 mg</i> (Ritalin LA)	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 30 mg</i> (Ritalin LA)	2	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 60 mg</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	2	GC; QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	2	GC; QL (90 per 30 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
RADICAVA INTRAVENOUS SOLUTION 30 MG/100 ML	5	PA; NM; NDS; QL (2800 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2	GC; QL (60 per 30 days)
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	5	PA; NM; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NM; NDS; QL (120 per 30 days)
Contraceptives		
Contraceptives		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	GC
<i>altavera (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	2	GC
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	2	GC
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	GC
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (l norgest/e.estradiol-e.estrad)	2	GC; QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	2	GC
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>	2	GC
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (l norgest/e.estradiol-e.estrad)	2	GC; QL (91 per 84 days)
<i>aubra eq oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	GC
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> (norethindrone ac-eth estradiol)	2	GC
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i> (norethindrone ac-eth estradiol)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/175 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/175 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/175 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>aviane oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>ayuna oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	GC
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>		2	GC
<i>bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	GC
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/175 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/175 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/175 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>briellyn oral tablet 0.4-35 mg-mcg</i>		2	GC
<i>camila oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>caziant (28) oral tablet 0.11.125/1.15-25 mg-mcg</i>		2	GC
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	GC
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	GC
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	GC
<i>cyred eq oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	GC
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits	
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	GC	
<i>daysee oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol-e.estradiol)	2	GC; QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21/0.01 mg x 5</i>	(Azurette (28))	2	GC
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	(Apri)	2	GC
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>	(Jasmiel (28))	2	GC
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>	(Syeda)	2	GC
<i>elinest oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	GC
ELLA ORAL TABLET 30 MG		4	QL (6 per 365 days)
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	2	GC; QL (1 per 28 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	GC
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	GC
<i>enskyce oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	GC
<i>errin oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Kelnor 1/35 (28))	2	GC
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Kelnor 1-50 (28))	2	GC
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	(EluRyng)	4	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>femynor oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol)	1	GC
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone-e.estradiol-iron)	2	GC
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)	2	GC
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)	2	GC
<i>hailey oral tablet 1.5-30 mg-mcg</i> (norethindrone ac-eth estradiol)	2	GC
<i>heather oral tablet 0.35 mg</i> (norethindrone (contraceptive))	1	GC
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (levonorgestrel-ethinyl estrad)	2	GC; QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i> (norethindrone (contraceptive))	1	GC
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (levonorgestrel-ethinyl estrad)	2	GC; QL (91 per 84 days)
<i>isibloom oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	2	GC
<i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (1 norgest/e.estradiol-e.estrad)	2	GC; QL (91 per 84 days)
<i>jasmiel (28) oral tablet 3-0.02 mg</i> (drospirenone-ethinyl estradiol)	2	GC
<i>jencycla oral tablet 0.35 mg</i> (norethindrone (contraceptive))	1	GC
<i>juleber oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	2	GC
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> (norethindrone ac-eth estradiol)	2	GC
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i> (norethindrone ac-eth estradiol)	2	GC
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)	2	GC
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)	1	GC
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone-e.estradiol-iron)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>kalliga oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	GC
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	GC
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	GC
<i>kelnor 1-50 (28) oral tablet 1-50 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	GC
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>l norgestle.estradiol-e.estrad oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	(LoJaimiess)	2	GC; QL (91 per 84 days)
<i>l norgestle.estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(Amethia)	2	GC; QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	GC
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	GC
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>larissia oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>lessina oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	GC
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	(Afirmelle)	2	GC
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>	(Altavera (28))	2	GC
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(Iclevia)	2	GC; QL (91 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(Enpresse)	2	GC
<i>levora-28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>lillow (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>lojaimiess oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad)	2	GC; QL (91 per 84 days)
<i>loryna (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	GC
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<i>lutera (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>lyleq oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>lyza oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>mili oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>		2	GC
<i>nikki (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	(Camila)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i> (Aurovela 1.5/30 (21))	2	GC
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i> (Aurovela 1/20 (21))	2	GC
<i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i> (Merzee)	2	GC
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (Aurovela Fe 1-20 (28))	1	GC
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (Aurovela Fe 1.5/30 (28))	2	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i> (Tri-Lo-Estarylla)	2	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (Tri-Estarylla)	2	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i> (Femynor)	2	GC
<i>norlyda oral tablet 0.35 mg</i> (norethindrone (contraceptive))	1	GC
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	GC
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>	2	GC
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	2	GC
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	GC
<i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	2	GC
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	GC
<i>nymyo oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol)	2	GC
<i>orsythia oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	GC
<i>philith oral tablet 0.4-35 mg-mcg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>pimtrea</i> (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5 (desog-e.estradiol/e.estradiol)	2	GC
<i>pirmella</i> oral tablet 0.5/0.75/1 mg-35 mcg	2	GC
<i>pirmella</i> oral tablet 1-35 mg-mcg (norethindrone-ethin estradiol)	2	GC
<i>portia</i> 28 oral tablet 0.15-0.03 mg (levonorgestrel-ethinyl estrad)	2	GC
<i>previfem</i> oral tablet 0.25-35 mg-mcg (norgestimate-ethinyl estradiol)	1	GC
<i>reclipsen</i> (28) oral tablet 0.15-0.03 mg (desogestrel-ethinyl estradiol)	2	GC
<i>setlakin</i> oral tablets,dose pack,3 month 0.15 mg-30 mcg (91) (levonorgestrel-ethinyl estrad)	2	GC; QL (91 per 84 days)
<i>sharobel</i> oral tablet 0.35 mg (norethindrone (contraceptive))	1	GC
<i>simliya</i> (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5 (desog-e.estradiol/e.estradiol)	2	GC
<i>simpesse</i> oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7) (1 norgest/e.estradiol-e.estrad)	2	GC; QL (91 per 84 days)
<i>sprintec</i> (28) oral tablet 0.25-35 mg-mcg (norgestimate-ethinyl estradiol)	2	GC
<i>sronyx</i> oral tablet 0.1-20 mg-mcg (levonorgestrel-ethinyl estrad)	2	GC
<i>syeda</i> oral tablet 3-0.03 mg (drospirenone-ethinyl estradiol)	2	GC
<i>tarina</i> 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4) (norethindrone-e.estradiol-iron)	2	GC
<i>tarina</i> fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7) (norethindrone-e.estradiol-iron)	1	GC
<i>tri femynor</i> oral tablet 0.18/0.215/0.25 mg-35 mcg (28) (norgestimate-ethinyl estradiol)	2	GC
<i>tri-estarylla</i> oral tablet 0.18/0.215/0.25 mg-35 mcg (28) (norgestimate-ethinyl estradiol)	1	GC
<i>tri-legest</i> fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)	2	GC
<i>tri-linyah</i> oral tablet 0.18/0.215/0.25 mg-35 mcg (28) (norgestimate-ethinyl estradiol)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>tri-lo-estarylla oral tablet</i> 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-lo-marzia oral tablet</i> 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-lo-mili oral tablet</i> 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-lo-sprintec oral tablet</i> 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	2	GC
<i>tri-mili oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	GC
<i>tri-nymyo oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	GC
<i>tri-previfem (28) oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-sprintec (28) oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	GC
<i>trivora (28) oral tablet</i> 50-30 (6)/75-40 (5)/125-30(10)	(levonorg-eth estrad triphasic)	2	GC
<i>tri-vylibra lo oral tablet</i> 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-vylibra oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	GC
<i>tulana oral tablet</i> 0.35 mg	(norethindrone (contraceptive))	1	GC
<i>tyblume oral tablet, chewable</i> 0.1 mg- 20 mcg		2	GC
<i>velivet triphasic regimen (28) oral</i> <i>tablet</i> 0.11.125/1.15-25 mg-mcg		2	GC
<i>vestura (28) oral tablet</i> 3-0.02 mg	(drospirenone-ethinyl estradiol)	2	GC
<i>vienva oral tablet</i> 0.1-20 mg-mcg	(levonorgestrel-ethinyl estradiol)	2	GC
<i>viorele (28) oral tablet</i> 0.15-0.02 mgx21 /0.01 mg x 5	(desog- e.estradiol/e.estradiol)	2	GC
<i>volnea (28) oral tablet</i> 0.15-0.02 mgx21 /0.01 mg x 5	(desog- e.estradiol/e.estradiol)	2	GC
<i>vyfemla (28) oral tablet</i> 0.4-35 mg- mcg		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>vylibra oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol)	2	GC
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>	2	GC
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	2	GC; QL (3 per 28 days)
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>	2	GC; QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i> (drospirenone-ethinyl estradiol)	2	GC
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i> (ethynodiol diac-eth estradiol)	2	GC
<i>zumandimine (28) oral tablet 3-0.03 mg</i> (drospirenone-ethinyl estradiol)	2	GC
Dental And Oral Agents		
Dental And Oral Agents		
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i> (Paroex Oral Rinse)	1	GC
<i>denta 5000 plus dental cream 1.1 %</i> (fluoride (sodium))	1	GC
<i>dentagel dental gel 1.1 %</i> (fluoride (sodium))	1	GC
<i>fluoride (sodium) dental solution 0.2 %</i> (PreviDent)	1	GC
<i>oralone dental paste 0.1 %</i> (triamcinolone acetone)	2	GC
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i> (chlorhexidine gluconate)	1	GC
<i>perio gard mucous membrane mouthwash 0.12 %</i> (chlorhexidine gluconate)	1	GC
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i> (Salagen (pilocarpine))	2	GC
<i>sf 5000 plus dental cream 1.1 %</i> (fluoride (sodium))	1	GC
<i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i> (Fluoridex Sensitivity Relief)	1	GC
<i>triamcinolone acetone dental paste 0.1 %</i> (Oralone)	2	GC
Dermatological Agents		
Dermatological Agents, Other		
<i>acutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>	2	GC
<i>acyclovir topical ointment 5 %</i> (Zovirax)	2	GC; QL (30 per 30 days)
ALCOHOL 70% SWABS (Alcohol Pads)	1	GC
ALCOHOL PADS TOPICAL PADS, MEDICATED (alcohol swabs)	1	GC
ALCOHOL PREP SWABS TOPICAL PADS, MEDICATED (alcohol swabs)	1	GC
<i>ammonium lactate topical cream 12 %</i>	2	GC
<i>ammonium lactate topical lotion 12 %</i> (Skin Treatment)	2	GC
BD SINGLE USE SWAB (alcohol swabs)	1	GC
<i>calcipotriene scalp solution 0.005 %</i>	2	GC; QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i> (Dovonex)	2	GC; QL (120 per 30 days)
CARETOUCH ALCOHOL 70% PREP PAD (alcohol swabs)	1	GC
CURITY ALCOHOL PREPS 2 PLY, MEDIUM (alcohol swabs)	1	GC
DROPSAFE ALCOHOL 70% PREP PADS (alcohol swabs)	1	GC
EASY COMFORT ALCOHOL 70% PAD (alcohol swabs)	1	GC
EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED (alcohol swabs)	1	GC
<i>fluorouracil topical cream 0.5 %</i> (Carac)	5	NM; NDS
<i>fluorouracil topical cream 5 %</i> (Efudex)	2	GC
<i>fluorouracil topical solution 2 %, 5 %</i>	2	GC
HEB INCONTROL ALCOHOL 70% PADS (alcohol swabs)	1	GC
<i>imiquimod topical cream in packet 5 %</i>	2	GC; QL (24 per 30 days)
IV ANTISEPTIC WIPES (alcohol swabs)	1	GC
KENDALL ALCOHOL 70% PREP PAD (alcohol swabs)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>	5	NM; NDS
PANRETIN TOPICAL GEL 0.1 %	5	NM; NDS; QL (180 per 30 days)
<i>podofilox topical solution 0.5 %</i>	2	GC
PRO COMFORT ALCOHOL (alcohol swabs) 70% PADS	1	GC
PURE COMFORT ALCOHOL (alcohol swabs) 70% PADS	1	GC
RA ISOPROPYL ALCOHOL (alcohol swabs) 70% WIPES	1	GC
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	QL (180 per 30 days)
SURE COMFORT ALCOHOL (alcohol swabs) PREP PADS	1	GC
SURE-PREP ALCOHOL PREP PADS (alcohol swabs)	1	GC
TRUE COMFORT ALCOHOL (alcohol swabs) 70% PADS	1	GC
TRUE COMFORT PRO ALCOHOL PADS (alcohol swabs)	1	GC
ULTILET ALCOHOL STERL SWAB (alcohol swabs)	1	GC
VALCHLOR TOPICAL GEL 0.016 %	5	NM; NDS
WEBCOL ALCOHOL PREPS (alcohol swabs) 20'S,LARGE	1	GC
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin)	2	GC
Dermatological Antibacterials		
<i>clindamycin phosphate topical solution 1 %</i> (Cleocin T)	2	GC; QL (180 per 30 days)
<i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)	2	GC
<i>ery pads topical swab 2 %</i> (erythromycin with ethanol)	2	GC
<i>erythromycin with ethanol topical gel 2 %</i> (Erygel)	2	GC; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>erythromycin with ethanol topical solution 2 %</i>	2	GC; QL (180 per 30 days)
<i>gentamicin topical cream 0.1 %</i>	2	GC; QL (120 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>	2	GC; QL (120 per 30 days)
<i>metronidazole topical cream 0.75 %</i> (Rosadan)	2	GC
<i>metronidazole topical gel 0.75 %</i> (Rosadan)	2	GC
<i>metronidazole topical gel 1 %</i> (Metrogel)	2	GC
<i>metronidazole topical lotion 0.75 %</i> (MetroLotion)	2	GC
<i>mupirocin topical ointment 2 %</i> (Centany)	1	GC; QL (220 per 30 days)
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	2	GC
<i>rosadan topical cream 0.75 %</i> (metronidazole)	2	GC
<i>selenium sulfide topical lotion 2.5 %</i>	2	GC
<i>silver sulfadiazine topical cream 1 %</i> (SSD)	2	GC
<i>ssd topical cream 1 %</i> (silver sulfadiazine)	4	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron)	2	GC
Dermatological Anti-Inflammatory Agents		
<i>ala-cort topical cream 1 %</i> (hydrocortisone)	1	GC
<i>alclometasone topical cream 0.05 %</i>	2	GC
<i>alclometasone topical ointment 0.05 %</i>	2	GC
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	GC
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	GC
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	GC
<i>betamethasone valerate topical cream 0.1 %</i>	2	GC
<i>betamethasone valerate topical lotion 0.1 %</i>	2	GC
<i>betamethasone valerate topical ointment 0.1 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>betamethasone, augmented topical cream 0.05 %</i>	2	GC
<i>betamethasone, augmented topical gel 0.05 %</i>	2	GC
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	GC
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	2	GC
<i>clobetasol scalp solution 0.05 %</i>	2	GC
<i>clobetasol topical cream 0.05 %</i>	2	GC
<i>clobetasol-emollient topical cream 0.05 %</i>	2	GC
<i>desoximetasone topical cream 0.25 %</i> (Topicort)	2	GC; QL (120 per 30 days)
EUCRISA TOPICAL OINTMENT 2 %	3	
<i>fluocinolone topical cream 0.01 %</i>	2	GC
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	GC
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	2	GC
<i>fluocinonide topical cream 0.05 %</i>	2	GC
<i>fluocinonide topical solution 0.05 %</i>	2	GC
<i>fluocinonide-e topical cream 0.05 %</i> (fluocinonide-emollient)	2	GC
<i>fluticasone propionate topical cream 0.05 %</i>	2	GC
<i>fluticasone propionate topical ointment 0.005 %</i>	2	GC
<i>halobetasol propionate topical cream 0.05 %</i>	2	GC
<i>halobetasol propionate topical ointment 0.05 %</i>	2	GC
<i>hydrocortisone 2.5% cream 2.5 %</i>	1	GC
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	1	GC
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Procto-Med HC)	1	GC
<i>hydrocortisone topical lotion 2.5 %</i>	2	GC
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>hydrocortisone topical ointment 2.5 %</i>	1	GC
<i>mometasone topical cream 0.1 %</i>	2	GC
<i>mometasone topical ointment 0.1 %</i>	2	GC
<i>mometasone topical solution 0.1 %</i>	2	GC
<i>pimecrolimus topical cream 1 %</i> (Elidel)	2	GC; QL (100 per 30 days)
<i>prednicarbate topical ointment 0.1 %</i>	2	GC
<i>procto-med hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	GC
<i>proctosol hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	GC
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	GC
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i> (Protopic)	2	GC; QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	GC
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm)	1	GC
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	GC
<i>triamcinolone acetonide topical ointment 0.025 %</i>	1	GC
<i>triamcinolone acetonide topical ointment 0.1 %, 0.5 %</i>	2	GC
Dermatological Retinoids		
<i>adapalene topical cream 0.1 %</i> (Differin)	2	GC
<i>adapalene topical gel 0.1 %</i> (Differin)	2	GC
ALTRENO TOPICAL LOTION 0.05 %	4	PA
<i>tazarotene topical cream 0.1 %</i> (Tazorac)	2	GC
TAZORAC TOPICAL CREAM 0.05 %	4	
<i>tretinoin topical cream 0.025 %</i> (Avita)	2	PA; GC
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)	2	PA; GC
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>tretinoin topical gel 0.025 %</i> (Avita)	2	PA; GC
<i>tretinoin topical gel 0.05 %</i> (Atralin)	2	PA; GC
Scabicides And Pediculicides		
<i>malathion topical lotion 0.5 %</i> (Ovide)	2	GC
<i>permethrin topical cream 5 %</i> (Elimite)	2	GC
Devices		
Devices		
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTP 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTP 31GX3/16 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTP 32GX5/32 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16" (pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic) 2	GC
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic) 2	GC
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic) 2	GC
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic) 2	GC
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"	2	GC
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"	2	GC
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	GC
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"	2	GC
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	2	GC
ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"	2	GC
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"	2	GC
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	2	GC
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"	2	GC
BD ECLIPSE 30GX1/2" (insulin syringe-needle SYRINGE 1 ML 30 GAUGE X u-100) 1/2"	2	GC
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"	2	GC
BD INS SYRINGE 1/2 ML 6MMX31G (ONLY FOR 500 UNIT/ML INSULIN) 1/2 ML 31 GAUGE X 15/64"	2	GC
BD INS SYRN UF 1 ML (insulin syringe-needle 12.7MMX30G NOT FOR u-100) RETAIL SALE 1 ML 30 GAUGE X 1/2"	2	GC
BD INSULIN SYR 0.5 ML (insulin syringe-needle 29GX1/2" 0.5 ML 29 GAUGE X u-100) 1/2"	2	GC
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"	2	GC
BD INSULIN SYR 1 ML (insulin syringe-needle 25GX5/8" 1 ML 25 GAUGE X u-100) 5/8"	2	GC
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"	2	GC
BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
BD INSULIN SYR 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(Comfort EZ Insulin Syringe) 2	GC
BD INSULIN SYRINGE 1 ML W/O NEEDLE 1 ML	(insulin syringe needleless) 2	GC
BD LUER-LOK SYRINGE 1 ML 1 ML	(BD Insulin Syringe Slip Tip) 2	GC
BD NANO 2 GEN PEN NDL 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic) 2	GC
BD SAFETGLD INS 0.3 ML 13MMX29G 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
BD SAFETGLD INS 0.3 ML 8MMX31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
BD SAFETGLD INS 0.5 ML 8MMX30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"	2	GC
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	GC
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8"	2	GC
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	2	GC
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"	2	GC
BD UF MICRO PEN NEEDLE 6MMX32G 32 GAUGE X 1/4"	(pen needle, diabetic) 2	GC
BD UF MINI PEN NEEDLE 5MMX31G 31 GAUGE X 3/16"	(pen needle, diabetic) 2	GC
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	(pen needle, diabetic) 2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
BD UF ORIG PEN NDL (pen needle, diabetic) 12.7MMX29G 29 GAUGE X 1/2"	2	GC
BD UF SHORT PEN NEEDLE (pen needle, diabetic) 8MMX31G 31 GAUGE X 5/16"	2	GC
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	2	GC
BD VEO INS SYRING 1 ML (insulin syringe-needle 6MMX31G 1 ML 31 GAUGE X u-100) 15/64"	2	GC
BD VEO INS SYRN 0.3 ML (insulin syringe-needle 6MMX31G 0.3 ML 31 GAUGE X u-100) 15/64"	2	GC
BD VEO INS SYRN 0.5 ML (insulin syringe-needle 6MMX31G 1/2 ML 31 GAUGE X u-100) 15/64"	2	GC
BORDERED GAUZE 2"X2" 2 X (gauze bandage) 2 "	1	GC
CAREFINE PEN NEEDLE (pen needle, diabetic) 12.7MM 29G 29 GAUGE X 1/2"	2	GC
CAREFINE PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	GC
CAREFINE PEN NEEDLE 5MM (pen needle, diabetic) 32G 32 GAUGE X 3/16"	2	GC
CAREFINE PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	2	GC
CAREFINE PEN NEEDLE 8MM (pen needle, diabetic) 30G 30 GAUGE X 5/16"	2	GC
CAREFINE PEN NEEDLES (pen needle, diabetic) 6MM 32G 32 GAUGE X 1/4"	2	GC
CAREFINE PEN NEEDLES (pen needle, diabetic) 8MM 31G 31 GAUGE X 5/16"	2	GC
CAREONE SYR 0.3 ML (Advocate Syringes) 31GX5/16" SHORT, HRI 0.3 ML 31 GAUGE X 5/16"	2	GC
CARETOUCH PEN NEEDLE (pen needle, diabetic) 29G 12MM 29 GAUGE X 1/2"	2	GC
CARETOUCH PEN NEEDLE (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4"	2	GC
CARETOUCH PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
CARETOUCH PEN NEEDLE (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	GC
CARETOUCH PEN NEEDLE (pen needle, diabetic) 32GX3/16" 32 GAUGE X 3/16"	2	GC
CARETOUCH PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	GC
CARETOUCH SYR 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	2	GC
CARETOUCH SYR 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X u-100) 5/16"	2	GC
CARETOUCH SYR 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	GC
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"	2	GC
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16"	2	GC
CARETOUCH SYR 1 ML (insulin syringe-needle 30GX5/16" 1 ML 30 GAUGE X u-100) 5/16"	2	GC
CARETOUCH SYR 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16"	2	GC
CLICKFINE 31G X 5/16" (pen needle, diabetic) NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16"	2	GC
CLICKFINE PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	2	GC
CLICKFINE UNIVERSAL 31G (pen needle, diabetic) X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4"	2	GC
COMFORT EZ INS 0.3 ML (insulin syringe-needle 30GX1/2" 0.3 ML 30 GAUGE X u-100) 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32" (pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16" (pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16" (pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4" (pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4" (pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16" (pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits	
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"	2	GC	
COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"		2	GC
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"		2	GC
COMFORT TOUCH PEN NDL 31G 4MM 31 GAUGE X 5/32"		2	GC
COMFORT TOUCH PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
COMFORT TOUCH PEN NDL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
COMFORT TOUCH PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
COMFORT TOUCH PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 5MM 32 GAUGE X 3/16"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 6MM 32 GAUGE X 1/4"	2	GC
COMFORT TOUCH PEN NDL 32G 8MM 32 GAUGE X 5/16"	2	GC
COMFORT TOUCH PEN NDL 33G 6MM 33 GAUGE X 1/4"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33GX4MM 33 GAUGE X 5/32"	2	GC
COMFORT TOUCH PEN NDL 33GX5MM 33 GAUGE X 3/16"	2	GC
CURAD GAUZE PADS 2" X 2" 2 (gauze bandage) X 2 "	1	GC
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 "	1	GC
CURITY GUAZE PADS 1'S(12 (gauze bandage) PLY) 2 X 2 "	1	GC
DERMACEA 2"X2" GAUZE 12 (gauze bandage) PLY, USP TYPE VII 2 X 2 "	1	GC
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "	1	GC
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "	1	GC
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"	2	GC
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"	2	GC
DROPLET INS 0.3 ML (insulin syringe-needle 29GX12.5MM 0.3 ML 29 u-100) GAUGE X 1/2"	2	GC
DROPLET INS 0.3 ML (insulin syringe-needle 30GX12.5MM 0.3 ML 30 u-100) GAUGE X 1/2"	2	GC
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"	2	GC
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"	2	GC
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"	2	GC
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"	2	GC
DROPLET INS SYR 0.3 ML (insulin syringe-needle 30GX8MM 0.3 ML 30 GAUGE X u-100) 5/16"	2	GC
DROPLET INS SYR 0.3 ML (insulin syringe-needle 31GX6MM 0.3 ML 31 GAUGE X u-100) 15/64"	2	GC
DROPLET INS SYR 0.3 ML (insulin syringe-needle 31GX8MM 0.3 ML 31 GAUGE X u-100) 5/16"	2	GC
DROPLET INS SYR 1 ML (insulin syringe-needle 29GX12.5MM 1 ML 29 GAUGE u-100) X 1/2"	2	GC
DROPLET INS SYR 1 ML (insulin syringe-needle 30GX12.5MM 1 ML 30 GAUGE u-100) X 1/2"	2	GC
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"	2	GC
DROPLET INS SYR 1 ML (insulin syringe-needle 30GX8MM 1 ML 30 GAUGE X u-100) 5/16"	2	GC
DROPLET INS SYR 1 ML (insulin syringe-needle 31GX6MM 1 ML 31 GAUGE X u-100) 15/64"	2	GC
DROPLET INS SYR 1 ML (insulin syringe-needle 31GX8MM 1 ML 31 GAUGE X u-100) 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 29GX1/2" 29 GAUGE X 1/2"	2	GC
DROPLET PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 30GX5/16" 30 GAUGE X 5/16"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 32GX1/4" 32 GAUGE X 1/4"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 32GX3/16" 32 GAUGE X 3/16"	2	GC
DROPLET PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	GC
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	GC
DROPSAFE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	2	GC
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	GC
DRUG MART ULTRA (insulin syringe-needle COMFORT SYR 0.3 ML 29 u-100) GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	2	GC
EASY COMFORT 0.3 ML (insulin syringe-needle SYRINGE 0.3 ML 30 GAUGE X u-100) 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"	2	GC
EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"	2	GC
EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)	2	GC
EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	2	GC
EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	2	GC
EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	GC
EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	GC
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32" (pen needle, diabetic)	2	GC
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	2	GC
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"	2	GC
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	GC
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	GC
EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"	2	GC
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"	2	GC
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
EASY TOUCH INSULIN SYR (insulin syringe-needle 0.3 ML 0.3 ML 30 GAUGE X u-100) 5/16", 0.3 ML 31 GAUGE X 5/16"	2	GC
EASY TOUCH INSULIN SYR (insulin syringe-needle 0.5 ML 0.5 ML 30 GAUGE X u-100) 5/16", 0.5 ML 31 GAUGE X 5/16"	2	GC
EASY TOUCH INSULIN SYR 1 (insulin syringe-needle ML 1 ML 30 GAUGE X 5/16, 1 u-100) ML 31 GAUGE X 5/16	2	GC
EASY TOUCH INSULIN SYR 1 (insulin syringe-needle ML RETRACTABLE 1 ML 30 u-100) GAUGE X 1/2"	2	GC
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	GC
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	GC
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	GC
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	GC
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	GC
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	GC
EASY TOUCH LUER LOK (insulin syringe INSUL 1 ML 1 ML needleless)	2	GC
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 29GX1/2" 29 GAUGE X 1/2"	2	GC
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 30GX5/16 30 GAUGE X 5/16"	2	GC
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4"	2	GC
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 31GX3/16 31 GAUGE X 3/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 31GX5/16 31 GAUGE X 5/16"	2	GC
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 32GX1/4" 32 GAUGE X 1/4"	2	GC
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 32GX3/16 32 GAUGE X 3/16"	2	GC
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 32GX5/32 32 GAUGE X 5/32"	2	GC
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"	2	GC
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"	2	GC
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"	2	GC
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"	2	GC
EASY TOUCH SYR 0.5 ML 28G (insulin syringe-needle 12.7MM 1/2 ML 28 GAUGE X u-100) 1/2"	2	GC
EASY TOUCH SYR 0.5 ML 29G (insulin syringe-needle 12.7MM 0.5 ML 29 GAUGE X u-100) 1/2"	2	GC
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"	2	GC
EASY TOUCH SYR 1 ML 28G (insulin syringe-needle 12.7MM 1 ML 28 GAUGE X 1/2" u-100)	2	GC
EASY TOUCH SYR 1 ML 29G (insulin syringe-needle 12.7MM 1 ML 29 GAUGE X 1/2" u-100)	2	GC
EASY TOUCH UNI-SLIP SYR 1 (insulin syringe ML 1 ML needleless)	2	GC
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"	2	GC
EQL INSULIN 0.3 ML (Ultra Comfort Insulin SYRINGE SHORT NEEDLE 0.3 Syringe) ML 30	2	GC
EQL INSULIN 0.5 ML (Lite Touch Insulin SYRINGE SHORT NEEDLE 1/2 Syringe) ML 30 GAUGE	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
EQL INSULIN 1 ML SYRINGE (Lite Touch Insulin Syringe) SHORT NEEDLE 1 ML 30 GAUGE X 7/16"	2	GC
EXEL INSULIN SYRINGE 27G- (insulin syringe-needle u-100) 1 ML 1 ML 27 GAUGE X 1/2"	2	GC
FIFTY50 INS 0.5 ML 31GX5/16" (Advocate Syringes) SHORT NEEDLE 0.5 ML 31 GAUGE X 5/16"	2	GC
FIFTY50 INS SYR 1 ML (Advocate Syringes) 31GX5/16" SHORT NEEDLE 1 ML 31 GAUGE X 5/16"	2	GC
FIFTY50 PEN 31G X 3/16" (pen needle, diabetic) NEEDLE (OTC) 31 GAUGE X 3/16"	2	GC
FIFTY50 PEN NEEDLE 32G X (BD Ultra-Fine Micro Pen Needle) 1/4" 32 GAUGE X 1/4"	2	GC
FP INSULIN 1 ML SYRINGE 1 (Lite Touch Insulin Syringe) ML 28 GAUGE	2	GC
FREESTYLE PREC 0.5 ML (insulin syringe-needle u-100) 30GX5/16 0.5 ML 30 GAUGE X 5/16"	2	GC
FREESTYLE PREC 0.5 ML (insulin syringe-needle u-100) 31GX5/16 0.5 ML 31 GAUGE X 5/16"	2	GC
FREESTYLE PREC 1 ML (insulin syringe-needle u-100) 30GX5/16" 1 ML 30 GAUGE X 5/16"	2	GC
FREESTYLE PREC 1 ML (insulin syringe-needle u-100) 31GX5/16" 1 ML 31 GAUGE X 5/16"	2	GC
GAUZE PAD TOPICAL (gauze bandage) BANDAGE 2 X 2 "	1	GC
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"	2	GC
GNP ULTRA COMFORT 0.5 (insulin syringe-needle u-100) ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16" (insulin syringe-needle u-100)	2	GC
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE	2	GC
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30 (insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
HEALTHY ACCENTS PENTP 12MM 29G 29 GAUGE X 1/2"	2	GC
INCONTROL PEN NEEDLE (pen needle, diabetic) 12MM 29G 29 GAUGE X 1/2"	2	GC
INCONTROL PEN NEEDLE (pen needle, diabetic) 4MM 32G 32 GAUGE X 5/32"	2	GC
INCONTROL PEN NEEDLE (pen needle, diabetic) 5MM 31G 31 GAUGE X 3/16"	2	GC
INCONTROL PEN NEEDLE (pen needle, diabetic) 6MM 31G 31 GAUGE X 1/4"	2	GC
INCONTROL PEN NEEDLE (pen needle, diabetic) 8MM 31G 31 GAUGE X 5/16"	2	GC
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN	3	
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN	3	
INSULIN SYR 0.3 ML (Advocate Syringes) 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	2	GC
INSULIN SYR 0.3 ML (UltiCare Insulin Syr(half unit)) 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	2	GC
INSULIN SYRIN 0.3 ML (Comfort EZ Insulin Syringe) 30GX1/2" SHORT NEEDLE 0.3 ML 30 GAUGE X 1/2"	2	GC
INSULIN SYRIN 0.5 ML (Comfort EZ Insulin Syringe) 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	2	GC
INSULIN SYRIN 0.5 ML (Comfort EZ Insulin Syringe) 30GX1/2" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 1/2"	2	GC
INSULIN SYRIN 0.5 ML (Advocate Syringes) 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16"	2	GC
INSULIN SYRING 0.5 ML (Easy Touch Insulin Syringe) 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE (insulin syringe-needle u-100)	2	GC
INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4" (Sure Comfort Insulin Syringe)	2	GC
INSULIN SYRINGE 0.5 ML 1/2 ML 29 (insulin syringe-needle u-100)	2	GC
INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4" (Sure Comfort Insulin Syringe)	2	GC
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE	2	GC
INSULIN SYRINGE 1 ML 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2" (BD Eclipse Luer-Lok)	2	GC
INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16" (Advocate Syringes)	2	GC
INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (Sure Comfort Insulin Syringe)	2	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE (Utileit Insulin Syringe)	2	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2" (Advocate Syringes)	2	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE (Lite Touch Insulin Syringe)	2	GC
INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16" (pen needle, diabetic)	2	GC
INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
INSUPEN 32G 6MM PEN NEEDLE 32 GAUGE X 1/4" (pen needle, diabetic)	2	GC
INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16" (pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
INSUPEN PEN NEEDLE (pen needle, diabetic) 29GX12MM 29 GAUGE X 1/2"	2	GC
INSUPEN PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	GC
INSUPEN PEN NEEDLE (pen needle, diabetic) 32GX4MM 32 GAUGE X 5/32"	2	GC
INSUPEN PEN NEEDLE (pen needle, diabetic) 33GX4MM 33 GAUGE X 5/32"	2	GC
KRO PEN NEEDLE 4MM X 33G (Advocate Pen Needle) 33 GAUGE X 5/32"	2	GC
LISCO SPONGES 100/BAG 2 X 2 "	1	GC
LITE TOUCH 31GX1/4" PEN (pen needle, diabetic) NEEDLE 31 GAUGE X 1/4"	2	GC
LITE TOUCH INSULIN 0.5 ML (insulin syringe-needle SYR 1/2 ML 28 GAUGE, 1/2 ML u-100) 29 , 1/2 ML 30 GAUGE	2	GC
LITE TOUCH INSULIN 1 ML (insulin syringe-needle SYR 1 ML 28 GAUGE, 1 ML 30 u-100) GAUGE X 7/16"	2	GC
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE	2	GC
LITE TOUCH INSULIN SYR 1 (insulin syringe-needle ML 1 ML 31 GAUGE X 5/16 u-100)	2	GC
LITE TOUCH PEN NEEDLE (pen needle, diabetic) 29G 29 GAUGE X 1/2"	2	GC
LITE TOUCH PEN NEEDLE (pen needle, diabetic) 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16"	2	GC
LITETOUCH INS 0.3 ML (insulin syringe-needle 29GX1/2" 0.3 ML 29 GAUGE X u-100) 1/2"	2	GC
LITETOUCH INS 0.3 ML (insulin syringe-needle 30GX5/16" 0.3 ML 30 GAUGE X u-100) 5/16"	2	GC
LITETOUCH INS 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
LITETOUCH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"	2	GC
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"	2	GC
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 X 1/2"	2	GC
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"	2	GC
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"	2	GC
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic) 2	GC
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"		2	GC
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"		2	GC
MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	2	GC
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
MONOJECT INSUL SYR U100 1 (insulin syringe-needle ML 3'S, 29GX1/2" (OTC) 1 ML 29 u-100) GAUGE X 1/2"	2	GC
MONOJECT INSUL SYR U100 1 (insulin syringes ML W/O NEEDLE (OTC) 1 ML (disposable))	2	GC
MONOJECT INSULIN SYR 0.3 (insulin syringe-needle ML (OTC) 0.3 ML 30 GAUGE X u-100) 5/16"	2	GC
MONOJECT INSULIN SYR 0.3 (insulin syringe-needle ML 0.3 ML 30 GAUGE X 5/16" u-100)	2	GC
MONOJECT INSULIN SYR 0.5 (insulin syringe-needle ML (OTC) 0.5 ML 30 GAUGE X u-100) 5/16"	2	GC
MONOJECT INSULIN SYR 0.5 (insulin syringe-needle ML 0.5 ML 30 GAUGE X 5/16" u-100)	2	GC
MONOJECT INSULIN SYR 1 (insulin syringe-needle ML 3'S (OTC) 1 ML 30 GAUGE u-100) X 5/16"	2	GC
MONOJECT INSULIN SYR U- (insulin syringe-needle 100 0.5 ML 29 GAUGE X 1/2" u-100)	2	GC
MONOJECT INSULIN SYR U- (insulin syringe-needle 100 29 GAUGE X 1/2" u-100)	2	GC
MONOJECT SYRINGE 0.3 ML (insulin syringe-needle 0.3 ML 31 GAUGE X 5/16" u-100)	2	GC
MONOJECT SYRINGE 0.5 ML (insulin syringe-needle 0.5 ML 31 GAUGE X 5/16" u-100)	2	GC
MONOJECT SYRINGE 1 ML 1 (insulin syringe-needle ML 31 GAUGE X 5/16 u-100)	2	GC
NOVOFINE 30 NEEDLE	2	GC
NOVOFINE 32G NEEDLES 32 (pen needle, diabetic) GAUGE X 1/4"	2	GC
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"	2	GC
NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5"	2	GC
OMNIPOD 5 G6 INTRO KIT (GEN 5) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
OMNIPOD 5 G6 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE	3	
OMNIPOD CLASSIC PDM KIT(GEN 3)	3	QL (1 per 365 days)
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE	3	
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD DASH PDM KIT (GEN 4)	3	QL (1 per 365 days)
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	3	
PC UNIFINE PENTIPS 8MM (pen needle, diabetic) NEEDLE SHORT 31 GAUGE X 5/16"	2	GC
PEN NEEDLE 30G X 5/16" 30 (pen needle, diabetic) GAUGE X 5/16"	2	GC
PEN NEEDLE 30G X 8MM 30 (AboutTime Pen GAUGE X 5/16" Needle)	2	GC
PEN NEEDLE 32G X 3/16" 32 (CareFine Pen Needle) GAUGE X 3/16"	2	GC
PEN NEEDLE 32G X 5/32" 4MM (1st Tier Unifine 32 GAUGE X 5/32" Pentips)	2	GC
PEN NEEDLE, DIABETIC (1st Tier Unifine NEEDLE 29 GAUGE X 1/2" Pentips Plus)	2	GC
PEN NEEDLES 12MM 29G (pen needle, diabetic) 29GX12MM,STRL 29 GAUGE X 1/2"	2	GC
PEN NEEDLES 4MM 32G 32 (pen needle, diabetic) GAUGE X 5/32"	2	GC
PEN NEEDLES 6MM 31G (1st Tier Unifine 31GX6MM, STRL 31 GAUGE X Pentips) 1/4"	2	GC
PEN NEEDLES 8MM 31G (pen needle, diabetic) 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
PENTIPS PEN NEEDLE (pen needle, diabetic) 29GX1/2" 29 GAUGE X 1/2"	2	GC
PENTIPS PEN NEEDLE (pen needle, diabetic) 31GX3/16" MINI, 5MM 31 GAUGE X 3/16"	2	GC
PENTIPS PEN NEEDLE (pen needle, diabetic) 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16"	2	GC
PENTIPS PEN NEEDLE (pen needle, diabetic) 32GX5/32" 4MM 32 GAUGE X 5/32"	2	GC
PENTIPS PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	2	GC
PIP PEN NEEDLE 31G X 5MM (pen needle, diabetic) 31 GAUGE X 3/16"	2	GC
PIP PEN NEEDLE 32G X 4MM (pen needle, diabetic) 32 GAUGE X 5/32"	2	GC
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	GC
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	GC
PRO COMFORT 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2"	2	GC
PRO COMFORT 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X u-100) 5/16"	2	GC
PRO COMFORT 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	GC
PRO COMFORT 1 ML 30GX1/2" (insulin syringe-needle 1 ML 30 GAUGE X 1/2" u-100)	2	GC
PRO COMFORT 1 ML (insulin syringe-needle 30GX5/16" 1 ML 30 GAUGE X u-100) 5/16"	2	GC
PRO COMFORT 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16"	2	GC
PRO COMFORT PEN NDL (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
PRO COMFORT PEN NDL 32G X 1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	2	GC
PRO COMFORT PEN NDL 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
PRO COMFORT PEN NDL 5MM 32G 32 GAUGE X 3/16" (pen needle, diabetic)	2	GC
PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16" (pen needle, diabetic)	2	GC
PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	2	GC
PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16" (pen needle, diabetic)	2	GC
RELI ON 31G X 1/4" NEEDLES 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (BD Veo Insulin Syringe UF)	2	GC
RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64" (BD Veo Insulin Syringe UF)	2	GC
RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64" (BD Veo Insulin Syringe UF)	2	GC
RELI-ON INSULIN 0.5 ML SYR 1/2 ML 29 (Lite Touch Insulin Syringe)	2	GC
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"	2	GC
RELION MINI PEN 31G X 1/4" NDL 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
RELION PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"	2	GC
RELION PEN NEEDLES (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	GC
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"	2	GC
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"	2	GC
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"	2	GC
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"	2	GC
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"	2	GC
SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16"	2	GC
SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"	2	GC
SM STERILE PADS 2" X 2" (gauze bandage) 2"X2", STERILE 2 X 2 "	1	GC
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"	2	GC
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	GC
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	GC
NEEDLES, INSULIN DISP., (insulin syringe-needle SAFETY u-100)	2	GC
SURE COMFORT 0.5 ML (insulin syringe-needle SYRINGE 0.5 ML 30 GAUGE X u-100) 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
SURE COMFORT 31G PEN NEEDLE 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
SURE COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
SURE COMFORT PEN NDL 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
SURE COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SURE-FINE PEN NEEDLES (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	GC
SURE-JECT INSU SYR U100 0.3 (insulin syringe-needle ML 0.3 ML 29 GAUGE X 1/2", u-100) 0.3 ML 30 GAUGE X 5/16"	2	GC
SURE-JECT INSU SYR U100 0.5 (insulin syringe-needle ML 0.5 ML 29 GAUGE X 1/2", u-100) 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	2	GC
SURE-JECT INSU SYR U100 1 (insulin syringe-needle ML 1 ML 28 GAUGE X 1/2" u-100)	2	GC
SURE-JECT INSUL SYR U100 1 (insulin syringe-needle ML 1 ML 29 GAUGE X 1/2", 1 u-100) ML 30 GAUGE X 5/16	2	GC
SURE-JECT INSULIN (insulin syringe-needle SYRINGE 1 ML 1 ML 31 u-100) GAUGE X 5/16	2	GC
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"	2	GC
TECHLITE 0.3 ML 30GX12MM (1/2) 0.3 ML 30 GAUGE X 1/2"	2	GC
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"	2	GC
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"	2	GC
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"	2	GC
TECHLITE 0.5 ML 29GX12MM (1/2) 0.5 ML 29 GAUGE X 1/2"	2	GC
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"	2	GC
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"	2	GC
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"	2	GC
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"	2	GC
TECHLITE INS SYR 1 ML (insulin syringe-needle 29GX12MM 1 ML 29 GAUGE X u-100) 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 GC
TECHLITE INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2 GC
TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2 GC
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2 GC
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2 GC
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"		2 GC
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2 GC
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2 GC
TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2 GC
TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2 GC
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"		2 GC
TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2 GC
TERUMO INS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(Advocate Syringes)	2 GC
TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 GC
TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8"	(Thinpro Insulin Syringe)	2 GC
TERUMO INS SYRINGE U100- 1/2 ML 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	2 GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TERUMO INS SYRINGE U100-1/3 ML 0.3 ML 30 X 3/8" (insulin syringe-needle u-100)	2	GC
TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8" (insulin syringe-needle u-100)	2	GC
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"	2	GC
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8" (insulin syringe-needle u-100)	2	GC
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"	2	GC
THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8" (insulin syringe-needle u-100)	2	GC
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"	2	GC
TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TRUE CMFRT PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"	2	GC
TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16" (pen needle, diabetic)	2	GC
TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"	2	GC
TRUE COMFRT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
TRUEPLUS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
TRUEPLUS PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TRUEPLUS PEN NEEDLE (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	GC
TRUEPLUS PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	GC
TRUEPLUS SYR 0.3 ML (insulin syringe-needle 29GX1/2" 0.3 ML 29 GAUGE X u-100) 1/2"	2	GC
TRUEPLUS SYR 0.3 ML (insulin syringe-needle 30GX5/16" 0.3 ML 30 GAUGE X u-100) 5/16"	2	GC
TRUEPLUS SYR 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	2	GC
TRUEPLUS SYR 0.5 ML (insulin syringe-needle 28GX1/2" 1/2 ML 28 GAUGE X u-100) 1/2"	2	GC
TRUEPLUS SYR 0.5 ML (insulin syringe-needle 29GX1/2" 0.5 ML 29 GAUGE X u-100) 1/2"	2	GC
TRUEPLUS SYR 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X u-100) 5/16"	2	GC
TRUEPLUS SYR 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	GC
TRUEPLUS SYR 1 ML 28GX1/2" (insulin syringe-needle 1 ML 28 GAUGE X 1/2" u-100)	2	GC
TRUEPLUS SYR 1 ML 29GX1/2" (insulin syringe-needle 1 ML 29 GAUGE X 1/2" u-100)	2	GC
TRUEPLUS SYR 1 ML (insulin syringe-needle 30GX5/16" 1 ML 30 GAUGE X u-100) 5/16"	2	GC
TRUEPLUS SYR 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16"	2	GC
ULT CFT 0.3 ML 30GX5/16" (1/2) 1/2 UNIT 0.3 ML 30 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(insulin syr/ndl u100 half mark) 2	GC
ULTICARE INS 0.3 ML 31GX1/4" 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100) 2	GC
ULTICARE INS 0.5 ML 31GX1/4" 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100) 2	GC
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100) 2	GC
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic) 2	GC
ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic) 2	GC
ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic) 2	GC
ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic) 2	GC
ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic) 2	GC
ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic) 2	GC
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"	2	GC
ULTICARE SAFE PEN NDL 8MM 30G 30 GAUGE X 5/16"	2	GC
ULTICARE SAFETY 0.5 ML 29GX1/2 (RX) 0.5 ML 29 GAUGE X 1/2"	(Advocate Syringes) 2	GC
ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
ULTICARE SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100) 2	GC
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"	2	GC
ULTIGUARD SAFE PACK 29G 12.7MM 29 GAUGE X 1/2"	2	GC
ULTIGUARD SAFE PACK 32G 4MM 32 GAUGE X 5/32"	2	GC
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"	2	GC
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"	2	GC
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"	2	GC
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"	2	GC
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"	2	GC
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"	2	GC
ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"	2	GC
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"	2	GC
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"	2	GC
ULTILET INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ULTILET INSULIN SYRINGE 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
ULTILET PEN NEEDLE 29 GAUGE	2	GC
ULTILET PEN NEEDLE 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE (insulin syringe-needle u-100)	2	GC
ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"	2	GC
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"	2	GC
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"	2	GC
ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ULTRA FLO PEN NEEDLE 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	GC
ULTRA FLO PEN NEEDLE 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
ULTRA FLO PEN NEEDLE 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32"	2	GC
ULTRA FLO PEN NEEDLES (pen needle, diabetic) 12MM 29G 29 GAUGE X 1/2"	2	GC
ULTRA FLO SYR 0.3 ML (insulin syringe-needle 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	2	GC
ULTRA FLO SYR 0.3 ML 30G (insulin syringe-needle 5/16" 0.3 ML 30 GAUGE X 5/16"	2	GC
ULTRA FLO SYR 0.3 ML 31G (insulin syringe-needle 5/16" 0.3 ML 31 GAUGE X 5/16"	2	GC
ULTRA FLO SYR 0.5 ML 29G (insulin syringe-needle 1/2" 0.5 ML 29 GAUGE X 1/2"	2	GC
ULTRA THIN PEN NDL 32G X (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
ULTRACARE INS 0.3 ML (insulin syringe-needle 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	2	GC
ULTRACARE INS 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	2	GC
ULTRACARE INS 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	2	GC
ULTRACARE INS 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	2	GC
ULTRACARE INS 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	2	GC
ULTRACARE INS 1 ML 30G X (insulin syringe-needle 5/16" 1 ML 30 GAUGE X 5/16"	2	GC
ULTRACARE INS 1 ML (insulin syringe-needle 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
UNIFINE PENTIPS 12MM 29G (pen needle, diabetic) 29GX12MM, STRL 29 GAUGE X 1/2"	2	GC
UNIFINE PENTIPS 31GX3/16" (pen needle, diabetic) 31GX5MM,STRL,MINI 31 GAUGE X 3/16"	2	GC
UNIFINE PENTIPS 32GX1/4" 32 (pen needle, diabetic) GAUGE X 1/4"	2	GC
UNIFINE PENTIPS 32GX5/32" (pen needle, diabetic) 32GX4MM, STRL, NANO 32 GAUGE X 5/32"	2	GC
UNIFINE PENTIPS 33GX5/32" (pen needle, diabetic) 33 GAUGE X 5/32"	2	GC
UNIFINE PENTIPS 6MM 31G (pen needle, diabetic) 31 GAUGE X 1/4"	2	GC
UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16"	2	GC
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE	2	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 29GX1/2" 12MM 29 GAUGE X 1/2"	2	GC
UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16"	2	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4"	2	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX3/16" MINI 31 GAUGE X 3/16"	2	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX5/16" SHORT 31 GAUGE X 5/16"	2	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 33GX5/32" 33 GAUGE X 5/32"	2	GC
UNIFINE SAFECONTROL 30GX3/16" 30 GAUGE X 3/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
UNIFINE SAFECONTROL 30GX5/16" 30 GAUGE X 5/16"	2	GC
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 5MM 31 GAUGE X 3/16"	2	GC
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 6MM 31 GAUGE X 1/4"	2	GC
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 8MM 31 GAUGE X 5/16"	2	GC
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 32G 4MM 32 GAUGE X 5/32"	2	GC
VANISHPOINT 0.5 ML (insulin syringe-needle 30GX1/2" SY OUTER 0.5 ML 30 u-100) GAUGE X 1/2"	2	GC
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"	2	GC
VANISHPOINT U-100 29X1/2 (insulin syringe-needle SYR 1 ML 29 GAUGE X 1/2" u-100)	2	GC
VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	GC
VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	GC
VERIFINE PEN NEEDLE 32G X (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
VERIFINE PEN NEEDLE 32G X (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	2	GC
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "	1	GC
V-GO 20 DEVICE	3	
V-GO 30 DEVICE	3	
V-GO 40 DEVICE	3	
Enzyme Replacement/Modifiers		
Enzyme Replacement/Modifiers		
ALDURAZIME INTRAVENOUS SOLUTION 2.9 MG/5 ML	5	NM; NDS
CERDELGA ORAL CAPSULE 84 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	5	NM; NDS
CREON ORAL CAPSULE, DELAYED RELEASE (DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	5	NM; NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	5	NM; NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	5	PA; NM; NDS
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NM; NDS; QL (14 per 28 days)
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NM; NDS
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	5	PA BvD; NM; NDS
MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NM; NDS
<i>miglustat oral capsule 100 mg</i> (Zavesca)	5	PA; NM; NDS; QL (90 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	5	NM; NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 5 mg</i> (Orfadin)	5	PA; NM; NDS
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	5	PA; NM; NDS
ORFADIN ORAL CAPSULE 20 MG	5	PA; NM; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NM; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
REVCIVI INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	5	PA; NM; NDS
<i>sapropterin oral tablet, soluble 100 mg</i> (Kuvan)	5	NM; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; NM; LA; NDS
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	5	PA; NM; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	5	NM; NDS
ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000-84,000 UNIT, 25,000-79,000-105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000-168,000 UNIT, 5,000-17,000-24,000 UNIT	3	
Eye, Ear, Nose, Throat Agents		
Eye, Ear, Nose, Throat Agents, Miscellaneous		
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	2	GC
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	4	
<i>azelastine nasal aerosol, spray 137 mcg (0.1 %)</i>	2	GC; QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	2	GC
<i>cromolyn ophthalmic (eye) drops 4 %</i>	2	GC
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i> (Cyclogyl)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits	
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	5	PA; NM; NDS; QL (60 per 28 days)	
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	2	GC	
<i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>	2	GC; QL (30 per 28 days)	
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	2	GC; QL (15 per 10 days)	
<i>levofloxacin ophthalmic (eye) drops 1.5 %</i>	2	GC	
<i>olopatadine ophthalmic (eye) drops 0.1 %</i>	(Eye Allergy Itch-Redness Rlf)	2	GC
<i>olopatadine ophthalmic (eye) drops 0.2 %</i>	(Eye Allergy Itch Relief)	2	GC
<i>proparacaine ophthalmic (eye) drops 0.5 %</i>	(Alcaine)	2	GC
TEPEZZA INTRAVENOUS RECON SOLN 500 MG	5	PA; NM; NDS	
Eye, Ear, Nose, Throat Anti-Infectives Agents			
<i>acetic acid otic (ear) solution 2 %</i>	2	GC	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	2	GC	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i>	(Polycin)	2	GC
<i>bleph-10 ophthalmic (eye) drops 10 %</i>	(sulfacetamide sodium)	2	GC
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>	(Ciloxan)	2	GC
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i>	(Ciprodex)	2	GC; QL (7.5 per 7 days)
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>		2	GC; QL (3.5 per 4 days)
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	(gentamicin)	2	GC
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	2	GC
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)	2	GC
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	4	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC)	2	GC
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin)	2	GC
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol)	2	GC
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> (Maxitrol)	2	GC
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	2	GC
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	2	GC
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	GC
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	GC
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (neomycin-bacitracin-poly-hc)	2	GC
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (neomycin-bacitracin-polymyxin)	2	GC
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i> (Ocuflox)	2	GC
<i>ofloxacin otic (ear) drops 0.3 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>polycin ophthalmic (eye) ointment</i> (bacitracin-polymyxin b) 500-10,000 unit/gram	2	GC
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops</i> 10,000 unit-1 mg/ml (Polytrim)	1	GC
<i>sulfacetamide sodium ophthalmic (eye) drops</i> 10 % (Bleph-10)	2	GC
<i>sulfacetamide sodium ophthalmic (eye) ointment</i> 10 %	2	GC
<i>sulfacetamide-prednisolone ophthalmic (eye) drops</i> 10 %-0.23 % (0.25 %)	2	GC
<i>tobramycin ophthalmic (eye) drops</i> 0.3 % (Tobrex)	2	GC
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension</i> 0.3-0.1 % (TobraDex)	2	GC
<i>trifluridine ophthalmic (eye) drops</i> 1 %	2	GC
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	
Eye, Ear, Nose, Throat Anti-Inflammatory Agents		
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	3	ST
BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %	3	
<i>cyclosporine ophthalmic (eye) dropperette</i> 0.05 % (Restasis)	2	GC; QL (60 per 30 days)
<i>dexamethasone sodium phosphate ophthalmic (eye) drops</i> 0.1 %	2	GC
<i>diclofenac sodium ophthalmic (eye) drops</i> 0.1 %	2	GC
<i>difluprednate ophthalmic (eye) drops</i> 0.05 % (Durezol)	2	GC
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	3	QL (8.3 per 14 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>flunisolide nasal spray,non-aerosol</i> 25 mcg (0.025 %)	2	GC; QL (50 per 25 days)
<i>fluorometholone ophthalmic (eye)</i> (FML Liquifilm) <i>drops,suspension 0.1 %</i>	4	
<i>flurbiprofen sodium ophthalmic</i> <i>(eye) drops 0.03 %</i>	2	GC
<i>fluticasone propionate nasal</i> (24 Hour Allergy <i>spray,suspension 50 mcg/actuation</i> Relief)	1	GC; QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	
<i>ketorolac ophthalmic (eye) drops</i> (Acular) <i>0.5 %</i>	2	GC; QL (10 per 25 days)
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	3	
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	3	
<i>loteprednol etabonate ophthalmic</i> (Lotemax) <i>(eye) drops,gel 0.5 %</i>	2	GC
<i>mometasone nasal spray,non-aerosol</i> <i>50 mcg/actuation</i>	2	GC; QL (34 per 30 days)
<i>prednisolone acetate ophthalmic</i> (Pred Forte) <i>(eye) drops,suspension 1 %</i>	4	
<i>prednisolone sodium phosphate</i> <i>ophthalmic (eye) drops 1 %</i>	2	GC
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %	3	
RESTASIS MULTIDOSE OPHTHALMIC (EYE) DROPS 0.05 %	3	QL (60 per 30 days)
RESTASIS OPHTHALMIC (cyclosporine) (EYE) DROPPERETTE 0.05 %	3	QL (60 per 30 days)
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION	3	ST; QL (32 per 30 days)
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Gastrointestinal Agents		
Antiulcer Agents And Acid Suppressants		
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	2	GC
<i>esomeprazole magnesium oral capsule, delayed release(drlec) 20 mg</i> (Nexium)	2	GC; QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule, delayed release(drlec) 40 mg</i> (Nexium)	2	GC; QL (60 per 30 days)
<i>esomeprazole sodium intravenous recon soln 20 mg</i>	2	GC
<i>esomeprazole sodium intravenous recon soln 40 mg</i> (Nexium IV)	2	GC
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	1	GC
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	2	GC
<i>famotidine intravenous solution 10 mg/ml</i>	2	GC
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	GC
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	GC
<i>lansoprazole oral capsule, delayed release(drlec) 15 mg</i> (Prevacid 24Hr)	2	GC; QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release(drlec) 30 mg</i> (Prevacid)	2	GC; QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	2	GC
<i>nizatidine oral capsule 150 mg, 300 mg</i>	2	GC
<i>omeprazole oral capsule, delayed release(drlec) 10 mg, 40 mg</i>	1	GC
<i>omeprazole oral capsule, delayed release(drlec) 20 mg</i>	1	GC
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i> (Zegerid)	2	ST; GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>pantoprazole intravenous recon soln</i> (Protonix) 40 mg	2	GC
<i>pantoprazole oral tablet, delayed release (drlec)</i> 20 mg (Protonix)	1	GC; QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (drlec)</i> 40 mg (Protonix)	1	GC; QL (60 per 30 days)
<i>rabeprazole oral tablet, delayed release (drlec)</i> 20 mg (AcipHex)	2	GC; QL (30 per 30 days)
<i>sucralfate oral tablet</i> 1 gram (Carafate)	2	GC
Gastrointestinal Agents, Other		
<i>carglumic acid oral tablet, dispersible</i> 200 mg (Carbaglu)	5	NM; NDS
<i>constulose oral solution</i> 10 gram/15 ml (lactulose)	2	GC
<i>cromolyn oral concentrate</i> 100 mg/5 ml (Gastrocrom)	2	GC
<i>dicyclomine oral capsule</i> 10 mg	2	GC
<i>dicyclomine oral solution</i> 10 mg/5 ml	2	GC
<i>dicyclomine oral tablet</i> 20 mg	2	GC
<i>diphenoxylate-atropine oral tablet</i> 2.5-0.025 mg (Lomotil)	2	PA-HRM; GC; AGE (Max 64 Years)
<i>enulose oral solution</i> 10 gram/15 ml (lactulose)	2	GC
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	5	PA; NM; NDS
<i>generlac oral solution</i> 10 gram/15 ml (lactulose)	2	GC
<i>glycopyrrolate oral tablet</i> 1 mg (Robinul)	2	GC
<i>glycopyrrolate oral tablet</i> 2 mg (Robinul Forte)	2	GC
<i>kionex (with sorbitol) oral suspension</i> 15-19.3 gram/60 ml	2	GC
<i>lactulose oral solution</i> 10 gram/15 ml (Constulose)	2	GC
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM	3	QL (34 per 30 days)
LOKELMA ORAL POWDER IN PACKET 5 GRAM	3	QL (30 per 30 days)
<i>loperamide oral capsule</i> 2 mg (Anti-Diarrheal (loperamide))	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>lubiprostone oral capsule 24 mcg, 8 mcg</i> (Amitiza)	3	QL (60 per 30 days)
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	2	GC
<i>metoclopramide hcl injection solution 5 mg/ml</i>	2	GC
<i>metoclopramide hcl injection syringe 5 mg/ml</i>	2	GC
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	2	GC
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	GC
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NM; NDS
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)	5	NM; NDS
<i>sodium polystyrene (sorb free) oral suspension 15 gram/60 ml</i>	2	GC
<i>sodium polystyrene sulfonate oral powder</i>	2	GC
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	GC
<i>ursodiol oral capsule 300 mg</i>	2	GC
<i>ursodiol oral tablet 250 mg</i> (URSO 250)	2	GC
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	2	GC
XERMELO ORAL TABLET 250 MG	5	PA; NM; NDS; QL (90 per 30 days)
Laxatives		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	3	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i> (peg 3350-electrolytes)	2	GC
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i> (peg 3350-electrolytes)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>gavilyte-n oral recon soln 420 gram</i> (peg-electrolyte soln)	2	GC
<i>peg 3350-electrolytes oral recon soln</i> (GaviLyte-G) 236-22.74-6.74 -5.86 gram	2	GC
<i>peg-electrolyte soln oral recon soln</i> (GaviLyte-N) 420 gram	2	GC
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13- 1.6 GRAM	3	
SUTAB ORAL TABLET 1.479- 0.188- 0.225 GRAM	3	
<i>trilyte with flavor packets oral recon</i> (peg-electrolyte soln) <i>soln 420 gram</i>	2	GC
Phosphate Binders		
<i>calcium acetate(phosphat bind) oral</i> <i>capsule 667 mg</i>	2	GC
<i>calcium acetate(phosphat bind) oral</i> <i>tablet 667 mg</i>	2	GC
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	4	
<i>sevelamer carbonate oral powder in</i> (Renvela) <i>packet 0.8 gram, 2.4 gram</i>	5	NM; NDS
<i>sevelamer carbonate oral tablet 800</i> (Renvela) <i>mg</i>	2	GC
<i>sevelamer hcl oral tablet 400 mg</i>	2	GC
VELPHORO ORAL TABLET,CHEWABLE 500 MG	3	
Genitourinary Agents		
Antispasmodics, Urinary		
<i>bethanechol chloride oral tablet 10</i> <i>mg, 25 mg, 5 mg, 50 mg</i>	2	GC
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	3	
<i>oxybutynin chloride oral syrup 5</i> <i>mg/5 ml</i>	2	GC
<i>oxybutynin chloride oral tablet 5 mg</i>	2	GC
<i>oxybutynin chloride oral tablet</i> (Ditropan XL) <i>extended release 24hr 10 mg, 5 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i>	2	GC
<i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i> (Detrol LA)	2	GC
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)	2	GC
TOVIAZ ORAL TABLET EXTENDED RELEASE 24 HR 4 MG, 8 MG	3	
<i>tropium oral tablet 20 mg</i>	2	GC
Genitourinary Agents, Miscellaneous		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	GC; QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	2	GC
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	GC
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	GC
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	GC
THIOLA EC ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG, 300 MG	5	PA; NM; NDS
<i>tiopronin oral tablet 100 mg</i> (Thiola)	5	NM; NDS
Heavy Metal Antagonists		
Heavy Metal Antagonists		
<i>clovique oral capsule 250 mg</i> (trientine)	5	PA; NM; NDS; QL (240 per 30 days)
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)	5	PA; NM; NDS
<i>deferasirox oral tablet 180 mg, 360 mg</i> (Jadenu)	5	PA; NM; NDS
<i>deferasirox oral tablet 90 mg</i> (Jadenu)	2	PA; GC
<i>deferasirox oral tablet, dispersible 125 mg</i> (Exjade)	2	PA; GC
<i>deferasirox oral tablet, dispersible 250 mg, 500 mg</i> (Exjade)	5	PA; NM; NDS
<i>deferiprone oral tablet 1,000 mg, 500 mg</i> (Ferriprox)	5	PA; NM; NDS
<i>deferoxamine injection recon soln 2 gram</i>	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>deferoxamine injection recon soln</i> (Desferal) 500 mg	2	PA; GC
FERRIPROX 1,000 MG (deferiprone) TAB(2X/DAY) 1,000 MG	5	PA; NM; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML	5	PA; NM; NDS
FERRIPROX ORAL TABLET (deferiprone) 1,000 MG	5	PA; NM; NDS
<i>penicillamine oral capsule 250 mg</i> (Cuprimine)	5	PA; NM; NDS
<i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)	5	PA; NM; NDS
<i>trientine oral capsule 250 mg</i> (Syprine)	5	PA; NM; NDS; QL (240 per 30 days)
Hormonal Agents, Stimulant/Replacement/Modifying		
Androgens		
ANADROL-50 ORAL TABLET 50 MG	5	PA; NM; NDS
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	2	GC
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i> (Oxandrin)	2	GC
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)	2	PA; GC
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	2	PA; GC
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	2	PA; GC; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/1.25 gram (1%)</i> (Vogelxo)	2	PA; GC; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62%)</i> (AndroGel)	2	PA; GC; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1% (25 mg/2.5gram), 1% (50 mg/5 gram)</i> (AndroGel)	2	PA; GC; QL (300 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits	
<i>testosterone transdermal solution in metered pump w/lapp 30 mglactuation (1.5 ml)</i>	2	PA; GC; QL (180 per 30 days)	
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML	3	PA; QL (2 per 28 days)	
Estrogens And Antiestrogens			
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	(estradiol-norethindrone acet)	2	PA-HRM; GC; AGE (Max 64 Years)
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(estradiol)	2	PA-HRM; GC; QL (8 per 28 days); AGE (Max 64 Years)
DUAVEE ORAL TABLET 0.45-20 MG		3	PA-HRM; AGE (Max 64 Years)
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>	(Estrace)	1	PA-HRM; GC; AGE (Max 64 Years)
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(Dotti)	2	PA-HRM; GC; QL (8 per 28 days); AGE (Max 64 Years)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(Climara)	2	PA-HRM; GC; QL (4 per 28 days); AGE (Max 64 Years)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i>	(Estrace)	2	GC
<i>estradiol vaginal tablet 10 mcg</i>	(Yuvafem)	2	GC; QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i>	(Delestrogen)	2	GC
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i>	(Amabelz)	2	PA-HRM; GC; AGE (Max 64 Years)
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR		4	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	PA-HRM; GC; AGE (Max 64 Years)
<i>jinteli oral tablet 1-5 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	PA-HRM; GC; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>lyllana transdermal patch</i> (estradiol) <i>semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	PA-HRM; GC; QL (8 per 28 days); AGE (Max 64 Years)
<i>mimvey oral tablet 1-0.5 mg</i> (estradiol-norethindrone acet)	2	PA-HRM; GC; AGE (Max 64 Years)
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (Fyavolv)	2	PA-HRM; GC; AGE (Max 64 Years)
PREMARIN INJECTION RECON SOLN 25 MG	3	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG	3	PA-HRM; AGE (Max 64 Years)
PREMARIN ORAL TABLET (conjugated estrogens) 0.625 MG, 1.25 MG	3	PA-HRM; AGE (Max 64 Years)
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	PA-HRM; AGE (Max 64 Years)
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	PA-HRM; AGE (Max 64 Years)
<i>raloxifene oral tablet 60 mg</i> (Evista)	2	GC
<i>yuvafem vaginal tablet 10 mcg</i> (estradiol)	2	GC; QL (18 per 28 days)
Glucocorticoids/Mineralocorticoids		
<i>a-hydrocort injection recon soln 100 mg</i>	2	GC
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i> (Celestone Soluspan)	2	GC
<i>dexamethasone 0.5 mg/5 ml liq 0.5 mg/5 ml</i>	2	GC
<i>dexamethasone oral elixir 0.5 mg/5 ml</i>	2	GC
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg</i> (Decadron)	2	GC
<i>dexamethasone oral tablet 1 mg, 1.5 mg, 2 mg</i>	2	GC
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	1	GC
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	5	PA; NM; NDS; QL (91 per 28 days)
EMFLAZA ORAL TABLET 18 MG	5	PA; NM; NDS; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>fludrocortisone oral tablet 0.1 mg</i>	2	GC
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	2	GC
<i>methylprednisolone acetate injection</i> (Depo-Medrol) <i>suspension 40 mg/ml, 80 mg/ml</i>	2	GC
<i>methylprednisolone oral tablet 16</i> (Medrol) <i>mg, 32 mg, 4 mg, 8 mg</i>	2	GC
<i>methylprednisolone oral tablets,dose</i> (Medrol (Pak)) <i>pack 4 mg</i>	2	GC
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	GC
<i>methylprednisolone sodium succ</i> (Solu-Medrol) <i>intravenous recon soln 1,000 mg</i>	2	GC
<i>prednisolone 15 mg/5 ml soln dlf 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD; GC
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD; GC
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	2	PA BvD; GC
<i>prednisolone sodium phosphate oral</i> (Pediapred) <i>solution 5 mg base/5 ml (6.7 mg/5 ml)</i>	2	PA BvD; GC
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD; GC
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	GC
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 100 MG/2 ML	4	
<i>triamcinolone acetonide injection (Kenalog) suspension 40 mg/ml</i>	2	GC
Pituitary		
ACTHAR INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
BYNFEZIA SUBCUTANEOUS PEN INJECTOR 2,500 MCG/ML	5	NM; NDS
CORTROPHIN GEL INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
<i>desmopressin injection solution 4 mcg/ml (DDAVP)</i>	2	GC
<i>desmopressin nasal spray with pump 10 mcg/spray (0.1 ml)</i>	2	GC
<i>desmopressin oral tablet 0.1 mg, 0.2 mg (DDAVP)</i>	2	GC
EGRIFTA SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	NM; NDS
<i>lanreotide subcutaneous syringe 120 mg/0.5 ml (Somatuline Depot)</i>	5	PA; NM; NDS; QL (0.5 per 28 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	5	NM; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	5	NM; NDS
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NM; NDS
<i>octreotide acetate injection solution</i> <i>1,000 mcg/ml, 200 mcg/ml</i>	2	GC
<i>octreotide acetate injection solution</i> (Sandostatin) <i>100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>	2	GC
<i>octreotide acetate injection syringe</i> <i>100 mcg/ml (1 ml), 50 mcg/ml (1</i> <i>ml), 500 mcg/ml (1 ml)</i>	2	GC
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NM; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 10 MG, 20 MG, 30 MG	5	NM; NDS
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NM; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NM; NDS; QL (60 per 30 days)
SOMATULINE DEPOT (lanreotide) SUBCUTANEOUS SYRINGE 120 MG/0.5 ML	5	PA NSO; NM; NDS; QL (0.5 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	5	PA NSO; NM; NDS; QL (0.2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	5	PA NSO; NM; NDS; QL (0.3 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	5	NM; NDS; QL (1 per 360 days)
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	5	NM; NDS
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NM; NDS; QL (1 per 168 days)
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	5	PA; NM; NDS
Progestins		
<i>hydroxyprogesterone cap(ppres) intramuscular oil 250 mg/ml</i> (Makena)	5	NM; NDS
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)	2	GC; QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)	2	GC; QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	GC
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	2	PA-HRM; GC; AGE (Max 64 Years)
<i>norethindrone acetate oral tablet 5 mg</i> (Aygestin)	2	GC
<i>progesterone intramuscular oil 50 mg/ml</i>	2	GC
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	2	GC
Thyroid And Antithyroid Agents		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	1	GC
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>lithyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	2	GC
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	GC
<i>propylthiouracil oral tablet 50 mg</i>	2	GC
Immunological Agents		
Immunological Agents		
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	NM; NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	2	PA BvD; GC
<i>azathioprine sodium injection recon soln 100 mg</i>	2	PA BvD; GC
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	5	PA; NM; NDS
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NM; NDS
<i>cyclosporine intravenous solution 250 mg/5 ml</i> (Sandimmune)	2	PA BvD; GC
<i>cyclosporine modified oral capsule 100 mg, 25 mg</i> (Gengraf)	2	PA BvD; GC
<i>cyclosporine modified oral capsule 50 mg</i>	2	PA BvD; GC
<i>cyclosporine modified oral solution 100 mg/ml</i> (Gengraf)	2	PA BvD; GC
<i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune)	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NM; NDS
<i>everolimus (immunosuppressive)</i> (Zortress) <i>oral tablet 0.25 mg</i>	2	PA BvD; GC
<i>everolimus (immunosuppressive)</i> (Zortress) <i>oral tablet 0.5 mg, 0.75 mg, 1 mg</i>	5	PA BvD; NM; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
GAMIFANT INTRAVENOUS SOLUTION 5 MG/ML	5	PA; NM; NDS
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; NM; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NM; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NM; NDS
<i>gengraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified)	2	PA BvD; GC
<i>gengraf oral solution 100 mg/ml</i> (cyclosporine modified)	2	PA BvD; GC
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	5	PA BvD; NM; NDS
ILARIS (PF) SUBCUTANEOUS RECON SOLN 150 MG/ML	5	PA; NM; NDS
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	5	PA; NM; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	2	GC
<i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i> (CellCept Intravenous)	2	PA BvD; GC
<i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)	2	PA BvD; GC
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)	5	PA BvD; NM; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)	2	PA BvD; GC
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NM; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA BvD; NM; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD; ST
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	
REZUROCK ORAL TABLET 200 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
RIDAURA ORAL CAPSULE 3 MG	5	NM; NDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG	5	PA; NM; NDS
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	5	PA BvD; NM; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg</i> (Rapamune)	2	PA BvD; GC
<i>sirolimus oral tablet 2 mg</i> (Rapamune)	5	PA BvD; NM; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NM; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	2	PA BvD; GC
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; NM; LA; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Vaccines		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG- LF/0.5ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	3	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	3	
DENG VAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	3	QL (3 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	3	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF- MCG-LF/0.5ML	3	
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	3	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	3	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	3	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF-48MCG-62DU -10 MCG/0.5ML	3	
PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	3	PA BvD
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3- 4.3-3- 3.99 TCID50/0.5	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML, 15 LF-48 MCG- 5 LF UNIT/0.5ML (58 UNT/ML)	3	
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	3	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	3	QL (2 per 365 days)
TDVAX INTRAMUSCULAR (tetanus-diphtheria SUSPENSION 2-2 LF UNIT/0.5 toxoids-td) ML	3	
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	3	
TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML	3	QL (1.5 per 365 days)
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	
TYPHIM VI (typhoid vi polysacch INTRAMUSCULAR SYRINGE vaccine) 25 MCG/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	3	
Inflammatory Bowel Disease Agents		
Inflammatory Bowel Disease Agents		
<i>alose tron oral tablet 0.5 mg</i> (Lotronex)	2	GC
<i>alose tron oral tablet 1 mg</i> (Lotronex)	5	NM; NDS
<i>balsalazide oral capsule 750 mg</i> (Colazal)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>budesonide oral capsule, delayed, extend. release 3 mg</i>	2	GC
DIPENTUM ORAL CAPSULE 250 MG	5	ST; NM; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	4	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicol)	2	GC
<i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> (Apriso)	2	GC
<i>mesalamine oral tablet, delayed release (drlec) 1.2 gram</i> (Lialda)	2	GC
<i>mesalamine oral tablet, delayed release (drlec) 800 mg</i> (Asacol HD)	2	GC
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	2	GC
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	2	GC
<i>sulfasalazine oral tablet, delayed release (drlec) 500 mg</i> (Azulfidine EN-tabs)	4	
UCERIS RECTAL FOAM 2 MG/ACTUATION	3	
Metabolic Bone Disease Agents		
Metabolic Bone Disease Agents		
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	GC; QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	GC; QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>	2	GC; QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	GC
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	2	GC
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	2	GC
<i>cinacalcet oral tablet 30 mg</i> (Sensipar)	2	GC; QL (60 per 30 days)
<i>cinacalcet oral tablet 60 mg</i> (Sensipar)	5	NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	5	NM; NDS; QL (120 per 30 days)
EVENITY SUBCUTANEOUS SYRINGE 105 MG/1.17 ML, 210MG/2.34ML (105MG/1.17MLX2)	5	PA; NM; NDS; QL (2.34 per 30 days)
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (600MCG/2.4ML)	3	PA; QL (2.4 per 28 days)
<i>ibandronate intravenous solution 3 mg/3 ml</i>	2	GC; QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i>	2	GC; QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i> (Boniva)	2	GC; QL (1 per 28 days)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NM; NDS; QL (2 per 28 days)
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	2	GC
<i>paricalcitol oral capsule 4 mcg</i>	2	GC
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i> (Actonel)	2	GC; QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>risedronate oral tablet 35 mg</i> (Actonel)	2	GC; QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	2	GC; QL (4 per 28 days)
<i>risedronate oral tablet, delayed release (dr/lec) 35 mg</i> (Atelvia)	2	GC; QL (4 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	3	PA; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>zoledronic acid intravenous recon soln 4 mg</i>	2	GC
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	2	GC
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> (Reclast)	2	GC; QL (100 per 300 days)
Miscellaneous Therapeutic Agents		
Miscellaneous Therapeutic Agents		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NM; NDS
<i>betaine oral powder 1 gram/scoop</i> (Cystadane)	5	NM; NDS
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	GC
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	2	GC
ELMIRON ORAL CAPSULE 100 MG	4	QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; NM; NDS; QL (180 per 30 days)
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; NM; NDS
EXONDYS-51 INTRAVENOUS SOLUTION 50 MG/ML	5	PA; NM; LA; NDS
<i>fomepizole intravenous solution 1 gram/ml</i>	5	NM; NDS
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	3	
<i>hydroxyzine pamoate oral capsule 100 mg</i>	2	GC
<i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i> (Vistaril)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
KEVEYIS ORAL TABLET 50 MG	5	PA; NM; NDS; QL (120 per 30 days)
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i>	2	GC
<i>leucovorin calcium injection solution 10 mg/ml</i>	2	GC
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	2	GC
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor)	2	GC
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	4	
<i>levoleucovorin calcium intravenous recon soln 50 mg</i> (Fusilev)	5	NM; NDS
<i>mesna intravenous solution 100 mg/ml</i> (Mesnex)	2	GC
MESNEX ORAL TABLET 400 MG	5	NM; NDS
OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML	5	PA; NM; NDS
<i>pyridostigmine bromide oral syrup 60 mg/5 ml</i> (Mestinon)	2	GC
<i>pyridostigmine bromide oral tablet 30 mg</i>	2	GC
<i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)	2	GC
RECTIV RECTAL OINTMENT 0.4 % (W/W)	4	QL (30 per 30 days)
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS; QL (4 per 28 days)
TAKHZYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TOTECT INTRAVENOUS RECON SOLN 500 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TYBOST ORAL TABLET 150 MG	4	QL (30 per 30 days)
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	5	NM; NDS; QL (24 per 14 days)
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	5	PA; NM; NDS; QL (120 per 30 days)
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 0.6 MG/0.6 ML	3	
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	3	
Ophthalmic Agents		
Antiglaucoma Agents		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	GC
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	GC
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	GC
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	3	
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 % (brinzolamide)	2	GC
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	GC
<i>brimonidine-timolol ophthalmic (eye) drops 0.2-0.5 %</i> (Combigan)	3	
<i>carteolol ophthalmic (eye) drops 1 %</i>	2	GC
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 % (brimonidine-timolol)	3	
<i>dorzolamide ophthalmic (eye) drops 2 %</i> (Trusopt)	2	GC
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> (Cosopt)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>latanoprost ophthalmic (eye) drops</i> (Xalatan) 0.005 %	1	GC; QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops</i> 0.5 %	1	GC
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>metipranolol ophthalmic (eye) drops</i> 0.3 %	2	GC
<i>pilocarpine hcl ophthalmic (eye) drops</i> 1 %, 2 % (Isopto Carpine)	2	GC
<i>pilocarpine hcl ophthalmic (eye) drops</i> 4 %	2	GC
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>timolol maleate ophthalmic (eye) drops</i> 0.25 %, 0.5 % (Timoptic)	1	GC
<i>timolol maleate ophthalmic (eye) gel forming solution</i> 0.25 %, 0.5 % (Timoptic-XE)	4	
<i>travoprost ophthalmic (eye) drops</i> 0.004 % (Travatan Z)	2	GC; QL (2.5 per 25 days)
Replacement Preparations		
Replacement Preparations		
<i>calcium chloride intravenous syringe</i> 100 mg/ml (10 %)	2	GC
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	4	
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	4	
ISOLYTE S IV SOLUTION-EXCEL SINGLE USE	4	
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i> (potassium chloride)	2	GC
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i> (potassium chloride)	2	GC
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i> (potassium chloride)	2	GC
<i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i>	2	GC
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i>	2	PA BvD; GC
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i>	2	PA BvD; GC
<i>magnesium sulfate injection syringe 4 meq/ml</i>	2	PA BvD; GC
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	4	
<i>potassium chloride intravenous solution 2 meq/ml</i>	1	PA BvD; GC
<i>potassium chloride intravenous solution 2 meq/ml (20 ml)</i>	2	PA BvD; GC
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	2	GC
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>potassium chloride oral tablet extended release 10 meq, 20 meq</i> (K-Tab)	2	GC
<i>potassium chloride oral tablet extended release 8 meq</i> (Klor-Con 8)	2	GC
<i>potassium chloride oral tablet, er particles/crystals 10 meq</i> (Klor-Con M10)	2	GC
<i>potassium chloride oral tablet, er particles/crystals 15 meq</i> (Klor-Con M15)	2	GC
<i>potassium chloride oral tablet, er particles/crystals 20 meq</i> (Klor-Con M20)	2	GC
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	2	GC
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10)	2	GC
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)	2	GC
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> (Urocit-K 5)	2	GC
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	2	GC
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	2	GC
<i>sodium chloride 0.9 % intravenous piggyback</i>	2	GC
<i>sodium chloride 0.9% solution viaflex, single use</i>	4	
Respiratory Tract Agents		
Anti-Inflammatories, Inhaled Corticosteroids		
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE (fluticasone propion-salmeterol)	2	GC; QL (60 per 30 days)
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	3	QL (12 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	3	QL (60 per 30 days)
<i>budesonide inhalation suspension for</i> (Pulmicort) <i>nebulization 0.25 mg/2 ml, 0.5 mg/2</i> <i>ml</i>	2	PA BvD; GC; QL (120 per 30 days)
<i>budesonide inhalation suspension for</i> (Pulmicort) <i>nebulization 1 mg/2 ml</i>	2	PA BvD; GC; QL (60 per 30 days)
FLOVENT 100 MCG DISKUS 100 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT 250 MCG DISKUS 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION	3	QL (12 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION	3	QL (24 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION	3	QL (21.2 per 30 days)
SYMBICORT INHALATION (budesonide- HFA AEROSOL INHALER 160- formoterol) 4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION	3	QL (30.6 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Antileukotrienes		
<i>montelukast oral tablet 10 mg</i> (Singulair)	1	GC
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair)	1	GC
<i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)	2	GC
Bronchodilators		
<i>albuterol 5 mg/ml solution 5 mg/ml</i>	2	PA BvD; GC; QL (120 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (ProAir HFA)	2	GC; QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>	2	GC; QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>	2	GC; QL (36 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg/3 ml (0.083 %)</i>	2	PA BvD; GC; QL (360 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml</i>	2	PA BvD; GC; QL (120 per 30 days)
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	2	GC
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	2	GC
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	4	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD; GC; QL (312.5 per 30 days)
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	2	PA BvD; GC; QL (540 per 30 days)
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	GC
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	3	QL (4 per 30 days)
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	3	QL (30 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	2	GC
<i>terbutaline subcutaneous solution 1 mg/ml</i>	5	NM; NDS
<i>theophylline oral solution 80 mg/15 ml</i>	2	GC
<i>theophylline oral tablet extended release 12 hr 300 mg, 450 mg</i>	2	GC
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	GC
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200- 62.5-25 MCG	3	QL (60 per 30 days)
Respiratory Tract Agents, Other		
<i>acetylcysteine intravenous solution 200 mg/ml (20 %)</i> (Acetadote)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>acetylcysteine solution 100 mg/ml (10%), 200 mg/ml (20%)</i>	2	PA BvD; GC
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	5	NM; NDS; QL (560 per 28 days)
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	2	PA BvD; GC
DALIRESP ORAL TABLET 250 MCG	3	QL (28 per 28 days)
DALIRESP ORAL TABLET 500 MCG	3	QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	5	PA; NM; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 MG	5	PA; NM; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 801 MG	5	PA; NM; NDS; QL (90 per 30 days)
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	5	PA; NM; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NM; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG	5	PA; NM; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NM; NDS; QL (120 per 30 days)
PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,SUV 1,000 MG (+-)/20 ML	5	PA BvD; NM; NDS
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	PA BvD; NM; NDS
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; NM; NDS; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	5	PA; NM; NDS; QL (84 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NM; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	5	PA; NM; NDS
Skeletal Muscle Relaxants		
Skeletal Muscle Relaxants		
<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>	2	GC
<i>chlorzoxazone oral tablet 250 mg</i>	5	PA-HRM; NM; NDS; QL (120 per 30 days); AGE (Max 64 Years)
<i>chlorzoxazone oral tablet 500 mg</i>	2	PA-HRM; GC; AGE (Max 64 Years)
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	PA-HRM; GC; AGE (Max 64 Years)
<i>dantrolene oral capsule 100 mg, 50 mg</i>	2	GC
<i>dantrolene oral capsule 25 mg</i> (Dantrium)	2	GC
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	2	PA-HRM; GC; AGE (Max 64 Years)
<i>revonto intravenous recon soln 20 mg</i> (dantrolene)	2	GC
<i>tizanidine oral tablet 2 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	2	GC
Sleep Disorder Agents		
Sleep Disorder Agents		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	2	PA; GC; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	2	GC; QL (30 per 30 days)
HETLIOZ LQ ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS; QL (150 per 30 days)
HETLIOZ ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>modafinil oral tablet 100 mg</i> (Provigil)	2	PA; GC; QL (30 per 30 days)
<i>modafinil oral tablet 200 mg</i> (Provigil)	2	PA; GC; QL (60 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG	4	PA; QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML	5	PA; NM; LA; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	GC; QL (30 per 30 days)
Vasodilating Agents		
Vasodilating Agents		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension))	2	PA; GC; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)	5	PA; NM; NDS; QL (30 per 30 days)
<i>epoprostenol (glycine) intravenous recon soln 0.5 mg, 1.5 mg</i> (Flolan)	5	PA; NM; NDS
OPSUMIT ORAL TABLET 10 MG	5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>sildenafil (pulm.hypertension)</i> (Revatio) <i>intravenous solution 10 mg/12.5 ml</i>	5	PA; NM; NDS; QL (37.5 per 1 day)
<i>sildenafil (pulm.hypertension) oral</i> (Revatio) <i>tablet 20 mg</i>	2	PA; GC; QL (90 per 30 days)
<i>sildenafil oral tablet 100 mg, 25 mg,</i> (Viagra) <i>50 mg</i>	2	GC; EX; CB (6 EA per 30 days)
<i>tadalafil (pulm. hypertension) oral</i> (Alyq) <i>tablet 20 mg</i>	2	PA; GC; QL (60 per 30 days)
TRACLEER ORAL TABLET 125 (bosentan) MG, 62.5 MG	5	PA; NM; LA; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>treprostinil sodium injection solution</i> (Remodulin) <i>1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5</i> <i>mg/ml</i>	5	PA; NM; NDS
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	5	PA; NM; NDS
UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NM; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

INDEX

1ST TIER UNIFINE PENTIPS.....	106	ADVAIR HFA.....	181	ALUNBRIG.....	18, 19
1ST TIER UNIFINE PENTIPS PLUS.....	106	ADVOCATE PEN NEEDLE.....	107	<i>alyacen 1/35 (28)</i>	91
<i>abacavir</i>	63	ADVOCATE SYRINGES.....	106, 107	<i>alyacen 7/7 (28)</i>	91
<i>abacavir-lamivudine</i>	63	<i>afirmelle</i>	91	<i>alyq</i>	187
<i>abacavir-lamivudine-zidovudine</i>	63	<i>a-hydrocort</i>	159	<i>amabelz</i>	158
ABELCET.....	48	AIMOVIG.....		<i>amantadine hcl</i>	55
<i>abiraterone</i>	18	AUTOINJECTOR.....	51	AMBISOME.....	48
ABOUTTIME PEN NEEDLE.....	106	AJOVY AUTOINJECTOR.....	51	<i>ambrisentan</i>	187
ABRAXANE.....	18	AJOVY SYRINGE.....	51	<i>amethia</i>	91
<i>acamprosate</i>	8	AKYNZEO (FOSNETUPITANT).....	53	<i>amiloride</i>	83
<i>acarbose</i>	43	AKYNZEO (NETUPITANT).....	53	<i>amiloride-hydrochlorothiazide</i> ..	83
<i>accutane</i>	100	<i>ala-cort</i>	103	AMINOSYN II 15 %.....	74
<i>acebutolol</i>	80	<i>albendazole</i>	54	AMINOSYN-PF 7 % (SULFITE-FREE).....	74
<i>acetaminophen-codeine</i>	3	<i>albuterol sulfate</i>	183	<i>amiodarone</i>	79
<i>acetazolamide</i>	178	<i>alclometasone</i>	103	<i>amitriptyline</i>	40
<i>acetazolamide sodium</i>	178	ALCOHOL PADS.....	101	<i>amlodipine</i>	83
<i>acetic acid</i>	148	ALCOHOL PREP PADS.....	101	<i>amlodipine-benazepril</i>	83
<i>acetylcysteine</i>	184, 185	ALCOHOL PREP SWABS..	101	<i>amlodipine-valsartan</i>	83
<i>acitretin</i>	101	ALCOHOL SWABS.....	101	<i>ammonium lactate</i>	101
ACTHAR.....	161	ALCOHOL WIPES.....	102	<i>amoxapine</i>	40
ACTHIB (PF).....	169	ALDURAZYME.....	145	<i>amoxicillin</i>	15
ACTIMMUNE.....	176	ALECENSA.....	18	<i>amoxicillin-pot clavulanate</i>	15
<i>acyclovir</i>	69, 101	<i>alendronate</i>	174	<i>amphotericin b</i>	48
<i>acyclovir sodium</i>	69	<i>alfuzosin</i>	156	<i>amphotericin b liposome</i>	48
ADACEL(TDAP ADOLESN/ADULT)(PF)....	169	ALIMTA.....	18	<i>ampicillin</i>	15
ADAKVEO.....	73	ALIQOPA.....	18	<i>ampicillin sodium</i>	15
<i>adapalene</i>	105	<i>aliskiren</i>	86	<i>ampicillin-sulbactam</i>	16
ADCETRIS.....	18	<i>allopurinol</i>	50	ANADROL-50.....	157
<i>adefovir</i>	69	<i>alose tron</i>	173	<i>anagrelide</i>	73
ADEMPAS.....	187	ALPHAGAN P.....	178	<i>anastrozole</i>	19
<i>adriamycin</i>	18	<i>alprazolam</i>	9	ANORO ELLIPTA.....	183
<i>adrucil</i>	18	ALREX.....	150	<i>apomorphine</i>	55
ADVAIR DISKUS.....	181	<i>altavera (28)</i>	91	<i>apraclonidine</i>	147
		ALTRENO.....	105	<i>aprepitant</i>	53
				APRETUDE.....	63
				<i>apri</i>	91
				APTIOM.....	34

APTIVUS.....	63	AYVAKIT.....	19	BD ULTRA-FINE MINI	
APTIVUS (WITH VITAMIN		<i>azacitidine</i>	19	PEN NEEDLE.....	109
E).....	63	<i>azathioprine</i>	164	BD ULTRA-FINE NANO	
<i>aranelle (28)</i>	91	<i>azathioprine sodium</i>	164	PEN NEEDLE.....	109
ARCALYST.....	164	<i>azelastine</i>	147	BD ULTRA-FINE ORIG	
<i>aripiprazole</i>	57	<i>azithromycin</i>	14	PEN NEEDLE.....	110
ARISTADA.....	58	AZOPT.....	178	BD ULTRA-FINE SHORT	
ARISTADA INITIO.....	57	<i>aztreonam</i>	14	PEN NEEDLE.....	110
<i>armodafinil</i>	187	<i>azurette (28)</i>	92	BD VEO INSULIN SYR	
ARNUITY ELLIPTA.....	182	<i>bacitracin</i>	148	(HALF UNIT).....	110
<i>arsenic trioxide</i>	19	<i>bacitracin-polymyxin b</i>	148	BD VEO INSULIN	
<i>asenapine maleate</i>	58	<i>baclofen</i>	186	SYRINGE UF.....	110
<i>ashlyna</i>	91	<i>balsalazide</i>	173	<i>bekyree (28)</i>	92
ASPARLAS.....	19	BALVERSA.....	19	BELEODAQ.....	19
<i>aspirin-dipyridamole</i>	74	<i>balziva (28)</i>	92	BELSOMRA.....	187
ASSURE ID DUO-SHIELD	107	BAVENCIO.....	19	<i>benazepril</i>	78
ASSURE ID INSULIN		BAXDELA.....	16	<i>benazepril-hydrochlorothiazide</i>	78
SAFETY.....	107, 108	BCG VACCINE, LIVE (PF)	169	BENDEKA.....	19
ASSURE ID PEN NEEDLE	107	BD ALCOHOL SWABS.....	101	BENLYSTA.....	164
<i>atazanavir</i>	63	BD AUTOSHIELD DUO		<i>benztropine</i>	55
<i>atenolol</i>	80	PEN NEEDLE.....	108	BESPONSA.....	19
<i>atenolol-chlorthalidone</i>	80	BD ECLIPSE LUER-LOK ...	108	BESREMI.....	164
<i>atomoxetine</i>	87	BD INSULIN SYRINGE....	108	<i>betaine</i>	176
<i>atorvastatin</i>	85	BD INSULIN SYRINGE		<i>betamethasone acet,sod phos</i> ..	159
<i>atovaquone</i>	54	(HALF UNIT).....	108	<i>betamethasone dipropionate</i> ...	103
<i>atovaquone-proguanil</i>	54, 55	BD INSULIN SYRINGE		<i>betamethasone valerate</i>	103
<i>atropine</i>	147	SLIP TIP.....	109	<i>betamethasone, augmented</i>	104
ATROVENT HFA.....	183	BD INSULIN SYRINGE U-		BETASERON.....	88
AUBAGIO.....	87	500.....	108	<i>betaxolol</i>	80
<i>aubra eq</i>	91	BD INSULIN SYRINGE		<i>bethanechol chloride</i>	155
<i>aurovela 1.5/30 (21)</i>	91	ULTRA-FINE.....	108	<i>bexarotene</i>	19
<i>aurovela 1/20 (21)</i>	91	BD NANO 2ND GEN PEN		BEXSERO.....	169
<i>aurovela 24 fe</i>	92	NEEDLE.....	109	<i>bicalutamide</i>	19
<i>aurovela fe 1.5/30 (28)</i>	92	BD SAFETYGLIDE		BICILLIN L-A.....	16
<i>aurovela fe 1-20 (28)</i>	92	INSULIN SYRINGE....	108, 109	BIDIL.....	87
AUSTEDO.....	87	BD SAFETYGLIDE		BIKTARVY.....	63
AVASTIN.....	19	SYRINGE.....	109	<i>bisoprolol fumarate</i>	80
<i>aviane</i>	92	BD ULTRA-FINE MICRO		<i>bisoprolol-hydrochlorothiazide</i> ..	80
AVONEX.....	87, 88	PEN NEEDLE.....	109	BLNREP.....	19
<i>ayuna</i>	92			<i>bleomycin</i>	19

<i>bleph-10</i>	148	<i>calcium acetate (phosphat</i>	<i>cefuroxime axetil</i>	13
BLINCYTO	20	<i>bind)</i>	<i>cefuroxime sodium</i>	13
<i>blisovi 24 fe</i>	92	<i>calcium chloride</i>	<i>celecoxib</i>	6
<i>blisovi fe 1.5/30 (28)</i>	92	CALQUENCE	CELONTIN	35
<i>blisovi fe 1/20 (28)</i>	92	<i>camila</i>	<i>cephalexin</i>	13, 14
BOOSTRIX TDAP	169	CAPLYTA	CERDELGA	145
BORDERED GAUZE	110	CAPRELSA	CEREZYME	146
BORTEZOMIB	20	<i>captpril</i>	CHANTIX CONTINUING	
BOSULIF	20	<i>carbamazepine</i>	MONTH BOX	8
BRAFTOVI	20	<i>carbidopa-levodopa</i>	CHANTIX STARTING	
BREO ELLIPTA	182	<i>carbidopa-levodopa-</i>	MONTH BOX	8
BREZTRI AEROSPHERE ..	183	<i>entacapone</i>	<i>chateal eq (28)</i>	92
<i>brillyn</i>	92	CAREFINE PEN NEEDLE	<i>chloramphenicol sod succinate</i> ..	11
BRILINTA	74	CARETOUCH ALCOHOL	<i>chlordiazepoxide hcl</i>	9
<i>brimonidine</i>	178	PREP PAD	<i>chlorhexidine gluconate</i>	100
<i>brimonidine-timolol</i>	178	CARETOUCH INSULIN	<i>chloroquine phosphate</i>	55
BRIVIACT	34	SYRINGE	<i>chlorothiazide sodium</i>	84
<i>bromocriptine</i>	55	CARETOUCH PEN	<i>chlorpromazine</i>	58
BROMSITE	150	NEEDLE	<i>chlorthalidone</i>	84
BRONCHITOL	185	<i>carghumic acid</i>	<i>chlorzoxazone</i>	186
BRUKINSA	20	<i>carteolol</i>	<i>cholestyramine (with sugar)</i>	85
<i>budesonide</i>	174, 182	<i>cartia xt</i>	<i>cholestyramine light</i>	85
<i>bumetanide</i>	83, 84	<i>carvedilol</i>	<i>ciclopirox</i>	48
<i>buprenorphine hcl</i>	3, 8	<i>casprofungin</i>	<i>cilostazol</i>	74
<i>buprenorphine-naloxone</i>	8	CAYSTON	CIMDUO	64
<i>bupropion hcl</i>	40	<i>caziant (28)</i>	<i>cimetidine hcl</i>	152
<i>bupropion hcl (smoking deter)</i> ...	8	<i>cefaclor</i>	<i>cinacalcet</i>	174, 175
<i>buspiron</i>	176	<i>cefadroxil</i>	CINQAIR	185
<i>butalbital-acetaminophen-caff</i> ...	3	<i>cefazolin</i>	CINRYZE	71
<i>butalbital-aspirin-caffeine</i>	3	<i>cefazolin in dextrose (iso-os)</i> ...	<i>ciprofloxacin</i>	17
BYNFEZIA	161	<i>cefdinir</i>	<i>ciprofloxacin hcl</i>	16, 148
CABENUVA	63	<i>cefepime</i>	<i>ciprofloxacin in 5 % dextrose</i> ...	16
<i>cabergoline</i>	55	<i>cefixime</i>	<i>ciprofloxacin-dexamethasone</i> ..	148
CABLIVI	73	<i>cefotaxime</i>	<i>citalopram</i>	40
CABOMETYX	20	<i>cefoxitin</i>	<i>clarithromycin</i>	14
<i>cabotegravir</i>	64	<i>cefoxitin in dextrose, iso-osm</i> ...	CLENPIQ	154
<i>caffeine citrate</i>	88	<i>cefpodoxime</i>	CLICKFINE PEN NEEDLE	
<i>calcipotriene</i>	101	<i>cefprozil</i>	111
<i>calcitonin (salmon)</i>	174	<i>ceftazidime</i>	<i>clindamycin hcl</i>	11
<i>calcitriol</i>	174	<i>ceftriaxone</i>	<i>clindamycin in 5 % dextrose</i>	11

<i>clindamycin phosphate</i> 11, 50, 102	<i>clotrimazole-betamethasone</i> 48	<i>cyclobenzaprine</i> 186
CLINIMIX 5%/D15W	<i>clovique</i> 156	<i>cyclopentolate</i> 147
SULFITE FREE 74	<i>clozapine</i> 58	<i>cyclophosphamide</i> 20, 21
CLINIMIX 4.25%/D10W	COARTEM 55	CYCLOPHOSPHAMIDE 20
SULF FREE 74	<i>codeine sulfate</i> 3	<i>cyclosporine</i> 150, 164
CLINIMIX 4.25%/D5W	<i>colchicine</i> 50	<i>cyclosporine modified</i> 164
SULFIT FREE 74	<i>colesevelam</i> 85	<i>cyproheptadine</i> 50
CLINIMIX 5%-	<i>colestipol</i> 85	CYRAMZA 21
D20W(SULFITE-FREE) 74	<i>colistin (colistimethate na)</i> 11	<i>cyred eq</i> 92
CLINIMIX 6%-D5W	COMBIGAN 178	CYSTARAN 148
(SULFITE-FREE) 75	COMBIVENT RESPIMAT .. 183	<i>d5 % and 0.9 % sodium</i>
CLINIMIX 8%-	COMETRIQ 20	<i>chloride</i> 179
D10W(SULFITE-FREE) 75	COMFORT EZ INSULIN	<i>d5 %-0.45 % sodium chloride</i> .. 179
CLINIMIX 8%-	SYRINGE 111, 112, 113	<i>dalfampridine</i> 88
D14W(SULFITE-FREE) 75	COMFORT EZ PEN	DALIRESP 185
CLINIMIX E 2.75%/D5W	NEEDLES 112, 113	<i>danazol</i> 157
SULF FREE 75	COMFORT TOUCH PEN	<i>dantrolene</i> 186
CLINIMIX E 4.25%/D10W	NEEDLE 113, 114	DANYELZA 21
SUL FREE 75	COMPLERA 64	<i>dapsone</i> 52
CLINIMIX E 4.25%/D5W	<i>compro</i> 53	DAPTACEL (DTAP
SULF FREE 75	<i>constulose</i> 153	PEDIATRIC) (PF) 169
CLINIMIX E 5%/D15W	COPAXONE 88	<i>daptomycin</i> 11
SULFIT FREE 75	COPIKTRA 20	DARZALEX 21
CLINIMIX E 5%/D20W	CORLANOR 82	DARZALEX FASPRO 21
SULFIT FREE 75	CORTROPHIN GEL 161	<i>dasetta 1/35 (28)</i> 92
CLINIMIX E 8%-D10W	COSENTYX 164	<i>dasetta 7/7/7 (28)</i> 93
SULFITEFREE 75	COSENTYX (2 SYRINGES)	DAURISMO 21
CLINIMIX E 8%-D14W 164	<i>daysee</i> 93
SULFITEFREE 75	COSENTYX PEN (2 PENS) 164	<i>deblitane</i> 93
<i>clobazam</i> 35	COTELLIC 20	<i>decitabine</i> 21
<i>clobetasol</i> 104	CREON 146	<i>deferasirox</i> 156
<i>clobetasol-emollient</i> 104	CRIVAN 64	<i>deferiprone</i> 156
<i>clofarabine</i> 20	<i>cromolyn</i> 147, 153, 185	<i>deferoxamine</i> 156, 157
<i>clomipramine</i> 40	<i>cryselle (28)</i> 92	DELSTRIGO 64
<i>clonazepam</i> 9, 10	CURAD GAUZE PAD 114	DENGVAXIA (PF) 169
<i>clonidine</i> 76, 77	CURITY ALCOHOL	<i>denta 5000 plus</i> 100
<i>clonidine hcl</i> 76	SWABS 101	<i>dentagel</i> 100
<i>clopidogrel</i> 74	CURITY GAUZE 114	DERMACEA 114
<i>clorazepate dipotassium</i> 10	<i>cyclafem 1/35 (28)</i> 92	DERMACEA NON-
<i>clotrimazole</i> 48	<i>cyclafem 7/7/7 (28)</i> 92	WOVEN 114

DESCOVY	64	<i>diphenoxylate-atropine</i>	153	DUPIXENT SYRINGE.....	165
<i>desipramine</i>	40	<i>dipyridamole</i>	74	<i>dutasteride</i>	156
<i>desmopressin</i>	161	<i>disopyramide phosphate</i>	79	EASY COMFORT	
<i>desog-e.estradiolle.estradiol</i>	93	<i>disulfiram</i>	8	ALCOHOL PAD	101
<i>desogestrel-ethinyl estradiol</i>	93	<i>divalproex</i>	35	EASY COMFORT	
<i>desoximetasone</i>	104	<i>dofetilide</i>	79	INSULIN SYRINGE....	116, 117
<i>desvenlafaxine succinate</i>	41	<i>donepezil</i>	39	EASY COMFORT PEN	
<i>dexamethasone</i>	159	DOPTELET (10 TAB PACK)	71	NEEDLES	117
<i>dexamethasone sodium phos</i>		DOPTELET (15 TAB PACK)	72	EASY GLIDE INSULIN	
(<i>pf</i>)	159, 160	DOPTELET (30 TAB PACK)	72	SYRINGE	117, 118
<i>dexamethasone sodium</i>		<i>dorzolamide</i>	178	EASY GLIDE PEN	
<i>phosphate</i>	150, 160	<i>dorzolamide-timolol</i>	178	NEEDLE	118
<i>dexmethylphenidate</i>	88	<i>dotti</i>	158	EASY TOUCH.....	119, 120
<i>dextroamphetamine sulfate</i>	88	DOVATO	64	EASY TOUCH ALCOHOL	
<i>dextroamphetamine-</i>		<i>doxazosin</i>	77	PREP PADS.....	101
<i>amphetamine</i>	88	<i>doxepin</i>	41	EASY TOUCH FLIPLOCK	
<i>dextrose 10 % in water (d10w)</i>	76	<i>doxorubicin</i>	21	INSULIN.....	119
<i>dextrose 5 % in water (d5w)</i>	76	<i>doxorubicin, peg-liposomal</i>	21	EASY TOUCH FLIPLOCK	
DIACOMIT	35	<i>doxy-100</i>	17	SYRINGE	118
<i>diazepam</i>	10, 35	<i>doxycycline hyclate</i>	17	EASY TOUCH INSULIN	
<i>diazepam intensol</i>	10	<i>doxycycline monohydrate</i>	17, 18	SAFETY SYR.....	118
<i>diazoxide</i>	176	DRIZALMA SPRINKLE	41	EASY TOUCH INSULIN	
<i>diclofenac epolamine</i>	6	<i>dronabinol</i>	53	SYRINGE	118, 119, 120
<i>diclofenac potassium</i>	6	<i>droperidol</i>	53	EASY TOUCH LUER	
<i>diclofenac sodium</i>	6, 150	DROPLET INSULIN		LOCK INSULIN	119
<i>dicloxacillin</i>	16	SYR(HALF UNIT).....	114, 115	EASY TOUCH PEN	
<i>dicyclomine</i>	153	DROPLET INSULIN		NEEDLE	119
<i>didanosine</i>	64	SYRINGE	114, 115	EASY TOUCH SAFETY	
DIFICID	14	DROPLET MICRON PEN		PEN NEEDLE.....	120
<i>difluprednate</i>	150	NEEDLE	116	EASY TOUCH	
<i>digitek</i>	82	DROPLET PEN NEEDLE..	116	SHEATHLOCK INSULIN	
<i>digox</i>	82	DROPSAFE ALCOHOL		118, 119
<i>digoxin</i>	82	PREP PADS.....	101	EASY TOUCH UNI-SLIP ..	120
<i>dihydroergotamine</i>	51	DROPSAFE PEN NEEDLE	116	<i>econazole</i>	48
<i>diltiazem hcl</i>	81	<i>drospirenone-ethinyl estradiol</i>	93	EDARBI.....	77
<i>dilt-xr</i>	81	DROXIA	73	EDARBYCLOR.....	77
<i>dimenhydrinate</i>	53	<i>droxidopa</i>	77	EDURANT	64
<i>dimethyl fumarate</i>	88	DUAVEE.....	158	<i>efavirenz</i>	64
DIPENTUM	174	<i>duloxetine</i>	41	<i>efavirenz-emtricitabin-tenofov</i> ..	64
<i>diphenhydramine hcl</i>	50	DUPIXENT PEN	165	<i>efavirenz-lamivu-tenofov disop</i> .	64

EGRIFTA.....	161	<i>enskyce</i>	93	ETOPOPHOS.....	22
EGRIFTA SV.....	161	<i>entacapone</i>	56	<i>etoposide</i>	22
ELAPRASE.....	146	<i>entecavir</i>	70	<i>etravirine</i>	65
ELIGARD.....	21	ENTRESTO.....	77	EUCRISA.....	104
ELIGARD (3 MONTH).....	21	<i>enulose</i>	153	EVENITY.....	175
ELIGARD (4 MONTH).....	21	EPCLUSA.....	68, 69	<i>everolimus (antineoplastic)</i>	22
ELIGARD (6 MONTH).....	21	EPIDIOLEX.....	35	<i>everolimus</i>	
<i>elimest</i>	93	<i>epinastine</i>	148	<i>(immunosuppressive)</i>	165
ELIQUIS.....	70	<i>epinephrine</i>	82	EVOTAZ.....	65
ELIQUIS DVT-PE TREAT		<i>epitol</i>	35	EVRYSDI.....	176
30D START.....	70	EPIVIR HBV.....	64	EXEL INSULIN.....	121
ELITEK.....	146	<i>eplerenone</i>	86	<i>exemestane</i>	22
ELLA.....	93	<i>epoprostenol (glycine)</i>	187	EXKIVITY.....	22
ELMIRON.....	176	EPRONTIA.....	35	EXONDYS-51.....	176
<i>eluryng</i>	93	ERBITUX.....	22	EYSUVIS.....	150
EMCYT.....	21	<i>ergoloid</i>	39	<i>ezetimibe</i>	85
EMEND.....	53	ERIVEDGE.....	22	FABRAZYME.....	146
EMFLAZA.....	160	ERLEADA.....	22	<i>falmina (28)</i>	93
EMGALITY PEN.....	51	<i>erlotinib</i>	22	<i>famciclovir</i>	70
EMGALITY SYRINGE.....	51	<i>errin</i>	93	<i>famotidine</i>	152
<i>emoquette</i>	93	<i>ertapenem</i>	15	<i>famotidine (pf)</i>	152
EMPLICITI.....	21	<i>ery pads</i>	102	<i>famotidine (pf)-nacl (iso-os)</i>	152
EMSAM.....	41	<i>erythromycin</i>	14, 148	FANAPT.....	59
<i>emtricitabine</i>	64	<i>erythromycin ethylsuccinate</i>	14	FARXIGA.....	43
<i>emtricitabine-tenofovir (tdf)</i>	64	<i>erythromycin with ethanol</i>		FARYDAK.....	22
EMTRIVA.....	64	102, 103	FASENRA.....	185
<i>enalapril maleate</i>	78	ESBRIET.....	185	FASENRA PEN.....	185
<i>enalaprilat</i>	78	<i>escitalopram oxalate</i>	41	<i>febuxostat</i>	50
<i>enalapril-hydrochlorothiazide</i> ...	78	<i>esomeprazole magnesium</i>	152	<i>felbamate</i>	35
ENBREL.....	165	<i>esomeprazole sodium</i>	152	FEMRING.....	158
ENBREL MINI.....	165	<i>estarylla</i>	93	<i>femynor</i>	94
ENBREL SURECLICK.....	165	<i>estradiol</i>	158	<i>fenofibrate</i>	85
ENDARI.....	176	<i>estradiol valerate</i>	158	<i>fenofibrate micronized</i>	85
<i>endocet</i>	3	<i>estradiol-norethindrone acet</i> ...	158	<i>fenofibrate nanocrystallized</i>	85
ENGERIX-B (PF).....	170	<i>eszopiclone</i>	187	<i>fentanyl</i>	3
ENGERIX-B PEDIATRIC		<i>ethambutol</i>	52	<i>fentanyl citrate</i>	3
(PF).....	170	<i>ethosuximide</i>	35	FERRIPROX.....	157
ENHERTU.....	21	<i>ethynodiol diac-eth estradiol</i>	93	FERRIPROX (2 TIMES A	
<i>enoxaparin</i>	70	<i>etodolac</i>	6	DAY).....	157
<i>enpresse</i>	93	<i>etonogestrel-ethinyl estradiol</i>	93	FETZIMA.....	41

FIASP FLEXTOUCH U-100	<i>fosphenytoin</i>	36	<i>glatopa</i>	89
INSULIN.....	FOTIVDA.....	22	<i>glimepiride</i>	47
FIASP PENFILL U-100	FREESTYLE PRECISION..	121	<i>glipizide</i>	47
INSULIN.....	FULPHILA.....	72	<i>glipizide-metformin</i>	47
FIASP U-100 INSULIN.....	<i>fulvestrant</i>	22	<i>glyburide</i>	48
<i>finasteride</i>	<i>furosemide</i>	84	<i>glyburide micronized</i>	47
FINTEPLA.....	FUZEON.....	65	<i>glyburide-metformin</i>	48
FIRVANQ.....	<i>fyavolv</i>	158	<i>glycopyrrolate</i>	153
FLEBOGAMMA DIF.....	FYCOMPA.....	36	<i>glydo</i>	7
<i>flecainide</i>	<i>gabapentin</i>	36	GLYXAMBI.....	43
FLOVENT DISKUS.....	GALAFOLD.....	146	<i>granisetron (pf)</i>	53
FLOVENT HFA.....	<i>galantamine</i>	39	<i>granisetron hcl</i>	53, 54
<i>floxuridine</i>	GAMIFANT.....	165	<i>griseofulvin microsize</i>	49
<i>fluconazole</i>	GAMMAGARD LIQUID...	165	<i>guanfacine</i>	77, 89
<i>fluconazole in nacl (iso-osm)</i> ...	GAMMAGARD S-D (IGA <	165	GVOKE.....	176
<i>flucytosine</i>	1 MCG/ML).....	165	GVOKE HYPOPEN 2-	
<i>fludrocortisone</i>	GAMMAPLEX.....	166	PACK.....	176
<i>flumazenil</i>	GAMMAPLEX (WITH		GVOKE PFS 1-PACK	
<i>flunisolide</i>	SORBITOL).....	165	SYRINGE.....	176
<i>fluocinolone</i>	<i>ganciclovir sodium</i>	70	HAEGARDA.....	72
<i>fluocinonide</i>	GARDASIL 9 (PF).....	170	<i>hailey</i>	94
<i>fluocinonide-e</i>	GATTEX 30-VIAL.....	153	<i>hailey 24 fe</i>	94
<i>fluoride (sodium)</i>	GAUZE PAD.....	121	<i>hailey fe 1.5/30 (28)</i>	94
<i>fluorometholone</i>	<i>gavilyte-c</i>	154	<i>hailey fe 1/20 (28)</i>	94
<i>fluorouracil</i>	<i>gavilyte-g</i>	154	<i>halobetasol propionate</i>	104
<i>fluoxetine</i>	<i>gavilyte-n</i>	155	<i>haloperidol</i>	59
<i>fluphenazine decanoate</i>	GAVRETO.....	22	<i>haloperidol decanoate</i>	59
<i>fluphenazine hcl</i>	GAZYVA.....	23	<i>haloperidol lactate</i>	59
<i>flurbiprofen</i>	<i>gemfibrozil</i>	85	HARVONI.....	69
<i>flurbiprofen sodium</i>	<i>generlac</i>	153	HAVRIX (PF).....	170
<i>flutamide</i>	<i>gengraf</i>	166	HEALTHWISE INSULIN	
<i>fluticasone propionate</i>	<i>gentak</i>	148	SYRINGE.....	122
<i>fluvoxamine</i>	<i>gentamicin</i>	10, 103, 148	HEALTHWISE PEN	
<i>fomepizole</i>	<i>gentamicin sulfate (ped) (pf)</i> ...	10	NEEDLE.....	122
<i>fondaparinux</i>	<i>gentamicin sulfate (pf)</i>	10	HEALTHY ACCENTS	
FORTEO.....	GENVOYA.....	65	UNIFINE PENTIP.....	122, 123
<i>fosamprenavir</i>	GILENYA.....	89	<i>heather</i>	94
<i>fosaprepitant</i>	GILOTRIF.....	23	<i>heparin (porcine)</i>	71
<i>foscarnet</i>	GIVLAARI.....	73	<i>heparin, porcine (pf)</i>	71
<i>fosinopril</i>	<i>glatiramer</i>	89	HEPATAMINE 8%.....	76

HERCEPTIN.....	23	<i>ibandronate</i>	175	INSULIN SYRINGE.....	109
HERCEPTIN HYLECTA.....	23	IBRANCE.....	23	INSULIN SYRINGE	
HERZUMA.....	23	<i>ibu</i>	6	MICROFINE.....	108
HETLIOZ.....	187	<i>ibuprofen</i>	6	INSULIN SYRINGE	
HETLIOZ LQ.....	187	<i>icatibant</i>	83	NEEDLELESS.....	109
HIBERIX (PF).....	170	<i>iclevia</i>	94	INSULIN SYRINGE-	
HUMIRA.....	166	ICLUSIG.....	23	NEEDLE U-100	
HUMIRA PEN.....	166	IDHIFA.....	23	109, 110, 120, 121, 123, 124, 131,	
HUMIRA PEN CROHNS-		<i>ifosfamide</i>	23	135, 139	
UC-HS START.....	166	ILARIS (PF).....	167	INSUPEN.....	124, 125
HUMIRA PEN PSOR-		ILEVRO.....	151	INTELENCE.....	65
UVEITS-ADOL HS.....	166	<i>imatinib</i>	23	INTRALIPID.....	76
HUMIRA(CF).....	166	IMBRUVICA.....	23	INTRON A.....	69
HUMIRA(CF) PEDI		IMFINZI.....	23	<i>introvale</i>	94
CROHNS STARTER.....	166	<i>imipenem-cilastatin</i>	15	INVEGA HAFYERA.....	59
HUMIRA(CF) PEN.....	166	<i>imipramine hcl</i>	41	INVEGA SUSTENNA.....	60
HUMIRA(CF) PEN		<i>imiquimod</i>	101	INVEGA TRINZA.....	60
CROHNS-UC-HS.....	166	IMLYGIC.....	24	INVELTYS.....	151
HUMIRA(CF) PEN		IMOVAX RABIES		INVIRASE.....	65
PEDIATRIC UC.....	166	VACCINE (PF).....	170	IPOLE.....	170
HUMIRA(CF) PEN PSOR-		IMPAVIDO.....	55	<i>ipratropium bromide</i>	148, 184
UV-ADOL HS.....	166	INBRIJA.....	56	<i>ipratropium-albuterol</i>	184
HUMULIN R U-500		<i>incassia</i>	94	<i>irbesartan</i>	77
(CONC) INSULIN.....	45	INCONTROL ALCOHOL		<i>irbesartan-hydrochlorothiazide</i>	77
HUMULIN R U-500		PADS.....	101	IRESSA.....	24
(CONC) KWIKPEN.....	45	INCONTROL PEN		ISENTRESS.....	65
<i>hydralazine</i>	82, 83	NEEDLE.....	123	ISENTRESS HD.....	65
<i>hydrochlorothiazide</i>	84	INCRELEX.....	161	<i>isibloom</i>	94
<i>hydrocodone-acetaminophen</i> ...3, 4		<i>indapamide</i>	84	ISOLYTE S PH 7.4.....	179
<i>hydrocodone-ibuprofen</i>	4	<i>indomethacin</i>	6, 7	ISOLYTE-P IN 5 %	
<i>hydrocortisone</i>	104, 105, 160, 174	INFANRIX (DTAP) (PF)....	170	DEXTROSE.....	180
<i>hydromorphone</i>	4	INLYTA.....	24	ISOLYTE-S.....	179
<i>hydromorphone (pf)</i>	4	INPEN (FOR HUMALOG)		<i>isoniazid</i>	52
<i>hydroxychloroquine</i>	55	BLUE.....	123	<i>isosorbide dinitrate</i>	87
<i>hydroxyprogesterone</i>		INPEN (NOVOLOG OR		<i>isosorbide mononitrate</i>	87
<i>cap(ppres)</i>	163	FIASP) BLUE.....	123	<i>isosorbide-hydralazine</i>	87
<i>hydroxyurea</i>	23	INQOVI.....	24	<i>itraconazole</i>	49
<i>hydroxyzine hcl</i>	50	INREBIC.....	24	IV PREP WIPES.....	101
<i>hydroxyzine pamoate</i>	176	INSULIN SYR/NDL U100		<i>ivermectin</i>	55
HYQVIA.....	167	HALF MARK.....	123	IXEMPRA.....	24

IXIARO (PF).....	170	<i>klor-con m20</i>	180	<i>levetiracetam</i>	36
<i>jaimiess</i>	94	KLOXXADO.....	8	<i>levobunolol</i>	179
JAKAFI.....	24	KORLYM.....	43	<i>levocarnitine</i>	177
<i>jantoven</i>	71	KOSELUGO.....	25	<i>levocarnitine (with sugar)</i>	177
JARDIANCE.....	43	KRINTAFEL.....	55	<i>levocetirizine</i>	50
<i>jasmiel (28)</i>	94	KRYSTEXXA.....	146	<i>levofloxacin</i>	17, 148, 149
JEMPERLI.....	24	<i>kurvelo (28)</i>	95	<i>levofloxacin in d5w</i>	17
<i>jencycla</i>	94	KYNOBIM.....	56	<i>levoleucovorin calcium</i>	177
JENTADUETO.....	43	KYPROLIS.....	25	<i>levonest (28)</i>	95
JENTADUETO XR.....	43	<i>l norgestle.estradiol-e.estrad</i>	95	<i>levonorgestrel-ethinyl estrad</i>	95
<i>jinteli</i>	158	<i>labetalol</i>	80	<i>levonorg-eth estrad triphasic</i>	96
<i>juleber</i>	94	<i>lacosamide</i>	36	<i>levora-28</i>	96
JULUCA.....	65	<i>lactulose</i>	153	<i>levothyroxine</i>	163
<i>junel 1.5/30 (21)</i>	94	<i>lamivudine</i>	65	LEXIVA.....	65
<i>junel 1/20 (21)</i>	94	<i>lamivudine-zidovudine</i>	65	LIBTAYO.....	25
<i>junel fe 1.5/30 (28)</i>	94	<i>lamotrigine</i>	36	<i>lidocaine</i>	8
<i>junel fe 1/20 (28)</i>	94	<i>lanreotide</i>	161	<i>lidocaine (pf)</i>	7, 79
<i>junel fe 24</i>	94	<i>lansoprazole</i>	152	<i>lidocaine hcl</i>	7
JUXTAPID.....	85	LANTUS SOLOSTAR U-100		<i>lidocaine viscous</i>	8
JYNARQUE.....	84	INSULIN.....	46	<i>lidocaine-prilocaine</i>	8
<i>kalliga</i>	95	LANTUS U-100 INSULIN...	46	<i>lillow (28)</i>	96
KALYDECO.....	185	<i>lapatinib</i>	25	<i>linezolid</i>	11
KANJINTI.....	24	<i>larin 1.5/30 (21)</i>	95	<i>linezolid in dextrose 5%</i>	11
KANUMA.....	146	<i>larin 1/20 (21)</i>	95	<i>linezolid-0.9% sodium chloride</i> ..	11
<i>kariva (28)</i>	95	<i>larin 24 fe</i>	95	LINZESS.....	153
<i>kelnor 1/35 (28)</i>	95	<i>larin fe 1.5/30 (28)</i>	95	<i>liothyronine</i>	164
<i>kelnor 1-50 (28)</i>	95	<i>larin fe 1/20 (28)</i>	95	LISCO.....	125
KESIMPTA PEN.....	89	<i>larissia</i>	95	<i>lisinopril</i>	78
<i>ketoconazole</i>	49	<i>latanoprost</i>	179	<i>lisinopril-hydrochlorothiazide</i> ...	78
<i>ketorolac</i>	7, 151	LATUDA.....	60	LITE TOUCH INSULIN	
KEVEYIS.....	177	LAZANDA.....	4	PEN NEEDLES.....	125
KEYTRUDA.....	24	<i>leflunomide</i>	167	LITE TOUCH INSULIN	
KIMMTRAK.....	24	<i>lenalidomide</i>	25	SYRINGE.....	125, 126
KINRIX (PF).....	171	LENVIMA.....	25	<i>lithium carbonate</i>	89
<i>kionex (with sorbitol)</i>	153	<i>lessina</i>	95	LIVALO.....	85
KISQALI.....	24, 25	<i>letrozole</i>	25	<i>lojaimiess</i>	96
KISQALI FEMARA CO-		<i>leucovorin calcium</i>	177	LOKELMA.....	153
PACK.....	24	LEUKERAN.....	25	LONSURF.....	25
<i>klor-con m10</i>	180	LEUKINE.....	72	<i>loperamide</i>	153
<i>klor-con m15</i>	180	<i>leuprolide</i>	25	<i>lopinavir-ritonavir</i>	65

<i>lorazepam</i>	10	<i>malathion</i>	106	<i>megestrol</i>	26, 163
LORBRENA.....	25	<i>maprotiline</i>	41	MEKINIST.....	26
<i>loryna (28)</i>	96	<i>maraviroc</i>	66	MEKTOVI.....	26
<i>losartan</i>	77	MARGENZA.....	26	<i>meloxicam</i>	7
<i>losartan-hydrochlorothiazide</i>	77	<i>marlissa (28)</i>	96	<i>memantine</i>	39
LOTEMAX.....	151	MARPLAN.....	42	MENACTRA (PF).....	171
LOTEMAX SM.....	151	MATULANE.....	26	MENQUADFI (PF).....	171
<i>loteprednol etabonate</i>	151	MAVENCLAD (10 TABLET PACK).....	89	MENVEO A-C-Y-W-135- DIP (PF).....	171
<i>lovastatin</i>	85	MAVENCLAD (4 TABLET PACK).....	89	MEPSEVII.....	146
<i>low-ogestrel (28)</i>	96	MAVENCLAD (5 TABLET PACK).....	89	<i>mercaptopurine</i>	26
<i>loxapine succinate</i>	60	MAVENCLAD (6 TABLET PACK).....	89	<i>meropenem</i>	15
<i>lo-zumandimine (28)</i>	96	MAVENCLAD (7 TABLET PACK).....	89	<i>meropenem-0.9% sodium chloride</i>	15
<i>lubiprostone</i>	154	MAVENCLAD (8 TABLET PACK).....	89	<i>merzee</i>	96
LUCEMYRA.....	8	MAVENCLAD (9 TABLET PACK).....	89	<i>mesalamine</i>	174
LUMAKRAS.....	25	MAXICOMFORT II PEN NEEDLE.....	126	<i>mesna</i>	177
LUMIGAN.....	179	MAXICOMFORT INSULIN SYRINGE.....	126, 127	MESNEX.....	177
LUMOXITI.....	26	MAXI-COMFORT INSULIN SYRINGE.....	127	<i>metaproterenol</i>	184
LUPRON DEPOT.....	161	MAXICOMFORT SAFETY PEN NEEDLE.....	127	<i>metformin</i>	43, 44
LUPRON DEPOT (3 MONTH).....	26, 161	MAYZENT.....	90	<i>methadone</i>	4
LUPRON DEPOT (4 MONTH).....	26	MAYZENT STARTER(FOR 1MG MAINT).....	90	<i>methadose</i>	4
LUPRON DEPOT (6 MONTH).....	26	MAYZENT STARTER(FOR 2MG MAINT).....	90	<i>methenamine hippurate</i>	12
LUPRON DEPOT-PED.....	162	<i>meclizine</i>	54	<i>methimazole</i>	164
LUPRON DEPOT-PED (3 MONTH).....	161	<i>medroxyprogesterone</i>	163	<i>methocarbamol</i>	186
<i>lutea (28)</i>	96	<i>mefenamic acid</i>	7	<i>methotrexate sodium</i>	26
LYBALVI.....	60	<i>mefloquine</i>	55	<i>methotrexate sodium (pf)</i>	26
<i>lyleq</i>	96			<i>methoxsalen</i>	102
<i>lyllana</i>	159			<i>methscopolamine</i>	154
LYNPARZA.....	26			<i>methyl dopa</i>	77
LYSODREN.....	26			<i>methylphenidate hcl</i>	90
<i>lyza</i>	96			<i>methylprednisolone</i>	160
MAGELLAN INSULIN SAFETY SYRNG.....	126			<i>methylprednisolone acetate</i>	160
MAGELLAN SYRINGE.....	126			<i>methylprednisolone sodium succ</i>	160
<i>magnesium sulfate</i>	180			<i>metipranolol</i>	179
<i>magnesium sulfate in d5w</i>	180			<i>metoclopramide hcl</i>	154
<i>magnesium sulfate in water</i>	180			<i>metolazone</i>	84

<i>metoprolol tartrate</i>	80	MOVANTIK.....	154	NEULASTA.....	72
<i>metronidazole</i>	12, 50, 103	<i>moxifloxacin</i>	17, 149	NEULASTA ONPRO.....	72
<i>metronidazole in nacl (iso-os)</i> ..	12	MOZOBIL.....	72	NEUPRO.....	56
<i>metyrosine</i>	83	MULPLETA.....	72	<i>nevirapine</i>	66
<i>mexiletine</i>	79	MULTAQ.....	79	NEXAVAR.....	27
<i>miconazole-3</i>	49	<i>mupirocin</i>	103	NEXLETOL.....	85
MICRODOT INSULIN PEN		MVASI.....	27	NEXLIZET.....	85
NEEDLE.....	127	<i>mycophenolate mofetil</i>	167	<i>niacin</i>	86
<i>microgestin fe 1/20 (28)</i>	96	<i>mycophenolate mofetil (hcl)</i> ...	167	<i>nicardipine</i>	83
<i>midodrine</i>	77	MYLOTARG.....	27	NICOTROL.....	9
<i>miglustat</i>	146	MYRBETRIQ.....	155	<i>nifedipine</i>	83
<i>mili</i>	96	<i>nabumetone</i>	7	<i>nikki (28)</i>	96
<i>mimvey</i>	159	<i>nafcillin</i>	16	<i>nilutamide</i>	27
MINI ULTRA-THIN II.....	127	<i>nafcillin in dextrose iso-osm</i>	16	NINLARO.....	27
<i>minitran</i>	87	NAGLAZYME.....	146	<i>nitazoxanide</i>	55
<i>minocycline</i>	18	<i>naloxone</i>	9	<i>nitisinone</i>	146
<i>minoxidil</i>	87	<i>naltrexone</i>	9	<i>nitrofurantoin macrocrystal</i>	12
<i>mirtazapine</i>	42	NAMZARIC.....	40	<i>nitrofurantoin monohydlm-</i>	
<i>misoprostol</i>	152	<i>naproxen</i>	7	<i>cryst</i>	12
MITIGARE.....	50	NARCAN.....	9	<i>nitroglycerin</i>	87
<i>mitoxantrone</i>	26	NATACYN.....	149	NITYR.....	146
M-M-R II (PF).....	171	NATPARA.....	175	NIVESTYM.....	72
<i>modafinil</i>	187	NAYZILAM.....	37	<i>nizatidine</i>	152
<i>molindone</i>	60, 61	<i>nebivolol</i>	80	NORDITROPIN FLEXPRO	
<i>molnupiravir</i>	70	<i>necon 0.5/35 (28)</i>	96	162
<i>mometasone</i>	105, 151	<i>nefazodone</i>	42	<i>norethindrone (contraceptive)</i> ..	96
<i>mondoxyne nl</i>	18	<i>neomycin</i>	10	<i>norethindrone acetate</i>	163
MONJUVI.....	27	<i>neomycin-bacitracin-poly-hc</i> ...	149	<i>norethindrone ac-eth estradiol</i>	
MONOJECT INSULIN		<i>neomycin-bacitracin-</i>		97, 159
SAFETY SYRING.....	128	<i>polymyxin</i>	149	<i>norethindrone-e.estradiol-iron</i> ..	97
MONOJECT INSULIN		<i>neomycin-polymyxin b gu</i>	103	<i>norgestimate-ethinyl estradiol</i> ..	97
SYRINGE.....	127, 128	<i>neomycin-polymyxin b-</i>		<i>norlyda</i>	97
MONOJECT SYRINGE.....	127	<i>dexameth</i>	149	NORMOSOL-M IN 5 %	
MONOJECT ULTRA		<i>neomycin-polymyxin-</i>		DEXTROSE.....	180
COMFORT INSULIN.....	141	<i>gramicidin</i>	149	<i>nortrel 0.5/35 (28)</i>	97
<i>mono-linyah</i>	96	<i>neomycin-polymyxin-hc</i>	149	<i>nortrel 1/35 (21)</i>	97
<i>montelukast</i>	183	<i>neo-polycin</i>	149	<i>nortrel 1/35 (28)</i>	97
<i>morphine</i>	4, 5	<i>neo-polycin hc</i>	149	<i>nortrel 7/7/7 (28)</i>	97
MORPHINE.....	4	NEPHRAMINE 5.4 %.....	76	<i>nortriptyline</i>	42
<i>morphine concentrate</i>	4	NERLYNX.....	27	NORVIR.....	66

NOVOFINE 30.....	128	<i>octreotide acetate</i>	162	ORFADIN.....	146
NOVOFINE 32.....	128	ODEFSEY.....	66	ORGOVYX.....	162
NOVOFINE PLUS.....	128	ODOMZO.....	27	ORILISSA.....	162
NOVOLIN 70/30 U-100		OFEV.....	185	ORKAMBI.....	185, 186
INSULIN.....	46	<i>ofloxacin</i>	149	ORLADEYO.....	72
NOVOLIN 70-30 FLEXPEN		OGIVRI.....	27	<i>orsythia</i>	97
U-100.....	46	<i>olanzapine</i>	61	<i>oseltamivir</i>	68
NOVOLIN N FLEXPEN.....	46	<i>olmesartan</i>	77	OSMOLEX ER.....	56, 57
NOVOLIN N NPH U-100		<i>olmesartan-</i>		<i>oxandrolone</i>	157
INSULIN.....	46	<i>hydrochlorothiazide</i>	78	<i>oxcarbazepine</i>	37
NOVOLIN R FLEXPEN.....	46	<i>olopatadine</i>	148	OXLUMO.....	177
NOVOLIN R REGULAR U-		<i>omega-3 acid ethyl esters</i>	86	OXTELLAR XR.....	37
100 INSULN.....	46	<i>omeprazole</i>	152	<i>oxybutynin chloride</i>	155, 156
NOVOLOG FLEXPEN U-		<i>omeprazole-sodium</i>		<i>oxycodone</i>	5
100 INSULIN.....	46	<i>bicarbonate</i>	152	<i>oxycodone-acetaminophen</i>	5
NOVOLOG MIX 70-30 U-		OMNIPOD 5 G6 INTRO		<i>oxycodone-aspirin</i>	5
100 INSULN.....	46	KIT (GEN 5).....	128	OXYCONTIN.....	5
NOVOLOG MIX 70-		OMNIPOD 5 G6 PODS		OZEMPIC.....	44
30FLEXPEN U-100.....	46	(GEN 5).....	129	<i>pacerone</i>	79
NOVOLOG PENFILL U-100		OMNIPOD CLASSIC PDM		<i>paclitaxel protein-bound</i>	27
INSULIN.....	47	KIT(GEN 3).....	129	PADCEV.....	27
NOVOLOG U-100 INSULIN		OMNIPOD CLASSIC PODS		<i>paliperidone</i>	61
ASPART.....	47	(GEN 3).....	129	PALYNZIQ.....	146
NOVOTWIST.....	128	OMNIPOD DASH INTRO		PANRETIN.....	102
NOXAFIL.....	49	KIT (GEN 4).....	129	<i>pantoprazole</i>	153
NUBEQA.....	27	OMNIPOD DASH PDM		<i>paricalcitol</i>	175
NUCALA.....	185	KIT (GEN 4).....	129	<i>paroex oral rinse</i>	100
NULOJIX.....	167	OMNIPOD DASH PODS		<i>paromomycin</i>	55
NUPLAZID.....	61	(GEN 4).....	129	<i>paroxetine hcl</i>	42
NURTEC ODT.....	51	ONCASPAR.....	27	PAXLOVID (EUA).....	68
NUTRILIPID.....	76	<i>ondansetron</i>	54	PEDIARIX (PF).....	171
<i>nyamyc</i>	49	<i>ondansetron hcl</i>	54	PEDVAX HIB (PF).....	171
<i>nylia 1/35 (28)</i>	97	<i>ondansetron hcl (pf)</i>	54	<i>peg 3350-electrolytes</i>	155
<i>nylia 7/7 (28)</i>	97	ONIVYDE.....	27	PEGASYS.....	69
<i>nymyo</i>	97	ONTRUZANT.....	27	<i>peg-electrolyte soln</i>	155
<i>nystatin</i>	49	ONUREG.....	27	PEGINTRON.....	69
<i>nystop</i>	49	OPDIVO.....	27	PEMAZYRE.....	28
NYVEPRIA.....	72	OPDUALAG.....	27	PEN NEEDLE.....	121, 129, 131
OICALIVA.....	154	OPSUMIT.....	187		
OCTAGAM.....	167	<i>oralone</i>	100		

PEN NEEDLE, DIABETIC	PLEGRIDY	90	<i>primidone</i>	37
.....113, 121, 125, 129, 132	<i>podofilox</i>	102	PRIVIGEN	167
<i>penicillamine</i>	POLIVY	28	PRO COMFORT	
..... 157	<i>polycin</i>	150	ALCOHOL PADS	102
<i>penicillin g potassium</i>	<i>polymyxin b sulfate</i>	12	PRO COMFORT INSULIN	
..... 16	<i>polymyxin b sulf-trimethoprim</i>	150	SYRINGE	130
<i>penicillin g procaine</i>	POMALYST	28	PRO COMFORT PEN	
.....16	<i>portia 28</i>	98	NEEDLE	130, 131
<i>penicillin v potassium</i>	PORTRAZZA	28	<i>probenecid</i>	50
..... 16	<i>posaconazole</i>	49	<i>probenecid-colchicine</i>	50
PENNSAID	<i>potassium chloride</i>	180, 181	<i>procainamide</i>	79
.....7	<i>potassium chloride-0.45 % nacl</i> 181	PROCALAMINE 3%	76
PENTACEL (PF) 181		<i>prochlorperazine</i>	54
..... 171	<i>potassium citrate</i>	181	<i>prochlorperazine edisylate</i>	54
<i>pentamidine</i>	PRALUENT PEN	86	<i>prochlorperazine maleate</i>	54
..... 55	<i>pramipexole</i>	57	<i>procto-med hc</i>	105
PENTIPS	<i>prasugrel</i>	74	<i>proctosol hc</i>	105
..... 130	<i>pravastatin</i>	86	<i>proctozone-hc</i>	105
<i>pentoxifylline</i>	<i>prazosin</i>	77	PRODIGY INSULIN	
..... 74	<i>prednicarbate</i>	105	SYRINGE	131
PEPAXTO	<i>prednisolone</i>	160	<i>progesterone</i>	163
..... 28	<i>prednisolone acetate</i>	151	<i>progesterone micronized</i>	163
<i>perindopril erbumine</i>	<i>prednisolone sodium phosphate</i> 151, 160	PROGRAF	167
..... 78 151, 160		PROLASTIN-C	186
<i>periogard</i>	<i>prednisone</i>	160, 161	PROLENSA	151
..... 100	<i>pregabalin</i>	37	PROLEUKIN	28
<i>permethrin</i>	PREHEVBRIO (PF)	171	PROLIA	175
..... 106	PREMARIN	159	PROMACTA	72, 73
<i>perphenazine</i>	PREMPHASE	159	<i>promethazine</i>	50, 54
..... 61	PREMPRO	159	<i>promethegan</i>	54
<i>perphenazine-amitriptyline</i>	PRETOMANID	52	<i>propafenone</i>	79
..... 42	<i>prevalite</i>	86	<i>proparacaine</i>	148
PERSERIS	PREVENT DROPSAFE		<i>propranolol</i>	80, 81
.....61	PEN NEEDLE	130	<i>propranolol-hydrochlorothiazid</i>	81
<i>pfizerpen-g</i>	<i>previfem</i>	98	<i>propylthiouracil</i>	164
..... 16	PREVYMIS	68	PROQUAD (PF)	171
<i>phenelzine</i>	PREZCOBIX	66	PROSOL 20 %	76
..... 42	PREZISTA	66	<i>protamine</i>	73
<i>phenobarbital</i>	PRIFTIN	52	<i>protriptyline</i>	42
.....37	PRIMAQUINE	55	PULMOZYME	146
<i>phenylephrine hcl</i>				
..... 77				
<i>phenytoin</i>				
..... 37				
<i>phenytoin sodium</i>				
..... 37				
<i>phenytoin sodium extended</i>				
.....37				
PHESGO				
..... 28				
<i>philith</i>				
..... 97				
PHOSLYRA				
..... 155				
PIFELTRO				
..... 66				
<i>pilocarpine hcl</i>				
..... 100, 179				
<i>pimecrolimus</i>				
.....105				
<i>pimozide</i>				
..... 61				
<i>pimtrea (28)</i>				
..... 98				
<i>pioglitazone</i>				
..... 44				
PIP PEN NEEDLE				
.....130				
<i>piperacillin-tazobactam</i>				
..... 16				
PIQRAY				
..... 28				
<i>pirmella</i>				
..... 98				
PLASMA-LYTE 148				
..... 180				
PLASMA-LYTE A				
..... 180				

PURE COMFORT	RETROVIR.....66	SAFESNAP INSULIN
ALCOHOL PADS.....102	REVCovi.....147	SYRINGE.....132
PURE COMFORT PEN	REVLIMID.....28	SAFETY PEN NEEDLE.....132
NEEDLE.....131	<i>revonto</i>186	<i>sajazir</i>83
PURIXAN.....28	REXULTI.....61	SANDOSTATIN LAR
<i>pyrazinamide</i>52	REYATAZ.....66	DEPOT.....162
<i>pyridostigmine bromide</i>177	REZUROCK.....167	SANTYL.....102
<i>pyrimethamine</i>55	RHOPRESSA.....179	<i>sapropterin</i>147
QINLOCK.....28	RIABNI.....28	SARCLISA.....29
QUADRACEL (PF).....172	<i>ribavirin</i>70	SAVELLA.....91
<i>quetiapine</i>61	RIDAURA.....168	SCSEMBLIX.....29
<i>quinapril</i>79	<i>rifabutin</i>52	<i>scopolamine base</i>54
<i>quinapril-hydrochlorothiazide</i> ...79	<i>rifampin</i>52	SECUADO.....62
<i>quinidine sulfate</i>79	<i>rilpivirine</i>66	SECURESAFE PEN
<i>quinine sulfate</i>55	<i>riluzole</i>91	NEEDLE.....132
RABAVERT (PF).....172	<i>rimantadine</i>68	<i>selegiline hcl</i>57
<i>rabeprazole</i>153	RINVOQ.....168	<i>selenium sulfide</i>103
RADICAVA.....90	<i>risedronate</i>175	SELZENTRY.....66, 67
<i>raloxifene</i>159	RISPERDAL CONSTA... 61, 62	SEREVENT DISKUS.....184
<i>ramipril</i>79	<i>risperidone</i>62	SEROSTIM.....162
<i>ranolazine</i>83	<i>ritonavir</i>66	<i>sertraline</i>42
<i>rasagiline</i>57	RITUXAN.....29	<i>setlakin</i>98
RASUVO (PF).....167	RITUXAN HYCELA.....29	<i>sevelamer carbonate</i>155
RAVICTI.....154	<i>rivastigmine</i>40	<i>sevelamer hcl</i>155
RAYALDEE.....175	<i>rivastigmine tartrate</i>40	<i>sf 5000 plus</i>100
<i>reclipsen (28)</i>98	<i>rizatriptan</i>51	<i>sharobel</i>98
RECOMBIVAX HB (PF).....172	ROCKLATAN.....179	SHINGRIX (PF).....172
RECTIV.....177	<i>ropinirole</i>57	SIGNIFOR.....162
RELENZA DISKHALER.....68	<i>rosadan</i>103	SIKLOS.....73
RELEUKO.....73	<i>rosuvastatin</i>86	<i>sildenafil</i>188
RELION NEEDLES.....131	ROTARIX.....172	<i>sildenafil (pulm.hypertension)</i> 188
RELION PEN NEEDLES.....132	ROTATEQ VACCINE.....172	<i>silver sulfadiazine</i>103
<i>repaglinide</i>44	ROZLYTREK.....29	SIMBRINZA.....179
REPATHA PUSHTRONEX..86	RUBRACA.....29	<i>simliya (28)</i>98
REPATHA SURECLICK.....86	<i>rufinamide</i>37, 38	<i>simpesse</i>98
REPATHA SYRINGE.....86	RUKOBIA.....66	<i>simvastatin</i>86
RESTASIS.....151	RUXIENCE.....29	<i>sirolimus</i>168
RESTASIS MULTIDOSE....151	RYBELSUS.....44	SIRTURO.....53
RETACRIT.....73	RYBREVANT.....29	SKYRIZI.....168
RETEVMO.....28	RYDAPT.....29	<i>sodium chloride 0.45 %</i>181

<i>sodium chloride 0.9 %</i>	181	<i>sulfacetamide sodium (acne)</i> ..	103	SYNAREL.....	163
<i>sodium fluoride-pot nitrate</i>	100	<i>sulfacetamide-prednisolone</i>	150	SYNERCID.....	12
<i>sodium phenylbutyrate</i>	154	<i>sulfadiazine</i>	17	SYNJARDY.....	44
<i>sodium polystyrene (sorb free)</i>	154	<i>sulfamethoxazole-</i> <i>trimethoprim</i>	17	SYNJARDY XR.....	44
<i>sodium polystyrene sulfonate</i> ..	154	<i>sulfasalazine</i>	174	SYNRIBO.....	29
SOLQUA 100/33.....	47	<i>sulindac</i>	7	TABLOID.....	29
SOLTAMOX.....	29	<i>sumatriptan</i>	52	TABRECTA.....	30
SOLU-CORTEF ACT-O- VIAL (PF).....	161	<i>sumatriptan succinate</i>	52	<i>tacrolimus</i>	105, 168
SOMATULINE DEPOT	162, 163	<i>sunitinib</i>	29	<i>tadalafil (pulm. hypertension)</i> 188	
SOMAVERT.....	163	SUNOSI.....	187	TAFINLAR.....	30
<i>sorine</i>	81	SUPPRELIN LA.....	163	TAGRISSE.....	30
<i>sotalol</i>	81	SUPREP BOWEL PREP KIT.....	155	TAKHZYRO.....	177
<i>sotalol af</i>	81	SURE COMFORT ALCOHOL PREP PADS.....	102	TALZENNA.....	30
SPIRIVA RESPIMAT	184	SURE COMFORT INS. SYR. U-100.....	132	<i>tamoxifen</i>	30
SPIRIVA WITH HANDIHALER.....	184	SURE COMFORT INSULIN SYRINGE....	132, 133	<i>tamsulosin</i>	156
<i>spironolactone</i>	84	SURE COMFORT PEN NEEDLE.....	133	TARGRETIN.....	30
SPRAVATO.....	42	SURE COMFORT SAFETY PEN NEEDLE.....	132	<i>tarina 24 fe</i>	98
<i>sprintec (28)</i>	98	SURE-FINE PEN NEEDLES.....	133, 134	<i>tarina fe 1-20 eq (28)</i>	98
SPRITAM.....	38	SURE-JECT INSULIN SYRINGE.....	134	TASIGNA.....	30
SPRYCEL.....	29	SURE-PREP ALCOHOL PREP PADS.....	102	TAVALISSE.....	73
<i>sps (with sorbitol)</i>	154	SUTAB.....	155	<i>tazarotene</i>	105
<i>sronyx</i>	98	<i>syeda</i>	98	TAZORAC.....	105
<i>ssd</i>	103	SYLVANT.....	29	<i>taztia xt</i>	81
<i>stavudine</i>	67	SYMBICORT.....	182	TAZVERIK.....	30
STELARA.....	168	SYMDEKO.....	186	TDVAX.....	172
STERILE PADS.....	132	SYMLINPEN 120.....	44	TECENTRIQ.....	30
STIOLTO RESPIMAT	184	SYMLINPEN 60.....	44	TECHLITE INSULIN SYRINGE.....	134, 135
STIVARGA.....	29	SYMPAZAN.....	38	TECHLITE INSULN	
STRENSIQ.....	147	SYMTUZA.....	67	SYR(HALF UNIT).....	134
<i>streptomycin</i>	11	SYNAGIS.....	68	TECHLITE PEN NEEDLE.	135
STRIBILD.....	67			TEFLARO.....	14
STRIVERDI RESPIMAT	184			<i>telmisartan</i>	78
SUBLOCADE.....	9			<i>temazepam</i>	10
<i>subvenite</i>	38			TEMIXYS.....	67
<i>sucrafate</i>	153			TEMODAR.....	30
<i>sulfacetamide sodium</i>	150			TENIVAC (PF).....	172
				<i>tenofovir disoproxil fumarate</i> ..	67
				TEPEZZA.....	148
				TEPMETKO.....	30

<i>terazosin</i>	156	TOPCARE ULTRA	<i>trihexyphenidyl</i>	57
<i>terbinafine hcl</i>	49	COMFORT	TRIJARDY XR.....	45
<i>terbutaline</i>	184	<i>topiramate</i>	TRIKAFTA.....	186
<i>terconazole</i>	51	<i>toposar</i>	<i>tri-legest fe</i>	98
TERUMO INSULIN		<i>toremifene</i>	<i>tri-linyah</i>	98
SYRINGE.....	135, 136	<i>torsemide</i>	<i>tri-lo-estarylla</i>	99
<i>testosterone</i>	157, 158	TOTECT	<i>tri-lo-marzia</i>	99
<i>testosterone cypionate</i>	157	TOUJEO MAX U-300	<i>tri-lo-mili</i>	99
<i>testosterone enanthate</i>	157	SOLOSTAR.....	<i>tri-lo-sprintec</i>	99
TETANUS,DIPHThERIA		TOUJEO SOLOSTAR U-300	<i>trilyte with flavor packets</i>	155
TOX PED(PF).....	173	INSULIN.....	<i>trimethoprim</i>	12
<i>tetrabenazine</i>	91	TOVIAZ.....	<i>tri-mili</i>	99
<i>tetracycline</i>	18	TRACLEER.....	<i>trimipramine</i>	42
THALOMID.....	177	TRADJENTA.....	TRINTELLIX.....	43
<i>theophylline</i>	184	<i>tramadol</i>	<i>tri-nymyo</i>	99
THINPRO INSULIN		<i>tramadol-acetaminophen</i>	<i>tri-previfem (28)</i>	99
SYRINGE.....	136	<i>trandolapril</i>	TRIPTODUR.....	163
THIOLA EC.....	156	<i>tranexamic acid</i>	<i>tri-sprintec (28)</i>	99
<i>thioridazine</i>	62	<i>tranylcypramine</i>	TRIUMEQ.....	67
<i>thiotepa</i>	30	TRAVASOL 10 %.....	TRIUMEQ PD.....	67
<i>thiothixene</i>	62	<i>travoprost</i>	<i>trivora (28)</i>	99
<i>tiadylt er</i>	82	TRAZIMERA.....	<i>tri-vylibra</i>	99
<i>tiagabine</i>	38	<i>trazodone</i>	<i>tri-vylibra lo</i>	99
TIBSOVO.....	30	TREANDA.....	TRODELVY.....	31
TICE BCG.....	30	TRECATOR.....	TROGARZO.....	67
TICOVAC.....	173	TRELEGY ELLIPTA.....	TROPHAMINE 10 %.....	76
<i>tigecycline</i>	18	TRELSTAR.....	<i>trospium</i>	156
<i>timolol maleate</i>	81, 179	TREMFYA.....	TRUE COMFORT	
<i>tiopronin</i>	156	<i>treprostinil sodium</i>	ALCOHOL PADS.....	102
TIVDAK.....	30	<i>tretinoin</i>	TRUE COMFORT	
TIVICAY.....	67	<i>tretinoin (antineoplastic)</i>	INSULIN SYRINGE.....	137
TIVICAY PD.....	67	<i>tri femynor</i>	TRUE COMFORT PEN	
<i>tizanidine</i>	186, 187	<i>triamcinolone acetonide</i>	NEEDLE.....	137
TOBI PODHALER.....	11	TRUE COMFORT PRO	
<i>tobramycin</i>	11, 150	<i>triamterene-hydrochlorothiazid</i>	ALCOHOL PADS.....	102
<i>tobramycin in 0.225 % nacl</i>	11	TRUE COMFORT PRO INS	
<i>tobramycin sulfate</i>	11	<i>trientine</i>	SYRINGE.....	136, 137
<i>tobramycin-dexamethasone</i>	150	<i>tri-estarylla</i>	TRUEPLUS INSULIN.....	138
<i>tolterodine</i>	156	<i>trifluoperazine</i>		
TOPCARE CLICKFINE.....	136	<i>trifluridine</i>		

TRUEPLUS PEN NEEDLE 137, 138	ULTRA COMFORT INSULIN SYRINGE 116, 121, 122, 141	<i>valproate sodium</i> 38
TRULICITY..... 45	ULTRA FLO INSUL SYR(HALF UNIT)..... 141	<i>valproic acid</i>38
TRUMENBA..... 173	ULTRA FLO INSULIN SYRINGE..... 142	<i>valproic acid (as sodium salt)</i> ...38
TRUSELTIQ..... 31	ULTRA FLO PEN NEEDLE 141, 142	<i>valrubicin</i> 31
TRUXIMA..... 31	ULTRA THIN PEN NEEDLE..... 142	<i>valsartan</i> 78
TUKYSA..... 31	ULTRACARE INSULIN SYRINGE..... 142, 143	<i>valsartan-hydrochlorothiazide</i> .. 78
<i>tulana</i> 99	ULTRACARE PEN NEEDLE..... 143	VALTOCO..... 38
TURALIO..... 31	ULTRA-THIN II (SHORT) INS SYR..... 143	<i>vancomycin</i> 12
TWINRIX (PF)..... 173	ULTRA-THIN II (SHORT) PEN NDL..... 143	VANISHPOINT INSULIN SYRINGE..... 145
<i>tyblume</i>99	ULTRA-THIN II INS PEN NEEDLES..... 143	VANISHPOINT SYRINGE.145
TYBOST..... 178	ULTRA-THIN II INSULIN SYRINGE..... 143	VAQTA (PF)..... 173
TYMLOS..... 175	UNIFINE PEN NEEDLE... 143	<i>varenicline</i> 9
TYPHIM VI.....173	UNIFINE PENTIPS..... 129, 144	VARIVAX (PF)..... 173
TYSABRI..... 168	UNIFINE PENTIPS MAXFLOW..... 144	VASCEPA..... 86
TYVASO..... 188	UNIFINE PENTIPS PLUS.. 144	VEKLURY.....70
UBRELVY..... 52	UNIFINE PENTIPS PLUS MAXFLOW..... 144	VELCADE..... 32
UCERIS.....174	UNIFINE SAFECONTROL 144, 145	<i>velivet triphasic regimen (28)</i> ...99
UDENYCA..... 73	UNIFINE ULTRA PEN NEEDLE..... 145	VELPHORO.....155
UKONIQ..... 31	UNITUXIN..... 31	VEMLIDY..... 67
ULTICARE.....139, 140	UPTRAVI.....188	VENCLEXTA..... 32
ULTICARE INSULIN SYRINGE..... 139	<i>ursodiol</i> 154	VENCLEXTA STARTING PACK..... 32
ULTICARE INSULN SYR(HALF UNIT)..... 139	<i>valacyclovir</i> 70	<i>venlafaxine</i>43
ULTICARE PEN NEEDLE 139	VALCHLOR..... 102	<i>verapamil</i> 82
ULTICARE SAFETY PEN NEEDLE..... 139	<i>valganciclovir</i> 70	VERIFINE PEN NEEDLE.. 145
ULTIGUARD SAFEPACK- INSULIN SYR..... 140		VERSACLOZ..... 62
ULTIGUARD SAFEPACK- PEN NEEDLE.....140		VERSALON..... 145
ULTILET ALCOHOL SWAB..... 102		VERZENIO..... 32
ULTILET INSULIN SYRINGE.....124, 140, 141		<i>vestura (28)</i> 99
ULTILET PEN NEEDLE.... 141		V-GO 20..... 145
ULTRA CMFT INS SYR (HALF UNIT)..... 121, 132, 138		V-GO 30..... 145
		V-GO 40..... 145
		VICTOZA..... 45
		<i>vienna</i> 99
		<i>vigabatrin</i>38
		<i>vigadrone</i> 38
		VIIBRYD..... 43
		VIMIZIM..... 147
		VIMPAT..... 38

<i>vinorelbine</i>	32	XHANCE.....	151	<i>zoledronic acid-mannitol-water</i>	
<i>viorele (28)</i>	99	XIFAXAN.....	12	176
VIRACEPT.....	67	XIGDUO XR.....	45	ZOLINZA.....	34
VIREAD.....	67	XIIDRA.....	151	<i>zolpidem</i>	187
VISTOGARD.....	178	XOFLUZA.....	68	<i>zonisamide</i>	39
VITRAKVI.....	32	XOLAIR.....	186	ZORBTIVE.....	163
VIZIMPRO.....	32	XOSPATA.....	32	<i>zovia 1-35 (28)</i>	100
VOCABRIA.....	67	XPOVIO.....	33	ZTLIDO.....	8
<i>volnea (28)</i>	99	XTAMPZA ER.....	5, 6	ZULRESSO.....	43
VONJO.....	32	XTANDI.....	33	<i>zumandimine (28)</i>	100
<i>voriconazole</i>	49	<i>xulane</i>	100	ZYDELIG.....	34
VOSEVI.....	69	XULTOPHY 100/3.6.....	47	ZYKADIA.....	34
VOTRIENT.....	32	XURIDEN.....	178	ZYLET.....	150
VPRIV.....	147	XYOSTED.....	158	ZYNLONTA.....	34
VRAYLAR.....	62	XYREM.....	187	ZYPREXA RELPREVV.....	63
VUMERITY.....	91	YERVOY.....	33	ZYTIGA.....	34
<i>vyfemla (28)</i>	99	YF-VAX (PF).....	173		
<i>vylibra</i>	100	YONDELIS.....	33		
VYNDAMAX.....	83	YONSA.....	33		
VYNDAQEL.....	83	<i>yuvaferm</i>	159		
VYXEOS.....	32	<i>zafemy</i>	100		
<i>warfarin</i>	71	<i>zafirlukast</i>	183		
WEBCOL.....	102	<i>zaleplon</i>	187		
WELIREG.....	32	<i>zarah</i>	100		
<i>vera (28)</i>	100	ZARXIO.....	73		
XADAGO.....	57	ZEGALOGUE			
XALKORI.....	32	AUTOINJECTOR.....	178		
XARELTO.....	71	ZEGALOGUE SYRINGE...	178		
XARELTO DVT-PE TREAT		ZEJULA.....	33		
30D START.....	71	ZELBORAF.....	33		
XATMEP.....	32	<i>zenatane</i>	102		
XCOPRI.....	39	ZENPEP.....	147		
XCOPRI MAINTENANCE		ZEPZELCA.....	33		
PACK.....	39	<i>zidovudine</i>	67		
XCOPRI TITRATION		<i>ziprasidone hcl</i>	62		
PACK.....	39	<i>ziprasidone mesylate</i>	62		
XELJANZ.....	168	ZIRABEV.....	34		
XELJANZ XR.....	168	ZIRGAN.....	150		
XERMELo.....	154	ZOLADEX.....	34		
XGEVA.....	175	<i>zoledronic acid</i>	176		



For questions about this formulary, please contact 1-800-910-1837 (TTY: 711).

Hours of Operation for Pharmacy Member Services: 24 hours a day, 7 days a week.



Ochsner Health Plan
1450 Poydras St., Suite 110
New Orleans, LA 70112
1-833-674-2112 Member Services
www.ochsnerhealthplan.com

This formulary was updated on 06/01/2022. We have made no changes to this formulary since 05/01/2022. This is a complete list of drugs covered by our plan. For more recent information or other questions, please contact 1-800-910-1837. Hours of Operation: Member Services: 24 hours a day, 7 days a week. Member Services also has free language interpreter services available for non-English speakers or visit www.ochsnerhealthplan.com.