



Ochsner Health Plan Freedom (HMO POS) H9763-002
Ochsner Health Plan Premier (HMO) H9763-003-001
Ochsner Health Plan Premier (HMO) H9763-003-002

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN**

*This formulary was updated on 10/01/2022. For more recent information or other questions, please contact Ochsner Health Plan's Pharmacy Help Desk at 1-800-910-1837 (TTY users should call 711). Hours of Operation are 24 hours a day, 7 days a week or visit www.ochsnerhealthplan.com. **Important Message About What You Pay for Vaccines** - Our plan covers most Part D vaccines at no cost to you. Call Member Services for more information. **Important Message About What You Pay for Insulin** - You won't pay more than \$35 for a one-month supply of each insulin product covered by our plan, no matter what cost-sharing tier it's on.*

List of Covered Drugs

Ochsner Health Plan Freedom (HMO POS) H9763-002

Ochsner Health Plan Premier (HMO) H9763-003-001

Ochsner Health Plan Premier (HMO) H9763-003-002

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us,” or “our,” it means Ochsner Health Plan. When it refers to “plan” or “our plan,” it means Ochsner Health Plan Premier (HMO) or Ochsner Health Plan Freedom (HMO POS). This document includes a list of the drugs (formulary) for our plan which is current as of 10/01/2022. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1st of each year and from time to time during the year.

What is the Ochsner Health Plan Formulary?

A formulary is a list of covered drugs selected by us in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. We will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at an Ochsner Health Plan network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand-name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand-name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand-name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.

- If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can find information in the section below titled "How do I request an exception to the Ochsner Health Plan Formulary?"

- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.

- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a new generic drug to replace a brand-name drug currently on the formulary, or add new restrictions to the brand-name drug or move it to a different cost-sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

- If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled "How do I request an exception to the Ochsner Health Plan Formulary?"

Changes that will not affect you if you are currently taking the drug.

Generally, if you are taking a drug on our 2023 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2023 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 10/01/2022. To get updated information about the drugs covered by Ochsner Health Plan please contact us. Our contact information appears on the front and back cover pages. If there are negative changes made to the printed drug list within the covered year, you may be notified by mail identifying the changes. Drug lists located on our website are reviewed and updated monthly.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 3. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, Cardiovascular Agents. If you know what your drug is used for, look for the category name in the list that begins on page 1. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Ochsner Health Plan covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Ochsner Health Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from us before you fill your prescriptions. If you don't get approval, we may not cover the drug.
- **Quantity Limits:** For certain drugs, Ochsner Health Plan limits the amount of the drug that Ochsner Health Plan will cover. For example, Ochsner Health Plan provides 56 per 28 days per prescription for AFINITOR ORAL TABLET 10 MG. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, Ochsner Health Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 3. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Ochsner Health Plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Ochsner Health Plan's formulary?" on page 4 for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered. For more information, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you learn that Ochsner Health Plan does not cover your drug, you have two options:

- You can ask the Pharmacy Help Desk for a list of similar drugs that are covered by Ochsner Health Plan. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by us.
- You can ask us to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Ochsner Health Plan Formulary?

You can ask Ochsner Health Plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at lower cost-sharing level unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Ochsner Health Plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Ochsner Health Plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tier, or utilization restriction exception. **When you request a formulary, tier, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

- An Emergency Supply is defined by CMS as a one-time fill of a non-formulary drug that is necessary with respect to current members in the long term care setting. Current members that are in need of a one-time Emergency Fill or that are prescribed a non-formulary drug as a result of a level of care change can be placed in transition via a pharmacy submission clarification code.

For more information

For more detailed information about your Ochsner Health Plan prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Ochsner Health Plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

Ochsner Health Plan Formulary

The formulary below provides coverage information about some of the drugs covered by Ochsner Health Plan. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML) and generic drugs are listed in lower-case italics (e.g., *metformin oral tablet 500 mg*).

The information in the Requirements/Limits column tells you if Ochsner Health Plan has any special requirements for coverage of your drug.



You can find information on what the symbols and abbreviations on this table here:

COVERAGE NOTES ABBREVIATIONS

ABBREVIATION	DESCRIPTION
PA	Prior Authorization Applies
PA NSO	PA for New Starts Only
PA BvD	Part D vs. Part B Only
PA-HRM	PA for High Risk Meds
QL	Quantity Limit Applies
ST	Step Therapy Applies
ST NSO	ST for New Starts Only
CB	Capped Benefit
GM	Male Only
GF	Female Only
AGE (Max x Years)	Prior Authorization Age Edit
AGE (Min x Years)	Prior Authorization Age Edit
AGE (Min x Years and Max y Years)	Prior Authorization Age Edit
AGE (Min x Years and Max y Years)	Prior Authorization Age Edit
EX	Excluded Drug
FF	First Fill (Generic Use Incentive)
LA	Limited Access Drug
GC	Gap Coverage
NDS	Non-Extended Days' Supply
NM	Non-Mail Order Drug
HI	Home Infusion Drug
SI	Select Insulin
*	ADD Drug

GC: We provide additional coverage of this prescription drug in the coverage gap. Please refer to our Evidence of Coverage for more information about this coverage



Table of Contents

Analgesics	3
Anesthetics	8
Anti-Addiction/Substance Abuse Treatment Agents	9
Antianxiety Agents	9
Antibacterials	11
Anticancer Agents	18
Anticonvulsants	31
Antidementia Agents	35
Antidepressants	36
Antidiabetic Agents	39
Antifungals	43
Antigout Agents	45
Antihistamines	46
Anti-Infectives (Skin And Mucous Membrane)	46
Antimigraine Agents	46
Antimycobacterials	48
Antinausea Agents	48
Antiparasite Agents	50
Antiparkinsonian Agents	51
Antipsychotic Agents	53
Antivirals (Systemic)	58
Blood Products/Modifiers/Volume Expanders	65
Caloric Agents	68
Cardiovascular Agents	70
Central Nervous System Agents	82
Contraceptives	86
Dental And Oral Agents	95

Dermatological Agents	95
Devices	101
Enzyme Replacement/Modifiers	139
Eye, Ear, Nose, Throat Agents	140
Gastrointestinal Agents	144
Genitourinary Agents	148
Heavy Metal Antagonists	148
Hormonal Agents, Stimulant/Replacement/Modifying	149
Immunological Agents	155
Inflammatory Bowel Disease Agents	164
Metabolic Bone Disease Agents	165
Miscellaneous Therapeutic Agents	166
Ophthalmic Agents	168
Replacement Preparations	169
Respiratory Tract Agents	171
Skeletal Muscle Relaxants	175
Sleep Disorder Agents	176
Vasodilating Agents	176
Vitamins And Minerals	177

Drug Name	Drug Tier	Requirements/Limits	
Analgesics			
Analgesics, Miscellaneous			
<i>acetaminophen-codeine oral solution</i> 120-12 mg/5 ml	2	NM; GC; NDS; QL (4500 per 30 days)	
<i>acetaminophen-codeine oral tablet</i> 300-15 mg, 300-30 mg	2	NM; GC; NDS; QL (360 per 30 days)	
<i>acetaminophen-codeine oral tablet</i> 300-60 mg	2	NM; GC; NDS; QL (180 per 30 days)	
<i>ascomp with codeine oral capsule</i> 30-50-325-40 mg	(codeine-butalbital-asa-caff)	2	PA-HRM; NM; GC; NDS; QL (180 per 30 days); AGE (Max 64 Years)
<i>buprenorphine hcl injection solution</i> 0.3 mg/ml	(Buprenex)	2	GC
<i>buprenorphine hcl injection syringe</i> 0.3 mg/ml		2	GC
<i>butalbital-acetaminophen-caff oral tablet</i> 50-325-40 mg	(Esgic)	2	PA-HRM; GC; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral capsule</i> 50-325-40 mg		2	PA-HRM; GC; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral tablet</i> 50-325-40 mg		2	PA-HRM; GC; QL (180 per 30 days); AGE (Max 64 Years)
<i>codeine sulfate oral tablet</i> 30 mg, 60 mg		2	NM; GC; NDS; QL (180 per 30 days)
<i>codeine-butalbital-asa-caff oral capsule</i> 30-50-325-40 mg	(Ascomp with Codeine)	2	PA-HRM; NM; GC; NDS; QL (180 per 30 days); AGE (Max 64 Years)
<i>endocet oral tablet</i> 10-325 mg	(oxycodone-acetaminophen)	2	NM; GC; NDS; QL (180 per 30 days)
<i>endocet oral tablet</i> 2.5-325 mg, 5-325 mg	(oxycodone-acetaminophen)	2	NM; GC; NDS; QL (360 per 30 days)
<i>endocet oral tablet</i> 7.5-325 mg	(oxycodone-acetaminophen)	2	NM; GC; NDS; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i> (Actiq)	5	PA; NM; NDS; QL (120 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 200 mcg</i> (Actiq)	2	PA; NM; GC; NDS; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>	2	NM; GC; NDS; QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>	2	NM; GC; NDS; QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg</i>	2	NM; GC; NDS; QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-300 mg, 5-325 mg</i>	2	NM; GC; NDS; QL (240 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i>	2	NM; GC; NDS; QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	2	GC
<i>hydromorphone oral liquid 1 mg/ml</i> (Dilaudid)	2	NM; GC; NDS; QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> (Dilaudid)	2	NM; GC; NDS; QL (180 per 30 days)
<i>methadone injection solution 10 mg/ml</i>	2	GC; QL (120 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>	2	NM; GC; NDS; QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	2	NM; GC; NDS; QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i>	2	NM; GC; NDS; QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i>	2	NM; GC; NDS; QL (180 per 30 days)
<i>methadose oral tablet, soluble 40 mg</i> (methadone)	2	NM; GC; NDS; QL (30 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	2	PA; NM; GC; NDS; QL (180 per 30 days)
<i>morphine oral solution 10 mg/5 ml</i>	2	NM; GC; NDS; QL (700 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	NM; GC; NDS; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	NM; NDS; QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	NM; NDS; QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i> (MS Contin)	2	NM; GC; NDS; QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)	2	NM; GC; NDS; QL (90 per 30 days)
<i>oxycodone oral capsule 5 mg</i>	2	NM; GC; NDS; QL (180 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	2	NM; GC; NDS; QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg</i>	2	NM; GC; NDS; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)	2	NM; GC; NDS; QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	2	NM; GC; NDS; QL (120 per 30 days)
<i>oxycodone oral tablet 5 mg</i> (Roxicodone)	2	NM; GC; NDS; QL (180 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i> (OxyContin)	3	NM; NDS; QL (60 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet)	2	NM; GC; NDS; QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet)	2	NM; GC; NDS; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet)	2	NM; GC; NDS; QL (240 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG (oxycodone)	3	NM; NDS; QL (60 per 30 days)
<i>oxymorphone oral tablet 10 mg</i>	2	NM; GC; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>oxymorphone oral tablet 5 mg</i>	2	NM; GC; NDS; QL (180 per 30 days)
<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i>	2	NM; GC; NDS; QL (60 per 30 days)
<i>tramadol oral tablet 50 mg</i> (Ultram)	1	NM; GC; NDS; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i> (Ultracet)	2	NM; GC; NDS; QL (300 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG	3	NM; NDS; QL (60 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG	3	NM; NDS; QL (120 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG	3	NM; NDS; QL (240 per 30 days)
Nonsteroidal Anti-Inflammatory Agents		
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)	2	GC; QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i> (Cataflam)	2	GC; QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	2	GC; QL (60 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i>	2	GC; QL (150 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg</i>	2	GC; QL (120 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 75 mg</i>	2	GC; QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>	2	GC; QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i> (Arthritis Pain (diclofenac))	2	GC; QL (1000 per 30 days)
<i>diclofenac sodium topical gel 3 %</i>	2	PA; GC; QL (100 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram /actuation(2 %)</i> (Pennsaid)	5	PA; NM; NDS; QL (224 per 28 days)
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 50-200 mg-mcg</i> (Arthrotec 50)	2	GC
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 75-200 mg-mcg</i> (Arthrotec 75)	2	GC
<i>ec-naproxen dr 500 mg tablet 500 mg</i> (naproxen)	2	GC
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	GC
<i>etodolac oral tablet 400 mg</i> (Lodine)	2	GC
<i>etodolac oral tablet 500 mg</i>	2	GC
<i>flurbiprofen oral tablet 100 mg</i>	2	GC
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i> (ibuprofen)	1	GC
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)	2	GC
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU)	1	GC
<i>ibuprofen-famotidine oral tablet 800-26.6 mg</i> (Duexis)	2	PA; GC; QL (90 per 30 days)
<i>indomethacin oral capsule 25 mg</i>	1	PA-HRM; GC; QL (240 per 30 days); AGE (Max 64 Years)
<i>indomethacin oral capsule 50 mg</i>	1	PA-HRM; GC; QL (120 per 30 days); AGE (Max 64 Years)
<i>indomethacin oral capsule, extended release 75 mg</i>	2	PA-HRM; GC; QL (60 per 30 days); AGE (Max 64 Years)
<i>ketorolac oral tablet 10 mg</i>	2	PA-HRM; GC; QL (20 per 30 days); AGE (Max 64 Years)
<i>mefenamic acid oral capsule 250 mg</i>	2	GC
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	1	GC
<i>nabumetone oral tablet 500 mg, 750 mg</i> (Relafen)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	GC
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	GC
<i>naproxen oral tablet, delayed release (dr/ec) 375 mg</i> (EC-Naprosyn)	2	GC
<i>naproxen oral tablet, delayed release (dr/ec) 500 mg</i> (EC-Naproxen)	2	GC
<i>piroxicam oral capsule 10 mg, 20 mg</i> (Feldene)	2	GC
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	GC
Anesthetics		
Local Anesthetics		
<i>glydo mucous membrane jelly in applicator 2 %</i> (lidocaine hcl)	2	GC; QL (30 per 30 days)
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine-MPF)	1	GC
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>	1	GC
<i>lidocaine hcl 1% 20 mg/2 ml vl sdv, p/f 10 mg/ml (1 %)</i> (Xylocaine-MPF)	2	GC
<i>lidocaine hcl 2% ampul outer, p/f, sdv 20 mg/ml (2 %)</i> (Xylocaine-MPF)	2	GC
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %)</i> (Xylocaine)	2	GC
<i>lidocaine hcl injection solution 5 mg/ml (0.5 %)</i> (Xylocaine)	1	GC
<i>lidocaine hcl mucous membrane jelly 2 %</i>	2	GC; QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	PA; GC
<i>lidocaine topical adhesive patch, medicated 5 %</i> (Lidoderm)	2	PA; GC; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	2	PA; GC; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i> (lidocaine hcl)	2	GC
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	2	PA; GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %	3	PA; QL (90 per 30 days)
Anti-Addiction/Substance Abuse Treatment Agents		
Anti-Addiction/Substance Abuse Treatment Agents		
<i>acamprosate oral tablet,delayed release (dr/ec) 333 mg</i>	2	GC
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	2	GC; QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg</i> (Suboxone)	2	GC; QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone)	2	GC; QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	2	GC; QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	2	GC
<i>disulfiram oral tablet 250 mg, 500 mg</i>	2	GC
KLOXXADO NASAL SPRAY,NON-AEROSOL 8 MG/ACTUATION	3	QL (4 per 30 days)
<i>naloxone injection solution 0.4 mg/ml</i>	2	GC
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	2	GC
<i>naloxone nasal spray,non-aerosol 4 mg/actuation</i> (Narcan)	3	QL (4 per 30 days)
<i>naltrexone oral tablet 50 mg</i>	2	GC
NICOTROL INHALATION CARTRIDGE 10 MG	4	QL (2688 per 365 days)
<i>varenicline oral tablet 0.5 mg</i>	2	GC; QL (336 per 365 days)
<i>varenicline oral tablet 1 mg</i> (Chantix)	2	GC; QL (336 per 365 days)
<i>varenicline oral tablets,dose pack 0.5 mg (11)- 1 mg (42)</i> (Chantix Starting Month Box)	2	GC
Antianxiety Agents		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Benzodiazepines		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	NM; GC; NDS; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	NM; GC; NDS; QL (150 per 30 days)
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	NM; GC; NDS; QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	GC; QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	GC; QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	GC; QL (90 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	2	GC; QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg</i>	2	GC; QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg</i> (Tranxene T-Tab)	2	GC; QL (180 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	2	GC; QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	2	GC
<i>diazepam intensol oral concentrate 5 mg/ml</i> (diazepam)	2	GC; QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	GC; QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	GC; QL (120 per 30 days)
<i>lorazepam 4 mg/ml vial inner 4 mg/ml</i> (Ativan)	1	GC
<i>lorazepam injection solution 2 mg/ml</i> (Ativan)	2	GC; QL (2 per 30 days)
<i>lorazepam injection solution 4 mg/ml</i> (Ativan)	4	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml</i>	1	GC; QL (2 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	NM; GC; NDS; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	NM; GC; NDS; QL (150 per 30 days)
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	2	NM; GC; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	1	NM; GC; NDS; QL (30 per 30 days)
Antibacterials		
Aminoglycosides		
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	2	GC
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	GC
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>	2	GC
<i>neomycin oral tablet 500 mg</i>	2	GC
<i>streptomycin intramuscular recon soln 1 gram</i>	5	NM; NDS
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	5	PA BvD; NM; NDS
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i> (Bethkis)	5	PA BvD; NM; NDS
<i>tobramycin sulfate injection solution 40 mg/ml</i>	2	GC
Antibacterials, Miscellaneous		
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	2	GC
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	2	GC
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml</i>	2	GC
<i>clindamycin pediatric oral recon soln 75 mg/5 ml</i> (clindamycin palmitate hcl)	2	GC
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	2	GC
<i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)	2	GC
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	2	GC
<i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>daptomycin intravenous recon soln 500 mg</i> (Cubicin RF)	5	NM; NDS
FIRVANQ ORAL RECON SOLN 25 MG/ML	4	
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)	2	GC
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox)	5	NM; NDS
<i>linezolid oral tablet 600 mg</i> (Zyvox)	2	GC
<i>methenamine hippurate oral tablet 1 gram</i> (Hiprex)	2	GC
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)	2	GC
<i>metronidazole oral tablet 250 mg, 500 mg</i>	2	GC
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i> (Macrochantin)	2	GC; QL (120 per 30 days)
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i> (Macrobid)	2	GC; QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	2	GC
<i>trimethoprim oral tablet 100 mg</i>	1	GC
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i>	2	GC
<i>vancomycin oral capsule 125 mg</i> (Vancocin)	2	GC; QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg</i> (Vancocin)	2	GC; QL (112 per 14 days)
XIFAXAN ORAL TABLET 200 MG	5	PA; NM; NDS; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NM; NDS; QL (90 per 30 days)
Cephalosporins		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	2	GC
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>cefadroxil oral capsule 500 mg</i>	2	GC
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	GC
<i>cefadroxil oral tablet 1 gram</i>	2	GC
<i>cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/50 ml</i>	2	GC
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	GC
<i>cefdinir oral capsule 300 mg</i>	2	GC
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>cefepime injection recon soln 1 gram, 2 gram</i>	2	GC
<i>cefixime oral capsule 400 mg</i> (Suprax)	2	GC
<i>cefotaxime injection recon soln 1 gram</i>	2	GC
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	2	GC
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	2	GC
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	GC
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	GC
CEFTAZIDIME 2 GM PIGGYBACK 2 GRAM/50 ML	2	GC
<i>ceftazidime injection recon soln 1 gram, 6 gram</i> (Tazicef)	2	GC
CEFTAZIDIME INJECTION RECON SOLN 2 GRAM (Tazicef)	2	GC
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	GC
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	GC
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	GC
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	GC
<i>cephalexin oral capsule 750 mg</i>	2	GC
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NM; NDS
Macrolides		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	2	GC
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	2	GC
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	2	GC
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	2	GC
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	GC
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML	5	NM; NDS; QL (136 per 10 days)
DIFICID ORAL TABLET 200 MG	5	NM; NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	2	GC
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>erythromycin oral tablet 250 mg, 500 mg</i>	2	GC
Miscellaneous B-Lactam Antibiotics		
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	2	GC
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; NM; LA; NDS
<i>ertapenem injection recon soln 1 gram</i> (Invanz)	2	GC
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	2	GC
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	2	GC
<i>meropenem intravenous recon soln 1 gram, 500 mg</i>	2	GC
Penicillins		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	GC
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml</i>	1	GC
<i>amoxicillin oral suspension for reconstitution 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	2	GC
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	2	GC
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	2	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)	2	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	2	GC
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 875-125 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)	2	GC
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	2	GC
<i>ampicillin oral capsule 500 mg</i>	2	GC
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	2	GC
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	2	GC
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	GC
<i>nafcillin 1 gm/ 50 ml inj 1 gram/50 ml</i>	2	GC
<i>nafcillin injection recon soln 1 gram</i>	2	GC
<i>nafcillin injection recon soln 10 gram</i>	5	NM; NDS
<i>nafcillin injection recon soln 2 gram</i>	2	GC
<i>penicillin g potassium injection recon soln 20 million unit</i> (Pfizerpen-G)	2	GC
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	GC
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	2	GC
<i>pfizerpen-g injection recon soln 20 million unit</i> (penicillin g potassium)	2	GC
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	2	GC
Quinolones		
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>ciprofloxacin hcl oral tablet 750 mg</i>	1	GC
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	GC
<i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i> (Cipro)	2	GC
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	GC
<i>levofloxacin intravenous solution 25 mg/ml</i>	2	GC
<i>levofloxacin oral solution 250 mg/10 ml</i>	2	GC
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	GC
<i>moxifloxacin oral tablet 400 mg</i>	2	GC
Sulfonamides		
<i>sulfadiazine oral tablet 500 mg</i>	2	GC
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	2	GC
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	2	GC
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	GC
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	GC
Tetracyclines		
<i>doxy-100 intravenous recon soln 100 mg</i> (doxycycline hyclate)	2	GC
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	2	GC
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> (Morgidox)	2	GC
<i>doxycycline hyclate oral tablet 100 mg</i> (LymePak)	2	GC
<i>doxycycline hyclate oral tablet 20 mg</i>	2	GC
<i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxyne NL)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>doxycycline monohydrate oral capsule 50 mg</i> (Monodox)	2	GC
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i> (Vibramycin (mono))	2	GC
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	2	GC
<i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>	2	GC
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	2	GC
<i>mondoxyne nl oral capsule 100 mg</i> (doxycycline monohydrate)	2	GC
<i>tetracycline oral capsule 250 mg, 500 mg</i>	2	GC
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	5	NM; NDS
Anticancer Agents		
Anticancer Agents		
<i>abiraterone oral tablet 250 mg, 500 mg</i> (Zytiga)	5	PA NSO; NM; NDS; QL (120 per 30 days)
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG (paclitaxel protein-bound)	5	PA BvD; NM; NDS
<i>adrucil intravenous solution 2.5 gram/50 ml</i> (fluorouracil)	2	PA BvD; GC
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG (pemetrexed disodium)	5	NM; NDS
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)-180 MG (23)	5	PA NSO; NM; NDS
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	5	NM; NDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)	5	PA NSO; NM; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NM; NDS
<i>bexarotene topical gel 1 %</i> (Targretin)	5	PA NSO; NM; NDS
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	2	GC
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	GC
<i>bortezomib injection recon soln 1 mg</i>	4	PA NSO
<i>bortezomib injection recon soln 2.5 mg</i>	5	PA NSO; NM; NDS
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG (vandetanib)	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG (vandetanib)	5	PA NSO; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NM; NDS
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	5	PA NSO; NM; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; NM; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NM; NDS
<i>cyclophosphamide intravenous solution 200 mg/ml</i>	5	PA BvD; NM; NDS
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG	4	PA BvD; ST
<i>cyclophosphamide oral capsule 50 mg</i>	4	PA BvD; ST
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	3	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NM; NDS; QL (120 per 28 days)
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i> (Dacogen)	5	NM; NDS
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	PA BvD; GC
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Doxil)	5	PA BvD; NM; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	PA NSO

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	PA NSO
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	PA NSO
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	PA NSO
EMCYT ORAL CAPSULE 140 MG	5	NM; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	PA NSO; NM; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg</i> (Tarceva)	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i> (Tarceva)	5	PA NSO; NM; NDS; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20</i> (Toposar) <i>mg/ml</i>	2	GC
<i>everolimus (antineoplastic) oral</i> (Afinitor) <i>tablet 10 mg</i>	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>everolimus (antineoplastic) oral</i> (Afinitor) <i>tablet 2.5 mg, 5 mg, 7.5 mg</i>	5	PA NSO; NM; NDS; QL (28 per 28 days)
<i>everolimus (antineoplastic) oral</i> (Afinitor Disperz) <i>tablet for suspension 2 mg, 3 mg, 5</i> <i>mg</i>	5	PA NSO; NM; NDS; QL (112 per 28 days)
<i>exemestane oral tablet 25 mg</i> (Aromasin)	2	GC
EXKIVITY ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	5	PA NSO; NM; NDS
<i>floxuridine injection recon soln 0.5</i> <i>gram</i>	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD; GC
<i>flutamide oral capsule 125 mg</i> (Eulexin)	2	GC
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	5	NM; NDS
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NM; NDS; QL (5 per 21 days)
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	2	GC
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)	2	GC
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	GC
<i>imatinib oral tablet 100 mg</i> (Gleevec)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	5	PA NSO; NM; NDS; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	4	PA NSO; QL (4 per 365 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NM; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IRESSA ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS; QL (8 per 21 days)
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NM; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NM; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NM; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NM; NDS; QL (63 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NM; NDS
<i>lenalidomide oral capsule 10 mg, 15 mg, 25 mg, 5 mg</i> (Revlimid)	5	PA NSO; NM; NDS; QL (28 per 28 days)
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NM; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	GC
LEUKERAN ORAL TABLET 2 MG	5	NM; NDS
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	5	PA NSO; NM; NDS
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NM; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NM; NDS; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	PA NSO; NM; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	PA NSO; NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA NSO; NM; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
LYSODREN ORAL TABLET 500 MG	5	NM; NDS
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
MATULANE ORAL CAPSULE 50 MG	5	NM; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	PA NSO-HRM; GC; AGE (Max 64 Years)
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>mercaptopurine oral tablet 50 mg</i>	2	GC
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	PA BvD; GC
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	PA BvD; GC
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	PA BvD; GC
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST; GC
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	GC
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	5	NM; NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; NM; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NM; NDS
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	5	PA NSO; NM; NDS
<i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i> (Abraxane)	5	PA BvD; NM; NDS
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NM; NDS; QL (14 per 21 days)
<i>pemetrexed disodium intravenous recon soln 750 mg</i>	5	NM; NDS
<i>pemetrexed disodium intravenous solution 25 mg/ml</i>	5	NM; NDS
<i>pemetrexed intravenous recon soln 1 gram, 100 mg, 500 mg</i>	5	NM; NDS
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NM; NDS; QL (56 per 28 days)
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NM; NDS
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
REVLIMID ORAL CAPSULE 2.5 MG, 20 MG	5	PA NSO; NM; LA; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NM; NDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
SCEMBLIX ORAL TABLET 20 MG, 40 MG	5	PA NSO; NM; NDS
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NM; NDS
<i>sorafenib oral tablet 200 mg</i> (Nexavar)	5	PA NSO; NM; NDS; QL (120 per 30 days)
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
<i>sunitinib oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	5	PA NSO; NM; NDS; QL (28 per 28 days)
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
TABLOID ORAL TABLET 40 MG (thioguanine)	4	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAGRISSE ORAL TABLET 40 MG, 80 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG, 0.5 MG, 0.75 MG, 1 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	GC
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
TIVDAK INTRAVENOUS RECON SOLN 40 MG	5	PA NSO; NM; NDS; QL (5 per 21 days)
<i>toposar intravenous solution 20 mg/ml</i> (etoposide)	2	GC
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NM; NDS
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG	5	PA NSO; NM; NDS
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	5	NM; NDS
TRUSELTIQ ORAL CAPSULE 100 MG/DAY (100 MG X 1), 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2), 75 MG/DAY (25 MG X 3)	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VELCADE INJECTION RECON SOLN 3.5 MG (bortezomib)	5	PA NSO; NM; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; NM; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; NM; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i> (Navelbine)	2	GC
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NM; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
VONJO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VOTRIENT ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
WELIREG ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA NSO; NM; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NM; NDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NM; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NM; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NM; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG	4	PA NSO
ZOLINZA ORAL CAPSULE 100 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	5	PA NSO; NM; NDS
Anticonvulsants		
Anticonvulsants		
APTIOM ORAL TABLET 200 MG, 400 MG	5	ST; NM; NDS; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	5	ST; NM; NDS; QL (60 per 30 days)
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	3	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	3	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	3	QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)	2	GC
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	2	GC
<i>carbamazepine oral tablet 200 mg</i> (Epilex)	2	GC
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	2	GC
<i>carbamazepine oral tablet, chewable 100 mg</i>	2	GC
CELONTIN ORAL CAPSULE 300 MG	4	
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	2	GC; QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	2	GC; QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i> (Diastat AcuDial)	4	
<i>diazepam rectal kit 2.5 mg</i> (Diastat)	4	
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)	2	GC
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	2	GC
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i> (Depakote)	2	GC
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NM; NDS
<i>epitol oral tablet 200 mg</i> (carbamazepine)	2	GC
EPRONTIA ORAL SOLUTION 25 MG/ML	4	ST; QL (480 per 30 days)
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	2	GC
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	2	GC
<i>felbamate oral suspension 600 mg/5 ml</i> (Felbatol)	5	NM; NDS
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	2	GC
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NM; NDS
<i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)	2	GC
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	ST; NM; NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	ST; NM; NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG	4	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	ST; NM; NDS; QL (60 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	1	GC; QL (360 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	1	GC; QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	2	GC; QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	2	GC; QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	2	GC; QL (120 per 30 days)
<i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat)	2	GC; QL (200 per 5 days)
<i>lacosamide oral solution 10 mg/ml</i> (Vimpat)	2	GC; QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)	2	GC; QL (60 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	GC
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	2	GC
<i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT)	2	GC
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	2	GC
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	2	GC
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	2	GC
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	2	GC
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	4	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	2	GC
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	2	GC
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	2	PA NSO-HRM; GC; AGE (Max 64 Years)
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	PA NSO-HRM; GC; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	2	GC
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	2	GC
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	2	GC
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	2	GC
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	2	GC
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	2	GC
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica)	2	GC; QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)	2	GC; QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	2	GC; QL (900 per 30 days)
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	2	GC
<i>rufinamide oral suspension 40 mg/ml</i> (Banzel)	5	ST; NM; NDS
<i>rufinamide oral tablet 200 mg</i> (Banzel)	2	ST; GC
<i>rufinamide oral tablet 400 mg</i> (Banzel)	5	ST; NM; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	4	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	4	ST; QL (120 per 30 days)
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (lamotrigine)	1	GC
SYMPAZAN ORAL FILM 10 MG, 20 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
SYMPAZAN ORAL FILM 5 MG	4	PA NSO; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> (Gabitril)	2	GC
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	2	GC
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	2	GC
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	GC
<i>valproic acid oral capsule 250 mg</i>	2	GC
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 5 MG/SPRAY (0.1 ML)	4	
VALTOCO NASAL SPRAY, NON-AEROSOL 20 MG/2 SPRAY (10MG/0.1ML X2)	5	NM; NDS
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigabatrin oral tablet 500 mg</i> (Sabril)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigadrone oral powder in packet 500 mg</i> (vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML (lacosamide)	3	QL (200 per 5 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	4	ST; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 50 MG	4	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	4	ST; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	4	ST
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	2	GC
<i>zonisamide oral capsule 50 mg</i>	2	GC
Antidementia Agents		
Antidementia Agents		
<i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)	1	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	2	GC
<i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> (Razadyne ER)	2	GC; QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	2	GC; QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	2	GC; QL (60 per 30 days)
<i>memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR)	2	ST; GC; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	2	GC; QL (300 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i> (Namenda)	2	GC; QL (60 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	2	GC; QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch)	2	GC; QL (30 per 30 days)
Antidepressants		
Antidepressants		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	GC
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	2	GC
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	2	GC
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)	2	GC
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)	2	GC
<i>citalopram oral solution 10 mg/5 ml</i>	2	GC; QL (600 per 30 days)
<i>citalopram oral tablet 10 mg</i> (Celexa)	1	GC; QL (120 per 30 days)
<i>citalopram oral tablet 20 mg, 40 mg</i> (Celexa)	1	GC; QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	2	GC
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	2	GC
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	2	GC; QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	GC
<i>doxepin oral concentrate 10 mg/ml</i>	1	GC
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i> (Cymbalta)	2	GC; QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NM; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	2	GC
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	GC
FETZIMA ORAL CAPSULE, EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE, EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	GC
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	GC
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	GC
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	2	GC
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	2	GC
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	GC
<i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	2	GC
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	2	GC
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	GC
<i>nortriptyline oral solution 10 mg/5 ml</i>	2	GC
<i>paroxetine hcl oral suspension 10 mg/5 ml</i> (Paxil)	2	PA NSO-HRM; GC; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	PA NSO-HRM; GC; AGE (Max 64 Years)
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	2	GC
<i>phenelzine oral tablet 15 mg</i> (Nardil)	2	GC
<i>protriptyline oral tablet 10 mg, 5 mg</i>	2	GC
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	2	GC
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	GC
SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG	4	PA NSO
SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)	5	PA NSO; NM; NDS
<i>tranylcypromine oral tablet 10 mg</i> (Parnate)	2	GC
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	1	GC
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	2	GC
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)	2	GC; QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	2	GC; QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	GC
VIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23)	3	
<i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd)	2	GC; QL (30 per 30 days)
Antidiabetic Agents		
Antidiabetic Agents, Miscellaneous		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	2	GC; QL (90 per 30 days)
FARXIGA ORAL TABLET 10 MG, 5 MG	3	QL (30 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>metformin oral tablet 1,000 mg</i>	1	GC; QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	1	GC; QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	1	GC; QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	1	GC; QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	1	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>nateglinide oral tablet 120 mg, 60 mg</i>	2	GC; QL (90 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)	3	QL (1.5 per 28 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	3	QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	1	GC; QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg</i>	2	GC; QL (90 per 30 days)
<i>pioglitazone-metformin oral tablet 15-850 mg</i> (Actoplus MET)	2	GC; QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	2	GC; QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	2	GC; QL (240 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	3	QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; NM; NDS; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; NM; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	3	QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	QL (2 per 28 days)
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	3	QL (9 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
Insulins		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	SI; QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	SI; QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	SI; QL (24 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	3	SI; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	SI; QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	SI; QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
NOVOLIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML	3	SI; QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 (insulin aspart u-100) INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; SI; QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 (insulin asp prt-insulin INSULN SUBCUTANEOUS aspart) SOLUTION 100 UNIT/ML (70-30)	2	GC; SI; QL (40 per 28 days)
NOVOLOG MIX 70-30FLEXPEN (insulin asp prt-insulin U-100 SUBCUTANEOUS INSULIN aspart) PEN 100 UNIT/ML (70-30)	2	GC; SI; QL (30 per 28 days)
NOVOLOG PENFILL U-100 (insulin aspart u-100) INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	2	GC; SI; QL (30 per 28 days)
NOVOLOG U-100 INSULIN (insulin aspart u-100) ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	GC; SI; QL (40 per 28 days)
SEMGLEE(INSULIN GLARGINE- (insulin glargine-yfgn) YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	SI; QL (40 per 28 days)
SEMGLEE(INSULIN GLARG- (insulin glargine-yfgn) YFGN)PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	3	SI; QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	3	SI; QL (13.5 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	QL (15 per 28 days)
Sulfonylureas		
<i>glimepiride oral tablet 1 mg, 2 mg</i> (Amaryl)	1	GC; QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i> (Amaryl)	1	GC; QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i>	1	GC; QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i>	1	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i> (Glucotrol XL)	1	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i> (Glucotrol XL)	1	GC; QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	2	GC; QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	2	GC; QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i> (Glynase)	1	PA-HRM; GC; AGE (Max 64 Years)
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	1	PA-HRM; GC; AGE (Max 64 Years)
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	1	PA-HRM; GC; AGE (Max 64 Years)
Antifungals		
Antifungals		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	4	PA BvD
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG (amphotericin b liposome)	5	PA BvD; NM; NDS
<i>amphotericin b injection recon soln 50 mg</i>	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>amphotericin b liposome intravenous suspension for reconstitution 50 mg</i> (AmBisome)	5	PA BvD; NM; NDS
<i>casprofungin intravenous recon soln 50 mg, 70 mg</i> (Cancidas)	2	GC
<i>ciclopirox topical cream 0.77 %</i> (Ciclodan)	2	GC; QL (180 per 30 days)
<i>ciclopirox topical solution 8 %</i> (Ciclodan)	2	GC; QL (19.8 per 30 days)
<i>clotrimazole mucous membrane troche 10 mg</i>	2	GC
<i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))	2	GC
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	2	GC; QL (90 per 30 days)
<i>econazole topical cream 1 %</i>	2	GC; QL (170 per 30 days)
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>	2	GC
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i> (Diflucan)	2	GC
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Diflucan)	2	GC
<i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)	5	NM; NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	2	GC
<i>griseofulvin microsize oral tablet 500 mg</i>	2	GC
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	2	GC
<i>ketoconazole oral tablet 200 mg</i>	2	GC
<i>ketoconazole topical cream 2 %</i>	2	GC; QL (180 per 30 days)
<i>ketoconazole topical foam 2 %</i> (Extina)	2	ST; GC; QL (100 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>	2	GC; QL (360 per 30 days)
<i>miconazole-3 vaginal suppository 200 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML) (posaconazole)	5	PA; NM; NDS
<i>nymyc topical powder 100,000 unit/gram</i> (nystatin)	2	GC; QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>	2	GC; QL (900 per 30 days)
<i>nystatin oral tablet 500,000 unit</i>	2	GC
<i>nystatin topical cream 100,000 unit/gram</i>	2	GC; QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>	2	GC; QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)	2	GC; QL (60 per 30 days)
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>	2	GC
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>	2	GC
<i>nystop topical powder 100,000 unit/gram</i> (nystatin)	2	GC; QL (60 per 30 days)
<i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i> (Noxafil)	5	PA; NM; NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	GC
<i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)	5	PA BvD; NM; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend)	5	PA; NM; NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i> (Vfend)	2	GC
Antigout Agents		
Antigout Agents, Other		
<i>allopurinol oral tablet 100 mg</i> (Zyloprim)	1	GC
<i>allopurinol oral tablet 300 mg</i>	1	GC
<i>colchicine oral tablet 0.6 mg</i> (Colcrys)	4	PA; QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	2	ST; GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
MITIGARE ORAL CAPSULE 0.6 (colchicine) MG	2	GC; QL (60 per 30 days)
<i>probenecid oral tablet 500 mg</i>	2	GC
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	2	GC
Antihistamines		
Antihistamines		
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	2	PA-HRM; GC; AGE (Max 64 Years)
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	2	GC
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	2	GC
<i>diphenhydramine hcl oral elixir 12.5 (Diphen) mg/5 ml</i>	2	PA-HRM; GC; AGE (Max 64 Years)
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>	2	GC
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	2	GC
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	GC
<i>levocetirizine oral tablet 5 mg (24HR Allergy Relief)</i>	1	GC
<i>promethazine oral syrup 6.25 mg/5 ml</i>	2	PA-HRM; GC; AGE (Max 64 Years)
Anti-Infectives (Skin And Mucous Membrane)		
Anti-Infectives (Skin And Mucous Membrane)		
<i>clindamycin phosphate vaginal (Cleocin) cream 2 %</i>	2	GC
<i>metronidazole vaginal gel 0.75 % (Vandazole) (37.5mg/5 gram)</i>	2	GC
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	GC
<i>terconazole vaginal suppository 80 mg</i>	2	GC
Antimigraine Agents		
Antimigraine Agents		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine injection solution</i> <i>1 mg/ml</i>	2	GC; QL (24 per 28 days)
<i>dihydroergotamine nasal spray, non-</i> (Migranal) <i>aerosol 0.5 mg/pump act. (4 mg/ml)</i>	5	NM; NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	2	GC; QL (9 per 30 days)
NURTEC ODT ORAL TABLET, DISINTEGRATING 75 MG	3	PA; QL (18 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	2	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	2	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet, disintegrating</i> (Maxalt-MLT) <i>10 mg</i>	2	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet, disintegrating</i> <i>5 mg</i>	2	GC; QL (12 per 30 days)
<i>sumatriptan nasal spray, non-aerosol</i> (Imitrex) <i>20 mg/actuation</i>	2	GC; QL (12 per 30 days)
<i>sumatriptan nasal spray, non-aerosol</i> (Imitrex) <i>5 mg/actuation</i>	2	GC; QL (18 per 30 days)
<i>sumatriptan succinate oral tablet 100</i> (Imitrex) <i>mg</i>	2	GC; QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25</i> (Imitrex) <i>mg, 50 mg</i>	2	GC; QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous</i> (Imitrex STATdose <i>cartridge 4 mg/0.5 ml, 6 mg/0.5 ml</i> Refill)	4	QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	2	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	2	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	2	GC; QL (4 per 28 days)
<i>sumatriptan-naproxen oral tablet 85-500 mg</i> (Treximet)	2	GC; QL (9 per 27 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> (Zomig)	2	GC; QL (6 per 30 days)
<i>zolmitriptan oral tablet, disintegrating 2.5 mg, 5 mg</i>	2	GC; QL (6 per 30 days)
Antimycobacterials		
Antimycobacterials		
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	GC
<i>ethambutol oral tablet 100 mg</i>	2	GC
<i>ethambutol oral tablet 400 mg</i> (Myambutol)	2	GC
<i>isoniazid oral solution 50 mg/5 ml</i>	2	GC
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	GC
PRETOMANID ORAL TABLET 200 MG	4	QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	2	GC
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	2	GC
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	2	GC
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	GC
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NM; NDS
TRECTOR ORAL TABLET 250 MG	4	
Antinausea Agents		
Antinausea Agents		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML	4	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	4	PA BvD
<i>aprepitant oral capsule 125 mg</i>	2	PA BvD; GC; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	2	PA BvD; GC; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	2	PA BvD; GC; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	2	PA BvD; GC
<i>compro rectal suppository 25 mg</i> (prochlorperazine)	2	GC
<i>dimenhydrinate injection solution 50 mg/ml</i>	2	GC
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	2	PA; GC; QL (60 per 30 days)
<i>droperidol injection solution 2.5 mg/ml</i>	2	GC
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	4	PA BvD; QL (6 per 28 days)
<i>fosaprepitant intravenous recon soln 150 mg</i> (Emend (fosaprepitant))	2	GC; QL (2 per 28 days)
<i>granisetron (pf) intravenous solution 100 mcg/ml</i>	2	GC
<i>granisetron hcl intravenous solution 1 mg/ml, 1 mg/ml (1 ml)</i>	2	GC
<i>granisetron hcl oral tablet 1 mg</i>	2	PA BvD; GC
<i>meclizine oral tablet 12.5 mg</i>	2	GC
<i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine))	2	GC
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	2	GC
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>ondansetron hcl oral solution 4 mg/5 ml</i>	2	PA BvD; GC
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	2	PA BvD; GC
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	2	PA BvD; GC
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>	2	GC
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)	2	GC
<i>prochlorperazine rectal suppository 25 mg</i> (Compro)	2	GC
<i>promethazine injection solution 25 mg/ml</i> (Phenergan)	2	PA-HRM; GC; AGE (Max 64 Years)
<i>promethazine injection solution 50 mg/ml</i> (Phenergan)	2	PA-HRM; GC; AGE (Max 64 Years)
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	PA-HRM; GC; AGE (Max 64 Years)
<i>promethazine rectal suppository 12.5 mg, 25 mg, 50 mg</i> (Promethegan)	2	PA-HRM; GC; AGE (Max 64 Years)
<i>promethegan rectal suppository 12.5 mg, 25 mg</i> (promethazine)	2	PA-HRM; GC; AGE (Max 64 Years)
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop)	2	PA-HRM; GC; QL (10 per 30 days); AGE (Max 64 Years)

Antiparasite Agents

Antiparasite Agents

<i>albendazole oral tablet 200 mg</i>	5	NM; NDS
<i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)	2	GC
<i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)	2	GC
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)	2	GC
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	2	GC
COARTEM ORAL TABLET 20-120 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)	2	GC; QL (90 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG	5	PA; NM; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	2	GC
KRINTAFEL ORAL TABLET 150 MG	4	
<i>mefloquine oral tablet 250 mg</i>	2	GC
<i>nitazoxanide oral tablet 500 mg</i> (Alinia)	5	NM; NDS
<i>paromomycin oral capsule 250 mg</i> (Humatin)	2	GC
<i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)	2	PA BvD; GC
<i>pentamidine injection recon soln 300 mg</i> (Pentam)	2	GC
PRIMAQUINE ORAL TABLET 26.3 MG	4	
<i>pyrimethamine oral tablet 25 mg</i> (Daraprim)	5	PA; NM; NDS
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	2	PA; GC; QL (42 per 7 days)
Antiparkinsonian Agents		
Antiparkinsonian Agents		
<i>amantadine hcl oral capsule 100 mg</i>	2	GC
<i>amantadine hcl oral solution 50 mg/5 ml</i>	1	GC
<i>apomorphine subcutaneous cartridge 10 mg/ml</i> (APOKYN)	5	PA; NM; NDS; QL (60 per 30 days)
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	GC
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)	2	GC
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)	2	GC
<i>cabergoline oral tablet 0.5 mg</i>	2	GC
<i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet)	2	GC
<i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy)	2	GC
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	2	GC
<i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	2	GC
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i> (Stalevo 50)	4	
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i> (Stalevo 75)	4	
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i> (Stalevo 100)	4	
<i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i> (Stalevo 125)	4	
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i> (Stalevo 150)	4	
<i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i> (Stalevo 200)	4	
<i>entacapone oral tablet 200 mg</i> (Comtan)	2	GC
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	5	PA; NM; NDS; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NM; NDS
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	3	QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	4	ST; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	4	ST; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> (Mirapex)	1	GC
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	2	GC
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	2	GC
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>	2	GC
<i>selegiline hcl oral capsule 5 mg</i>	2	GC
<i>selegiline hcl oral tablet 5 mg</i>	2	GC
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	GC
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	GC
Antipsychotic Agents		
Antipsychotic Agents		
<i>aripiprazole oral solution 1 mg/ml</i>	2	GC; QL (900 per 30 days)
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	2	GC; QL (30 per 30 days)
<i>aripiprazole oral tablet 2 mg</i> (Abilify)	2	GC; QL (60 per 30 days)
<i>aripiprazole oral tablet, disintegrating 10 mg</i>	5	ST; NM; NDS; QL (90 per 30 days)
<i>aripiprazole oral tablet, disintegrating 15 mg</i>	5	ST; NM; NDS; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 675 MG/2.4 ML	5	NM; NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NM; NDS; QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 441 MG/1.6 ML	5	NM; NDS; QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 662 MG/2.4 ML	5	NM; NDS; QL (2.4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NM; NDS; QL (3.2 per 28 days)
<i>asenapine maleate sublingual tablet</i> (Saphris) 10 mg, 2.5 mg, 5 mg	2	GC; QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 42 MG	5	ST; NM; NDS; QL (30 per 30 days)
<i>chlorpromazine injection solution</i> 25 mg/ml	2	GC
<i>chlorpromazine oral concentrate</i> 100 mg/ml, 30 mg/ml	2	GC
<i>chlorpromazine oral tablet</i> 10 mg, 100 mg, 200 mg, 25 mg, 50 mg	2	GC
<i>clozapine oral tablet</i> 100 mg (Clozaril)	2	GC; QL (270 per 30 days)
<i>clozapine oral tablet</i> 200 mg (Clozaril)	2	GC; QL (135 per 30 days)
<i>clozapine oral tablet</i> 25 mg, 50 mg (Clozaril)	2	GC; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 100 mg, 12.5 mg, 25 mg	2	ST; GC; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 150 mg	2	ST; GC; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 200 mg	5	ST; NM; NDS; QL (120 per 30 days)
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NM; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	4	ST
<i>fluphenazine decanoate injection solution</i> 25 mg/ml	2	GC
<i>fluphenazine hcl injection solution</i> 2.5 mg/ml	2	GC
<i>fluphenazine hcl oral concentrate</i> 5 mg/ml	2	GC
<i>fluphenazine hcl oral elixir</i> 2.5 mg/5 ml	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	2	GC
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)</i>	2	GC
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml</i> (Haldol Decanoate)	2	GC
<i>haloperidol lactate injection solution 5 mg/ml</i>	2	GC
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	GC
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	GC
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	GC
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	5	NM; NDS; QL (3.5 per 180 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	5	NM; NDS; QL (5 per 180 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	5	NM; NDS; QL (0.88 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	NM; NDS; QL (1.32 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NM; NDS; QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	NM; NDS; QL (2.63 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG	3	QL (30 per 30 days)
LATUDA ORAL TABLET 80 MG	3	QL (60 per 30 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	GC
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>molindone oral tablet 10 mg</i>	2	GC; QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	GC; QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	2	GC; QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln (Zyprexa) 10 mg</i>	2	GC; QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, (Zyprexa) 2.5 mg, 20 mg, 5 mg, 7.5 mg</i>	2	GC; QL (30 per 30 days)
<i>olanzapine oral tablet, disintegrating (Zyprexa Zydis) 10 mg, 15 mg, 20 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>paliperidone oral tablet extended (Invega) release 24hr 1.5 mg, 3 mg, 9 mg</i>	2	GC; QL (30 per 30 days)
<i>paliperidone oral tablet extended (Invega) release 24hr 6 mg</i>	2	GC; QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 120 MG, 90 MG	5	NM; NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	GC
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Seroquel)	2	GC; QL (90 per 30 days)
<i>quetiapine oral tablet 300 mg, 400 mg</i> (Seroquel)	2	GC; QL (60 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 50 mg</i> (Seroquel XR)	2	GC; QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 300 mg, 400 mg</i> (Seroquel XR)	2	GC; QL (60 per 30 days)
REXULTI ORAL TABLET 0.25 MG	5	ST; NM; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	5	ST; NM; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NM; NDS; QL (30 per 30 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	2	GC; QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg</i>	2	GC; QL (60 per 30 days)
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg</i> (Risperdal)	2	GC; QL (60 per 30 days)
<i>risperidone oral tablet 4 mg</i> (Risperdal)	2	GC; QL (120 per 30 days)
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	2	GC; QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating 3 mg, 4 mg</i>	2	GC; QL (120 per 30 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NM; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	GC
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	GC
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NM; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	2	GC; QL (60 per 30 days)
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon)	2	GC; QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NM; NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NM; NDS; QL (1 per 28 days)
Antivirals (Systemic)		
Antiretrovirals		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	2	GC
<i>abacavir oral tablet 300 mg</i> (Ziagen)	2	GC
<i>abacavir-lamivudine oral tablet 600-300 mg</i> (Epzicom)	2	GC
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i> (Trizivir)	5	NM; NDS
APRETUDE INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 600 MG/3 ML (200 MG/ML) (cabotegravir)	5	NM; NDS; QL (24 per 365 days)
APTIVUS ORAL CAPSULE 250 MG	5	NM; NDS
<i>atazanavir oral capsule 150 mg</i>	2	GC
<i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG	5	NM; NDS; QL (30 per 30 days)
CABENUVA INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	5	NM; NDS
<i>cabotegravir intramuscular suspension, extended release 400 mg/2 ml (200 mg/ml)</i>	5	NM; NDS; QL (24 per 365 days)
<i>cabotegravir intramuscular suspension, extended release 600 mg/3 ml (200 mg/ml)</i> (Apretude)	5	NM; NDS; QL (24 per 365 days)
CIMDUO ORAL TABLET 300-300 MG	5	NM; NDS
COMPLERA ORAL TABLET 200-25-300 MG	5	NM; NDS
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NM; NDS
DESCOVY ORAL TABLET 120-15 MG, 200-25 MG	5	NM; NDS
<i>didanosine oral capsule, delayed release(dr/ec) 250 mg, 400 mg</i>	2	GC
DOVATO ORAL TABLET 50-300 MG	5	NM; NDS
EDURANT ORAL TABLET 25 MG	5	NM; NDS
<i>efavirenz oral capsule 200 mg, 50 mg</i> (Sustiva)	2	GC
<i>efavirenz oral tablet 600 mg</i> (Sustiva)	2	GC
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i> (Atripla)	5	NM; NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 400-300-300 mg</i> (Symfi Lo)	5	NM; NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 600-300-300 mg</i> (Symfi)	5	NM; NDS
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	2	GC
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg</i> (Truvada)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)	5	NM; NDS
EVOTAZ ORAL TABLET 300-150 MG	5	NM; NDS
<i>fosamprenavir oral tablet 700 mg</i> (Lexiva)	5	NM; NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NM; NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NM; NDS
INTELENCE ORAL TABLET 25 MG	4	
INVIRASE ORAL TABLET 500 MG	5	NM; NDS
ISENTRESS HD ORAL TABLET 600 MG	5	NM; NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	4	
ISENTRESS ORAL TABLET 400 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	4	
JULUCA ORAL TABLET 50-25 MG	5	NM; NDS
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	2	GC
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	2	GC
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	2	GC
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	2	GC
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	2	GC; QL (480 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)	2	GC; QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)	5	NM; NDS; QL (120 per 30 days)
<i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)	5	NM; NDS
<i>nevirapine oral suspension 50 mg/5 ml</i>	2	GC
<i>nevirapine oral tablet 200 mg</i>	2	GC
<i>nevirapine oral tablet extended release 24 hr 100 mg, 400 mg</i>	2	GC
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NM; NDS
PIFELTRO ORAL TABLET 100 MG	5	NM; NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NM; NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NM; NDS
PREZISTA ORAL TABLET 150 MG, 600 MG, 800 MG	5	NM; NDS
PREZISTA ORAL TABLET 75 MG	4	
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NM; NDS
<i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i>	5	NM; NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	2	GC
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SELZENTRY ORAL SOLUTION 20 MG/ML	5	NM; NDS
SELZENTRY ORAL TABLET 25 MG	3	
SELZENTRY ORAL TABLET 75 MG	5	NM; NDS
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	GC
STRIBILD ORAL TABLET 150- 150-200-300 MG	5	NM; NDS
SYMTUZA ORAL TABLET 800- 150-200-10 MG	5	NM; NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NM; NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	2	GC
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NM; NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	4	
TRIUMEQ ORAL TABLET 600-50- 300 MG	5	NM; NDS; QL (30 per 30 days)
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	5	NM; NDS
TRIZIVIR ORAL TABLET 300- 150-300 MG (abacavir-lamivudine- zidovudine)	5	NM; NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NM; NDS
VEMLIDY ORAL TABLET 25 MG	5	NM; NDS; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NM; NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NM; NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
VOCABRIA ORAL TABLET 30 MG	4	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	GC
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	GC
<i>zidovudine oral tablet 300 mg</i>	2	GC
Antivirals, Miscellaneous		
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	2	PA BvD; GC
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	2	GC; QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	2	GC; QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	2	GC; QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	2	GC; QL (540 per 180 days)
PAXLOVID (EUA) ORAL TABLETS,DOSE PACK 150-100 MG, 300 MG (150 MG X 2)-100 MG	4	QL (30 per 5 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	5	PA; NM; NDS; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	5	PA; NM; NDS; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NM; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	2	GC
XOFLUZA ORAL TABLET 20 MG, 40 MG	4	QL (4 per 180 days)
XOFLUZA ORAL TABLET 80 MG	4	QL (2 per 180 days)
Hcv Antivirals		
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL PELLETS IN PACKET 200-50 MG	5	PA; NM; NDS; QL (56 per 28 days)
EPCLUSA ORAL TABLET 200-50 MG	5	PA; NM; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
EPCLUSA ORAL TABLET 400-100 (sofosbuvir-velpatasvir) MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NM; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 (ledipasvir-sofosbuvir) MG	5	PA; NM; NDS; QL (28 per 28 days)
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NM; NDS; QL (28 per 28 days)
Interferons		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	PA NSO; NM; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	NM; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	NM; NDS
Nucleosides And Nucleotides		
<i>acyclovir oral capsule 200 mg</i>	2	GC
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	2	GC
<i>acyclovir oral tablet 400 mg, 800 mg</i>	2	GC
<i>acyclovir sodium intravenous recon soln 1,000 mg, 500 mg</i>	2	PA BvD; GC
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	2	PA BvD; GC
<i>adefovir oral tablet 10 mg</i> (Hepsera)	2	GC
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	2	GC
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2	GC
<i>lagevrio (eua) oral capsule 200 mg</i>	4	QL (40 per 5 days)
<i>ribavirin oral capsule 200 mg</i>	2	GC
<i>ribavirin oral tablet 200 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	2	GC
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	2	GC
Blood Products/Modifiers/Volume Expanders		
Anticoagulants		
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
ELIQUIS ORAL TABLET 2.5 MG	3	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	3	QL (74 per 30 days)
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i> (Lovenox)	2	GC; QL (30 per 30 days)
<i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox)	2	GC; QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox)	2	GC; QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox)	2	GC; QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> (Lovenox)	2	GC; QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> (Lovenox)	2	GC; QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i> (Arixtra)	5	NM; NDS; QL (24 per 30 days)
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra)	2	GC; QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i> (Arixtra)	5	NM; NDS; QL (12 per 30 days)
<i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i> (Arixtra)	5	NM; NDS; QL (18 per 30 days)
<i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i>	2	GC
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>heparin, porcine (pf) injection solution 1,000 unit/ml</i>	2	GC
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml, 5,000 unit/ml</i>	2	GC
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (warfarin)	1	GC
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Jantoven)	1	GC
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML	3	QL (600 per 30 days)
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	3	QL (60 per 30 days)
Blood Formation Modifiers		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NM; NDS
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NM; NDS; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	5	NM; NDS
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NM; NDS
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NM; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NM; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; NM; NDS; QL (60 per 30 days)
RELEUKO INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
RELEUKO SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
Hematologic Agents, Miscellaneous		
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	2	GC
<i>anagrelide oral capsule 1 mg</i>	2	GC
CABLIVI INJECTION KIT 11 MG	5	PA; NM; NDS; QL (30 per 30 days)
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	
<i>protamine intravenous solution 10 mg/ml</i>	2	GC
SIKLOS ORAL TABLET 100 MG	4	PA
<i>tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml)</i> (Cyklokapron)	2	GC
<i>tranexamic acid oral tablet 650 mg</i> (Lysteda)	2	GC
Platelet-Aggregation Inhibitors		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	2	GC; QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	GC
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	GC
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	PA-HRM; GC; AGE (Max 64 Years)
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	GC
<i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)	2	GC; QL (30 per 30 days)
Caloric Agents		
Caloric Agents		
AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 6%-D5W (SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD
CLINIMIX 8%-D10W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX 8%-D14W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
<i>dextrose 10 % in water (d10w)</i> <i>intravenous parenteral solution 10 %</i>	2	PA BvD; GC
<i>dextrose 5 % in water (d5w)</i> <i>intravenous parenteral solution</i>	4	
<i>dextrose 5 % in water (d5w)</i> <i>intravenous piggyback 5 %</i>	2	GC
<i>dextrose 5%-water iv soln single use</i>	2	GC
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	4	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
Cardiovascular Agents		
Alpha-Adrenergic Agents		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	GC
<i>clonidine transdermal patch weekly (Catapres-TTS-1)</i> <i>0.1 mg/24 hr</i>	2	GC; QL (4 per 28 days)
<i>clonidine transdermal patch weekly (Catapres-TTS-2)</i> <i>0.2 mg/24 hr</i>	2	GC; QL (4 per 28 days)
<i>clonidine transdermal patch weekly (Catapres-TTS-3)</i> <i>0.3 mg/24 hr</i>	2	GC; QL (8 per 28 days)
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	2	GC
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Northera)	5	PA; NM; NDS; QL (180 per 30 days)
<i>guanfacine oral tablet 1 mg, 2 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>methyldopa oral tablet 250 mg, 500 mg</i>	2	GC
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC
<i>phenylephrine hcl injection solution 10 mg/ml</i> (Vazculep)	2	GC
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> (Minipress)	2	GC
Angiotensin II Receptor Antagonists		
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)	2	GC
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT)	2	GC
EDARBI ORAL TABLET 40 MG, 80 MG	3	
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	3	
ENTRESTO ORAL TABLET 24-26 MG	3	QL (180 per 30 days)
ENTRESTO ORAL TABLET 49-51 MG, 97-103 MG	3	QL (60 per 30 days)
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	2	GC
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	2	GC
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	1	GC
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	1	GC
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	2	GC
<i>olmesartan-amlodipin-hcthiiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	2	GC
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	2	GC
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)	2	GC
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	2	GC
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	2	GC
Angiotensin-Converting Enzyme Inhibitors		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	1	GC
<i>benazepril oral tablet 5 mg</i>	1	GC
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)	2	GC
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	2	GC
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	2	GC
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	1	GC
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	2	GC
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	1	GC
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	1	GC
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	1	GC
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	2	GC
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	1	GC
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	2	GC
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	2	GC
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	1	GC
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)	2	GC
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	1	GC
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	1	GC
<i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i>	2	GC
Antiarrhythmic Agents		
<i>amiodarone oral tablet 100 mg, 400 mg</i> (Pacerone)	2	GC
<i>amiodarone oral tablet 200 mg</i> (Pacerone)	1	GC
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	2	PA-HRM; GC; AGE (Max 64 Years)
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	2	GC
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	GC
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2 %), 50 mg/5 ml (1 %)</i>	1	GC
<i>lidocaine hcl 1% 50 mg/5 ml vial sdv, p/f 10 mg/ml (1 %)</i> (Xylocaine-MPF)	2	GC
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	GC
MULTAQ ORAL TABLET 400 MG	3	
<i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i> (amiodarone)	2	GC
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>procainamide intravenous syringe 100 mg/ml</i>	2	GC
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i> (Rythmol SR)	2	GC
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	GC
<i>quinidine gluconate oral tablet extended release 324 mg</i>	2	GC
<i>quinidine sulfate oral tablet 200 mg</i>	1	GC
<i>quinidine sulfate oral tablet 300 mg</i>	2	GC
Beta-Adrenergic Blocking Agents		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	GC
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	1	GC
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)	2	GC
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)	2	GC
<i>betaxolol oral tablet 10 mg, 20 mg</i>	2	GC
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	GC
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i> (Ziac)	2	GC
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	1	GC
<i>labetalol intravenous solution 5 mg/ml</i>	2	GC
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	2	GC
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	GC
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>	2	GC
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	2	GC
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	GC
<i>metoprolol tartrate oral tablet 25 mg</i>	1	GC
<i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Bystolic)	2	GC
<i>pindolol oral tablet 10 mg, 5 mg</i>	2	GC
<i>propranolol intravenous solution 1 mg/ml</i>	2	GC
<i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	2	GC
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	GC
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	GC
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	2	GC
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (sotalol)	2	GC
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol)	2	GC
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (Sorine)	2	GC
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	2	GC
Calcium-Channel Blocking Agents		
<i>cartia xt oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl)	2	GC
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	2	GC
<i>diltiazem hcl oral capsule, extended release 12 hr 120 mg, 60 mg, 90 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>diltiazem hcl oral capsule,extended release 24 hr 360 mg</i> (Taztia XT)	2	GC
<i>diltiazem hcl oral capsule,extended release 24 hr 420 mg</i> (Tiadylt ER)	2	GC
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	2	GC
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	2	GC
<i>diltiazem hcl oral tablet 90 mg</i>	2	GC
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl)	2	GC
<i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	2	GC
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl)	2	GC
<i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	2	GC
<i>verapamil intravenous syringe 2.5 mg/ml</i>	2	GC
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM)	2	GC
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i> (Verelan)	2	GC
<i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i> (Verelan)	4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	GC
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i> (Calan SR)	2	GC
Cardiovascular Agents, Miscellaneous		
CORLANOR ORAL SOLUTION 5 MG/5 ML	3	QL (600 per 30 days)
CORLANOR ORAL TABLET 5 MG, 7.5 MG	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin)	2	GC
<i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin)	2	GC
<i>digoxin 250 mcg tablet 250 mcg (0.25 mg)</i> (Digitek)	2	GC
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	2	GC
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)	2	GC
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	2	GC; QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)	2	GC; QL (4 per 30 days)
<i>epinephrine injection solution 1 mg/ml</i> (Adrenalin)	1	GC
<i>hydralazine injection solution 20 mg/ml</i>	2	GC
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	GC
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Sajazir)	5	PA; NM; NDS; QL (18 per 30 days)
<i>metirosine oral capsule 250 mg</i> (Demser)	5	NM; NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i> (Ranexa)	2	GC; QL (60 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i> (Ranexa)	2	GC; QL (120 per 30 days)
<i>sajazir subcutaneous syringe 30 mg/3 ml</i> (icatibant)	5	PA; NM; NDS; QL (18 per 30 days)
Dihydropyridines		
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	GC
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel)	1	GC
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>amlodipine-olmesartan oral tablet</i> (Azor) 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg	2	GC
<i>amlodipine-valsartan oral tablet</i> 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg (Exforge)	2	GC
<i>amlodipine-valsartan-hcthiazyd oral tablet</i> 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg (Exforge HCT)	2	GC
<i>isradipine oral capsule</i> 2.5 mg, 5 mg	2	GC
<i>nicardipine oral capsule</i> 20 mg, 30 mg	2	GC
<i>nifedipine oral capsule</i> 10 mg, 20 mg	2	GC
<i>nifedipine oral tablet extended release</i> 24hr 30 mg, 60 mg, 90 mg (Procardia XL)	2	GC
<i>nifedipine oral tablet extended release</i> 30 mg, 60 mg, 90 mg	2	GC
Diuretics		
<i>amiloride oral tablet</i> 5 mg	2	GC
<i>amiloride-hydrochlorothiazide oral tablet</i> 5-50 mg	2	GC
<i>bumetanide injection solution</i> 0.25 mg/ml	2	GC
<i>bumetanide oral tablet</i> 0.5 mg, 1 mg, 2 mg	2	GC
<i>chlorothiazide sodium intravenous recon soln</i> 500 mg (Diuril IV)	2	GC
<i>chlorthalidone oral tablet</i> 25 mg, 50 mg	2	GC
<i>furosemide injection solution</i> 10 mg/ml	2	GC
<i>furosemide injection syringe</i> 10 mg/ml	1	GC
<i>furosemide oral solution</i> 10 mg/ml, 40 mg/5 ml (8 mg/ml)	2	GC
<i>furosemide oral tablet</i> 20 mg, 40 mg, 80 mg (Lasix)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	GC
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	GC
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)	1	GC
<i>toremide oral tablet 10 mg, 100 mg, 5 mg</i>	2	GC
<i>toremide oral tablet 20 mg</i> (Soaanz)	2	GC
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i> (Maxzide-25mg)	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i> (Maxzide)	1	GC
Dyslipidemics		
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 5-10 mg</i> (Caduet)	2	GC
<i>amlodipine-atorvastatin oral tablet 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet)	2	GC; QL (30 per 30 days)
<i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>	2	GC
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)	1	GC; QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	2	GC
<i>cholestyramine light oral powder in packet 4 gram</i> (cholestyramine-aspartame)	2	GC
<i>colesevelam oral powder in packet 3.75 gram</i> (WelChol)	2	GC
<i>colesevelam oral tablet 625 mg</i> (WelChol)	2	GC
<i>colestipol oral packet 5 gram</i> (Colestid)	2	GC
<i>colestipol oral tablet 1 gram</i> (Colestid)	2	GC
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	2	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10)	2	GC; QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20)	2	GC; QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40)	2	GC; QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80)	2	GC; QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 67 mg</i>	2	GC
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	2	GC
<i>fenofibrate nanocrystallized oral tablet 160 mg</i>	2	GC
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	2	GC
<i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg, 45 mg</i> (Trilipix)	2	GC
<i>fluvastatin oral capsule 20 mg, 40 mg</i>	2	GC; QL (60 per 30 days)
<i>fluvastatin oral tablet extended release 24 hr 80 mg</i> (Lescol XL)	2	GC
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	GC
JUXTAPID ORAL CAPSULE 10 MG, 40 MG, 5 MG, 60 MG	5	PA; NM; NDS; QL (28 per 28 days)
JUXTAPID ORAL CAPSULE 20 MG, 30 MG	5	PA; NM; NDS; QL (56 per 28 days)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG	3	QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	1	GC
NEXLETOL ORAL TABLET 180 MG	3	QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	3	QL (30 per 30 days)
<i>niacin oral tablet 500 mg</i> (Niacor)	1	GC
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i> (Niaspan Extended-Release)	2	GC
<i>niacor oral tablet 500 mg</i> (niacin)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	2	ST; GC; QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	3	QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>	1	GC
<i>pravastatin oral tablet 20 mg, 40 mg</i>	1	GC; QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i> (cholestyramine-aspartame)	2	GC
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	3	QL (7 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	3	QL (6 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	3	QL (6 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	1	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Zocor)	1	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg</i>	1	GC; QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM	2	GC; QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM (icosapent ethyl)	2	GC; QL (120 per 30 days)
Renin-Angiotensin-Aldosterone System Inhibitors		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	2	GC
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	2	GC
KERENDIA ORAL TABLET 10 MG, 20 MG	4	PA; QL (30 per 30 days)
Vasodilators		
BIDIL ORAL TABLET 20-37.5 MG (isosorbide-hydralazine)	3	
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	GC
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titrados)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	GC
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	GC
<i>isosorbide-hydralazine oral tablet 20-37.5 mg</i> (BiDil)	2	GC
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (nitroglycerin)	2	GC
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	GC
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	2	GC
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	2	GC
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Nitro-Dur)	2	GC
Central Nervous System Agents		
Central Nervous System Agents		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> (Strattera)	2	GC; QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> (Strattera)	2	GC; QL (30 per 30 days)
AUBAGIO ORAL TABLET 14 MG, 7 MG	5	PA; NM; NDS; QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NM; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS; QL (15 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>caffeine citrate intravenous solution</i> (Cafcit) 60 mg/3 ml (20 mg/ml)	2	PA BvD; GC
<i>caffeine citrate oral solution</i> 60 mg/3 ml (20 mg/ml)	2	GC
COPAXONE SUBCUTANEOUS (glatiramer) SYRINGE 20 MG/ML	5	PA; NM; NDS; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS (glatiramer) SYRINGE 40 MG/ML	5	PA; NM; NDS; QL (12 per 28 days)
<i>dalfampridine oral tablet extended release</i> 12 hr 10 mg (Ampyra)	2	PA; GC; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet</i> 10 mg, 2.5 mg, 5 mg (Focalin)	2	GC; QL (60 per 30 days)
<i>dextroamphetamine sulfate oral tablet</i> 10 mg (Zenzedi)	2	GC; QL (180 per 30 days)
<i>dextroamphetamine sulfate oral tablet</i> 15 mg, 5 mg (Zenzedi)	2	GC; QL (90 per 30 days)
<i>dextroamphetamine sulfate oral tablet</i> 20 mg, 30 mg (Zenzedi)	2	GC; QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release</i> 24hr 10 mg, 15 mg, 5 mg (Adderall XR)	2	GC; QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release</i> 24hr 20 mg, 25 mg, 30 mg (Adderall XR)	2	GC; QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet</i> 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg (Adderall)	2	GC; QL (60 per 30 days)
<i>dimethyl fumarate oral capsule, delayed release(dr/ec)</i> 120 mg (Tecfidera)	5	PA; NM; NDS; QL (14 per 7 days)
<i>dimethyl fumarate oral capsule, delayed release(dr/ec)</i> 120 mg (14)- 240 mg (46) (Tecfidera)	5	PA; NM; NDS
<i>dimethyl fumarate oral capsule, delayed release(dr/ec)</i> 240 mg (Tecfidera)	5	PA; NM; NDS; QL (60 per 30 days)
<i>flumazenil intravenous solution</i> 0.1 mg/ml	2	GC
GILENYA ORAL CAPSULE 0.25 MG, 0.5 MG	5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Copaxone)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i> (Copaxone)	5	PA; NM; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i> (glatiramer)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i> (glatiramer)	5	PA; NM; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	2	GC; QL (30 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	5	PA; NM; NDS; QL (1.2 per 28 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	GC
<i>lithium carbonate oral tablet 300 mg</i>	2	GC
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	2	GC
<i>lithium carbonate oral tablet extended release 450 mg</i>	2	GC
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NM; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 1 MG, 2 MG	5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	4	PA
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NM; NDS
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	2	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 40 mg</i> (Ritalin LA)	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i> (Ritalin LA)	2	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 60 mg</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	2	GC; QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	2	GC; QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 10 mg</i>	2	GC; QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 20 mg</i> (Metadate ER)	2	GC; QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 54 mg (bx rating)</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i> (Concerta)	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i> (Concerta)	2	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg (bx rating)</i>	2	GC; QL (60 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	5	PA; NM; NDS; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2	GC; QL (60 per 30 days)
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	5	PA; NM; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NM; NDS; QL (120 per 30 days)
Contraceptives		
Contraceptives		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estradiol)	2	GC
<i>altavera (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estradiol)	2	GC
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	2	GC
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	GC
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (1 norgest/e.estradiol- e.estradiol)	2	GC; QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	2	GC
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>	2	GC
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (1 norgest/e.estradiol- e.estradiol)	2	GC; QL (91 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>aubra eq oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	GC
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	GC
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>aviane oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>ayuna oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	GC
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>		2	GC
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>briellyn oral tablet 0.4-35 mg-mcg</i>		2	GC
<i>camila oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>caziant (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>		2	GC
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	GC
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	GC
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>cyred eq oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	GC
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	GC
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	GC
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estradiol)	2	GC; QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(Azurette (28))	2	GC
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	(Apri)	2	GC
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>	(Jasmiel (28))	2	GC
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>	(Syeda)	2	GC
<i>elinest oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	GC
ELLA ORAL TABLET 30 MG		4	QL (6 per 365 days)
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	2	GC; QL (1 per 28 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	GC
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	GC
<i>enskyce oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	GC
<i>errin oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Kelnor 1/35 (28))	2	GC
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Kelnor 1-50 (28))	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i> (EluRyng)	2	GC; QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	GC
<i>femynor oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol)	1	GC
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone-e.estradiol-iron)	2	GC
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)	2	GC
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)	2	GC
<i>hailey oral tablet 1.5-30 mg-mcg</i> (norethindrone ac-eth estradiol)	2	GC
<i>heather oral tablet 0.35 mg</i> (norethindrone (contraceptive))	1	GC
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (levonorgestrel-ethinyl estrad)	2	GC; QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i> (norethindrone (contraceptive))	1	GC
<i>isibloom oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	2	GC
<i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (1 norgest/e.estradiol-e.estrad)	2	GC; QL (91 per 84 days)
<i>jasmiel (28) oral tablet 3-0.02 mg</i> (drospirenone-ethinyl estradiol)	2	GC
<i>jencycla oral tablet 0.35 mg</i> (norethindrone (contraceptive))	1	GC
<i>juleber oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	2	GC
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> (norethindrone ac-eth estradiol)	2	GC
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i> (norethindrone ac-eth estradiol)	2	GC
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)	2	GC
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>kalliga oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	GC
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	GC
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	GC
<i>kelnor 1-50 (28) oral tablet 1-50 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	GC
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	(LoJaimiess)	2	GC; QL (91 per 84 days)
<i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(Amethia)	2	GC; QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	GC
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	GC
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>larissia oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>lessina oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	GC
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	(Afirmelle)	2	GC
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>	(Altavera (28))	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>levonorgestrel-ethinyl estrad oral tablets, dose pack, 3 month 0.15 mg-30 mcg (91)</i>	(Iclevia)	2	GC; QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(Enpresse)	2	GC
<i>levora-28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>lillow (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>lojaimiess oral tablets, dose pack, 3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad)	2	GC; QL (91 per 84 days)
<i>loryna (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	GC
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<i>lutra (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>lyleq oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>lyza oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>mili oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>		2	GC
<i>nikki (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i> (Camila)	1	GC
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i> (Aurovela 1.5/30 (21))	2	GC
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i> (Aurovela 1/20 (21))	2	GC
<i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i> (Merzee)	2	GC
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (Aurovela Fe 1-20 (28))	1	GC
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (Aurovela Fe 1.5/30 (28))	2	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i> (Tri-Lo-Estarylla)	2	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (Tri-Estarylla)	2	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i> (Femynor)	2	GC
<i>norlyda oral tablet 0.35 mg</i> (norethindrone (contraceptive))	1	GC
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	GC
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>	2	GC
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	2	GC
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	GC
<i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	2	GC
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	GC
<i>nymyo oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol)	2	GC
<i>orsythia oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	GC
<i>philith oral tablet 0.4-35 mg-mcg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>pimtree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	GC
<i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg</i>		2	GC
<i>pirmella oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	GC
<i>portia 28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>previfem oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	GC
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	2	GC; QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	GC
<i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol-e.estrad)	2	GC; QL (91 per 84 days)
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>syeda oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	GC
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>tulana oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>tyblume oral tablet, chewable 0.1 mg-20 mcg</i>		4	
<i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>		2	GC
<i>vestura (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<i>vienva oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	GC
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	GC
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>vylibra oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol)	2	GC
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>	2	GC
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	2	GC; QL (3 per 28 days)
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>	2	GC; QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i> (drospirenone-ethinyl estradiol)	2	GC
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i> (ethynodiol diac-eth estradiol)	2	GC
<i>zumandimine (28) oral tablet 3-0.03 mg</i> (drospirenone-ethinyl estradiol)	2	GC

Dental And Oral Agents

Dental And Oral Agents

<i>cevimeline oral capsule 30 mg</i> (Evoxac)	2	GC
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i> (Paroex Oral Rinse)	1	GC
<i>denta 5000 plus dental cream 1.1 %</i> (fluoride (sodium))	1	GC
<i>dentagel dental gel 1.1 %</i> (fluoride (sodium))	1	GC
<i>fluoride (sodium) dental solution 0.2 %</i> (PreviDent)	1	GC
<i>oralone dental paste 0.1 %</i> (triamcinolone acetonide)	2	GC
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i> (chlorhexidine gluconate)	1	GC
<i>periogard mucous membrane mouthwash 0.12 %</i> (chlorhexidine gluconate)	1	GC
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i> (Salagen (pilocarpine))	2	GC
<i>sf 5000 plus dental cream 1.1 %</i> (fluoride (sodium))	1	GC
<i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i> (Fluoridex Sensitivity Relief)	1	GC
<i>triamcinolone acetonide dental paste 0.1 %</i> (Oralone)	2	GC

Dermatological Agents

Dermatological Agents, Other

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin)	2	GC
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>	2	GC
<i>acyclovir topical ointment 5 %</i> (Zovirax)	2	GC; QL (30 per 30 days)
ALCOHOL 70% SWABS (Alcohol Pads)	1	GC
ALCOHOL PADS TOPICAL PADS, MEDICATED (alcohol swabs)	1	GC
ALCOHOL PREP SWABS TOPICAL PADS, MEDICATED (alcohol swabs)	1	GC
<i>ammonium lactate topical cream 12 %</i>	2	GC
<i>ammonium lactate topical lotion 12 %</i> (Skin Treatment)	2	GC
BD SINGLE USE SWAB (alcohol swabs)	1	GC
<i>calcipotriene scalp solution 0.005 %</i>	2	GC; QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i> (Dovonex)	2	GC; QL (120 per 30 days)
<i>calcipotriene topical ointment 0.005 %</i>	2	GC; QL (120 per 30 days)
CARETOUCH ALCOHOL 70% PREP PAD (alcohol swabs)	1	GC
CURITY ALCOHOL PREPS 2 PLY, MEDIUM (alcohol swabs)	1	GC
DROPSAFE ALCOHOL 70% PREP PADS (alcohol swabs)	1	GC
EASY COMFORT ALCOHOL 70% PAD (alcohol swabs)	1	GC
EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED (alcohol swabs)	1	GC
<i>fluorouracil topical cream 0.5 %</i> (Carac)	5	NM; NDS
<i>fluorouracil topical cream 5 %</i> (Efudex)	2	GC
<i>fluorouracil topical solution 2 %, 5 %</i>	2	GC
HEB INCONTROL ALCOHOL 70% PADS (alcohol swabs)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>imiquimod topical cream in packet 5 %</i>	2	GC; QL (24 per 30 days)
IV ANTISEPTIC WIPES (alcohol swabs)	1	GC
KENDALL ALCOHOL 70% PREP PAD (alcohol swabs)	1	GC
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>	5	NM; NDS
PANRETIN TOPICAL GEL 0.1 %	5	NM; NDS; QL (180 per 30 days)
<i>podofilox topical solution 0.5 %</i>	2	GC
PRO COMFORT ALCOHOL 70% PADS (alcohol swabs)	1	GC
PURE COMFORT ALCOHOL 70% PADS (alcohol swabs)	1	GC
RA ISOPROPYL ALCOHOL 70% WIPES (alcohol swabs)	1	GC
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	QL (180 per 30 days)
SURE COMFORT ALCOHOL PREP PADS (alcohol swabs)	1	GC
SURE-PREP ALCOHOL PREP PADS (alcohol swabs)	1	GC
TRUE COMFORT ALCOHOL 70% PADS (alcohol swabs)	1	GC
TRUE COMFORT PRO ALCOHOL PADS (alcohol swabs)	1	GC
ULTILET ALCOHOL STERL SWAB (alcohol swabs)	1	GC
VALCHLOR TOPICAL GEL 0.016 %	5	NM; NDS
WEBCOL ALCOHOL PREPS 20'S,LARGE (alcohol swabs)	1	GC
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin)	2	GC
Dermatological Antibacterials		
<i>clindamycin phosphate topical solution 1 %</i> (Cleocin T)	2	GC; QL (180 per 30 days)
<i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>clindamycin-benzoyl peroxide topical gel 1.2 %(1 % base) -5 %</i> (Neuac)	2	GC
<i>ery pads topical swab 2 %</i> (erythromycin with ethanol)	2	GC
<i>erythromycin with ethanol topical gel 2 %</i> (Erygel)	2	GC; QL (180 per 30 days)
<i>erythromycin with ethanol topical solution 2 %</i>	2	GC; QL (180 per 30 days)
<i>gentamicin topical cream 0.1 %</i>	2	GC; QL (120 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>	2	GC; QL (120 per 30 days)
<i>metronidazole topical cream 0.75 %</i> (Rosadan)	2	GC
<i>metronidazole topical gel 0.75 %</i> (Rosadan)	2	GC
<i>metronidazole topical gel 1 %</i> (Metrogel)	2	GC
<i>metronidazole topical lotion 0.75 %</i> (MetroLotion)	2	GC
<i>mupirocin topical ointment 2 %</i> (Centany)	1	GC; QL (220 per 30 days)
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	2	GC
<i>rosadan topical cream 0.75 %</i> (metronidazole)	2	GC
<i>selenium sulfide topical lotion 2.5 %</i>	2	GC
<i>silver sulfadiazine topical cream 1 %</i> (SSD)	2	GC
<i>ssd topical cream 1 %</i> (silver sulfadiazine)	4	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron)	2	GC
Dermatological Anti-Inflammatory Agents		
<i>ala-cort topical cream 1 %</i> (hydrocortisone)	2	GC
<i>alclometasone topical cream 0.05 %</i>	2	GC
<i>alclometasone topical ointment 0.05 %</i>	2	GC
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	GC
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	GC
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>betamethasone valerate topical cream 0.1 %</i>	2	GC
<i>betamethasone valerate topical lotion 0.1 %</i>	2	GC
<i>betamethasone valerate topical ointment 0.1 %</i>	2	GC
<i>betamethasone, augmented topical cream 0.05 %</i>	2	GC
<i>betamethasone, augmented topical gel 0.05 %</i>	2	GC
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	GC
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	2	GC
<i>clobetasol scalp solution 0.05 %</i>	2	GC
<i>clobetasol topical cream 0.05 %</i>	2	GC
<i>clobetasol topical gel 0.05 %</i>	2	GC
<i>clobetasol topical ointment 0.05 %</i> (Temovate)	2	GC
<i>clobetasol topical shampoo 0.05 %</i> (Clobex)	2	GC
<i>clobetasol-emollient topical cream 0.05 %</i>	2	GC
<i>desoximetasone topical cream 0.25 %</i> (Topicort)	2	GC; QL (120 per 30 days)
<i>desoximetasone topical ointment 0.25 %</i> (Topicort)	2	GC; QL (120 per 30 days)
EUCRISA TOPICAL OINTMENT 2 %	3	
<i>fluocinolone topical cream 0.01 %</i>	2	GC
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	GC
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	2	GC
<i>fluocinonide topical cream 0.05 %</i>	2	GC
<i>fluocinonide topical solution 0.05 %</i>	2	GC
<i>fluocinonide-emollient topical cream 0.05 %</i> (Fluocinonide-E)	2	GC
<i>fluticasone propionate topical cream 0.05 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>fluticasone propionate topical ointment 0.005 %</i>	2	GC
<i>halobetasol propionate topical cream 0.05 %</i>	2	GC
<i>halobetasol propionate topical ointment 0.05 %</i>	2	GC
<i>hydrocortisone 2.5% cream 2.5 %</i>	1	GC
<i>hydrocortisone butyrate topical solution 0.1 %</i>	2	GC; QL (120 per 30 days)
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	1	GC
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Proctosol HC)	1	GC
<i>hydrocortisone topical lotion 2.5 %</i>	2	GC
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	GC
<i>hydrocortisone topical ointment 2.5 %</i>	1	GC
<i>hydrocortisone valerate topical cream 0.2 %</i>	2	GC
<i>mometasone topical cream 0.1 %</i>	2	GC
<i>mometasone topical ointment 0.1 %</i>	2	GC
<i>mometasone topical solution 0.1 %</i>	2	GC
<i>pimecrolimus topical cream 1 %</i> (Elidel)	2	GC; QL (100 per 30 days)
<i>prednicarbate topical ointment 0.1 %</i>	2	GC
<i>proctosol hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	GC
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	GC
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i> (Protopic)	2	GC; QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	GC
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm)	1	GC
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	GC
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Dermatological Retinoids		
<i>adapalene topical cream 0.1 %</i> (Differin)	2	GC
<i>adapalene topical gel 0.1 %</i> (Differin)	2	GC
ALTRENO TOPICAL LOTION 0.05 %	4	PA
<i>tazarotene topical cream 0.1 %</i> (Tazorac)	2	GC
TAZORAC TOPICAL CREAM 0.05 %	4	
<i>tretinoin topical cream 0.025 %</i> (Avita)	2	PA; GC
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)	2	PA; GC
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	2	PA; GC
<i>tretinoin topical gel 0.025 %</i> (Avita)	2	PA; GC
<i>tretinoin topical gel 0.05 %</i> (Atralin)	2	PA; GC
Scabicides And Pediculicides		
<i>malathion topical lotion 0.5 %</i> (Ovide)	2	GC
<i>permethrin topical cream 5 %</i> (Elimite)	2	GC
Devices		
Devices		
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 31GX3/16 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 32GX5/32 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16" (pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ABOUTTIME PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32" (pen needle, diabetic)	2	GC
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"	2	GC
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	GC
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"	2	GC
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	2	GC
ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	GC
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"	2	GC
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"	2	GC
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	2	GC
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"	2	GC
BD ECLIPSE 30GX1/2" SYRINGE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"	2	GC
BD INS SYRINGE 1/2 ML 6MMX31G (ONLY FOR 500 UNIT/ML INSULIN) 1/2 ML 31 GAUGE X 15/64"	2	GC
BD INS SYRN UF 1 ML 12.7MMX30G NOT FOR RETAIL SALE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
BD INSULIN SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"	2	GC
BD INSULIN SYR 1 ML 25GX5/8" 1 ML 25 GAUGE X 5/8" (insulin syringe-needle u-100)	2	GC
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8"	2	GC
BD INSULIN SYR 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(Comfort EZ Insulin Syringe) 2	GC
BD INSULIN SYRINGE 1 ML W/O NEEDLE 1 ML	(insulin syringe needleless) 2	GC
BD LUER-LOK SYRINGE 1 ML 1 ML	(BD Insulin Syringe Slip Tip) 2	GC
BD NANO 2 GEN PEN NDL 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic) 2	GC
BD SAFETGLD INS 0.3 ML 13MMX29G 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
BD SAFETGLD INS 0.3 ML 8MMX31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
BD SAFETGLD INS 0.5 ML 8MMX30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"	2	GC
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	GC
BD SAFETYGLIDE NEEDLE NEEDLE 27 X 5/8 "	2	GC
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8"	2	GC
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	2	GC
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"	2	GC
BD UF MICRO PEN NEEDLE 6MMX32G 32 GAUGE X 1/4"	(pen needle, diabetic) 2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
BD UF MINI PEN NEEDLE (pen needle, diabetic) 5MMX31G 31 GAUGE X 3/16"	2	GC
BD UF NANO PEN NEEDLE (pen needle, diabetic) 4MMX32G 32 GAUGE X 5/32"	2	GC
BD UF ORIG PEN NDL (pen needle, diabetic) 12.7MMX29G 29 GAUGE X 1/2"	2	GC
BD UF SHORT PEN NEEDLE (pen needle, diabetic) 8MMX31G 31 GAUGE X 5/16"	2	GC
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	2	GC
BD VEO INS SYRING 1 ML (insulin syringe-needle 6MMX31G 1 ML 31 GAUGE X u-100) 15/64"	2	GC
BD VEO INS SYRN 0.3 ML (insulin syringe-needle 6MMX31G 0.3 ML 31 GAUGE X u-100) 15/64"	2	GC
BD VEO INS SYRN 0.5 ML (insulin syringe-needle 6MMX31G 1/2 ML 31 GAUGE X u-100) 15/64"	2	GC
BORDERED GAUZE 2"X2" 2 X 2 " (gauze bandage)	1	GC
CAREFINE PEN NEEDLE 12.7MM (pen needle, diabetic) 29G 29 GAUGE X 1/2"	2	GC
CAREFINE PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	GC
CAREFINE PEN NEEDLE 5MM (pen needle, diabetic) 32G 32 GAUGE X 3/16"	2	GC
CAREFINE PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	2	GC
CAREFINE PEN NEEDLE 8MM (pen needle, diabetic) 30G 30 GAUGE X 5/16"	2	GC
CAREFINE PEN NEEDLES 6MM (pen needle, diabetic) 32G 32 GAUGE X 1/4"	2	GC
CAREFINE PEN NEEDLES 8MM (pen needle, diabetic) 31G 31 GAUGE X 5/16"	2	GC
CAREONE SYR 0.3 ML 31GX5/16" (Advocate Syringes) SHORT, HRI 0.3 ML 31 GAUGE X 5/16"	2	GC
CARETOUCH PEN NEEDLE 29G (pen needle, diabetic) 12MM 29 GAUGE X 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16" (pen needle, diabetic)	2	GC
CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"	2	GC
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16"	2	GC
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
CLICKFINE 31G X 5/16" NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32" (pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16" (pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16" (pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4" (pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4" (pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16" (pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16" (pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"	2	GC
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"	2	GC
COMFORT TOUCH PEN NDL 31G 4MM 31 GAUGE X 5/32"	2	GC
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	GC
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	GC
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	GC
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	2	GC
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 8MM 32 GAUGE X 5/16"	2	GC
COMFORT TOUCH PEN NDL 33G (pen needle, diabetic) 6MM 33 GAUGE X 1/4"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33GX4MM 33 GAUGE X 5/32"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33GX5MM 33 GAUGE X 3/16"	2	GC
CURAD GAUZE PADS 2" X 2" 2 X 2 "	1	GC
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 "	1	GC
CURITY GAUZE PADS 1'S(12 PLY) 2 X 2 "	1	GC
DERMACEA 2"X2" GAUZE 12 PLY, USP TYPE VII 2 X 2 "	1	GC
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "	1	GC
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "	1	GC
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"	2	GC
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"	2	GC
DROPLET INS 0.3 ML (insulin syringe-needle 29GX12.5MM 0.3 ML 29 GAUGE u-100) X 1/2"	2	GC
DROPLET INS 0.3 ML (insulin syringe-needle 30GX12.5MM 0.3 ML 30 GAUGE u-100) X 1/2"	2	GC
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"	2	GC
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits	
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"	2	GC	
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"	2	GC	
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"	2	GC	
DROPLET INS SYR 0.3 ML 30GX8MM 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 0.3 ML 31GX8MM 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 1 ML 29GX12.5MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"	2	GC	
DROPLET INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"	2	GC	
DROPLET PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
DROPLET PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 30GX5/16" 30 GAUGE X 5/16"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 32GX1/4" 32 GAUGE X 1/4"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 32GX3/16" 32 GAUGE X 3/16"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 32GX5/16" 32 GAUGE X 5/16"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	GC
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	GC
DROPSAFE PEN NEEDLE (pen needle, diabetic, safety) 31GX3/16" 31 GAUGE X 3/16"	2	GC
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	GC
DRUG MART ULTRA COMFORT (insulin syringe-needle SYR 0.3 ML 29 GAUGE X 1/2", 0.3 u-100) ML 31 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	2	GC
EASY COMFORT 0.3 ML (insulin syringe-needle SYRINGE 0.3 ML 30 GAUGE X u-100) 5/16"	2	GC
EASY COMFORT 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2"	2	GC
EASY COMFORT 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"	2	GC
EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100) 2	GC
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"	2	GC
EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100) 2	GC
EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic) 2	GC
EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic) 2	GC
EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic) 2	GC
EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic) 2	GC
EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic) 2	GC
EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic) 2	GC
EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic) 2	GC
EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100) 2	GC
EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100) 2	GC
EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100) 2	GC
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic) 2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	2	GC
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"	2	GC
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	GC
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	GC
EASY TOUCH FLIPLK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"	2	GC
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"	2	GC
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"	2	GC
EASY TOUCH INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
EASY TOUCH INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100) 2	GC
EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	GC
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	GC
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	GC
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	GC
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	GC
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	GC
EASY TOUCH LUER LOK INSUL (insulin syringe 1 ML 1 ML needleless)	2	GC
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 29GX1/2" 29 GAUGE X 1/2"	2	GC
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 30GX5/16 30 GAUGE X 5/16"	2	GC
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4"	2	GC
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 31GX3/16 31 GAUGE X 3/16"	2	GC
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 31GX5/16 31 GAUGE X 5/16"	2	GC
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 32GX1/4" 32 GAUGE X 1/4"	2	GC
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 32GX3/16 32 GAUGE X 3/16"	2	GC
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 32GX5/32 32 GAUGE X 5/32"	2	GC
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"	2	GC
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"	2	GC
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"	2	GC
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 GC
EASY TOUCH SYR 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 GC
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"		2 GC
EASY TOUCH SYR 1 ML 28G 12.7MM 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 GC
EASY TOUCH SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 GC
EASY TOUCH UNI-SLIP SYR 1 ML 1 ML	(insulin syringe needleless)	2 GC
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"		2 GC
EQL INSULIN 0.3 ML SYRINGE SHORT NEEDLE 0.3 ML 30	(Ultra Comfort Insulin Syringe)	2 GC
EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE	(Lite Touch Insulin Syringe)	2 GC
EQL INSULIN 1 ML SYRINGE SHORT NEEDLE 1 ML 30 GAUGE X 7/16"	(Lite Touch Insulin Syringe)	2 GC
EXEL INSULIN SYRINGE 27G-1 ML 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 GC
FIFTY50 INS 0.5 ML 31GX5/16" SHORT NEEDLE 0.5 ML 31 GAUGE X 5/16"	(Advocate Syringes)	2 GC
FIFTY50 INS SYR 1 ML 31GX5/16" SHORT NEEDLE 1 ML 31 GAUGE X 5/16"	(Advocate Syringes)	2 GC
FIFTY50 PEN 31G X 3/16" NEEDLE (OTC) 31 GAUGE X 3/16"	(pen needle, diabetic)	2 GC
FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE	(Lite Touch Insulin Syringe)	2 GC
FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100) 2	GC
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100) 2	GC
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	(gauze bandage) 1	GC
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"	2	GC
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100) 2	GC
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100) 2	GC
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE	2	GC
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30	(insulin syringe-needle u-100) 2	GC
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100) 2	GC
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100) 2	GC
HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic) 2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTIP 12MM 29G 29 GAUGE X 1/2"	2	GC
INCONTROL PEN NEEDLE 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
INCONTROL PEN NEEDLE 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
INCONTROL PEN NEEDLE 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
INCONTROL PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
INCONTROL PEN NEEDLE 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN	3	
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN	3	
INSULIN SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (Advocate Syringes)	2	GC
INSULIN SYR 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4" (UltiCare Insulin Syr(half unit))	2	GC
INSULIN SYRIN 0.3 ML 30GX1/2" SHORT NEEDLE 0.3 ML 30 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	2	GC
INSULIN SYRIN 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
INSULIN SYRIN 0.5 ML 30GX1/2" (Comfort EZ Insulin Syringe) SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 1/2"	2	GC
INSULIN SYRIN 0.5 ML (Advocate Syringes) 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16"	2	GC
INSULIN SYRINGE 0.5 ML (Easy Touch Insulin Syringe) 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	2	GC
INSULIN SYRINGE 0.3 ML 0.3 ML (insulin syringe-needle u-100) 29 GAUGE	2	GC
INSULIN SYRINGE 0.3 ML (Sure Comfort Insulin Syringe) 31GX1/4 0.3 ML 31 GAUGE X 1/4"	2	GC
INSULIN SYRINGE 0.5 ML 1/2 ML (insulin syringe-needle u-100) 29	2	GC
INSULIN SYRINGE 0.5 ML (Sure Comfort Insulin Syringe) 31GX1/4 1/2 ML 31 GAUGE X 1/4"	2	GC
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE	2	GC
INSULIN SYRINGE 1 ML (BD Eclipse Luer-Lok) 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2"	2	GC
INSULIN SYRINGE 1 ML (Advocate Syringes) 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16"	2	GC
INSULIN SYRINGE 1 ML (Sure Comfort Insulin Syringe) 31GX1/4" 1 ML 31 GAUGE X 1/4"	2	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE (Ultilet Insulin Syringe)	2	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2" (Advocate Syringes)	2	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE (Lite Touch Insulin Syringe)	2	GC
INSUPEN 30G ULTRAFIN (pen needle, diabetic) NEEDLE 30 GAUGE X 5/16"	2	GC
INSUPEN 31G ULTRAFIN (pen needle, diabetic) NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
INSUPEN 32G 6MM PEN NEEDLE (pen needle, diabetic) 32 GAUGE X 1/4"	2	GC
INSUPEN 32G 8MM PEN NEEDLE (pen needle, diabetic) 32 GAUGE X 5/16"	2	GC
INSUPEN PEN NEEDLE (pen needle, diabetic) 29GX12MM 29 GAUGE X 1/2"	2	GC
INSUPEN PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	GC
INSUPEN PEN NEEDLE (pen needle, diabetic) 32GX4MM 32 GAUGE X 5/32"	2	GC
INSUPEN PEN NEEDLE (pen needle, diabetic) 33GX4MM 33 GAUGE X 5/32"	2	GC
LISCO SPONGES 100/BAG 2 X 2 "	1	GC
LITE TOUCH 31GX1/4" PEN (pen needle, diabetic) NEEDLE 31 GAUGE X 1/4"	2	GC
LITE TOUCH INSULIN 0.5 ML (insulin syringe-needle SYR 1/2 ML 28 GAUGE, 1/2 ML 29 u-100) , 1/2 ML 30 GAUGE	2	GC
LITE TOUCH INSULIN 1 ML SYR (insulin syringe-needle 1 ML 28 GAUGE, 1 ML 30 GAUGE u-100) X 7/16"	2	GC
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE	2	GC
LITE TOUCH INSULIN SYR 1 ML (insulin syringe-needle 1 ML 31 GAUGE X 5/16 u-100)	2	GC
LITE TOUCH PEN NEEDLE 29G (pen needle, diabetic) 29 GAUGE X 1/2"	2	GC
LITE TOUCH PEN NEEDLE 31G (pen needle, diabetic) 31 GAUGE X 3/16", 31 GAUGE X 5/16"	2	GC
LITETOUCH INS 0.3 ML 29GX1/2" (insulin syringe-needle 0.3 ML 29 GAUGE X 1/2" u-100)	2	GC
LITETOUCH INS 0.3 ML (insulin syringe-needle 30GX5/16" 0.3 ML 30 GAUGE X u-100) 5/16"	2	GC
LITETOUCH INS 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
LITETOUCH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"	2	GC
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"	2	GC
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 X 1/2"	2	GC
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"	2	GC
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"	2	GC
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic) 2	GC
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"	2	GC
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"	2	GC
MICRODOT PEN NEEDLE (pen needle, diabetic) 31GX6MM 31 GAUGE X 1/4"	2	GC
MICRODOT PEN NEEDLE (pen needle, diabetic) 32GX4MM 32 GAUGE X 5/32"	2	GC
MICRODOT PEN NEEDLE (pen needle, diabetic) 33GX4MM 33 GAUGE X 5/32"	2	GC
MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (1st Tier Unifine Pentips)	2	GC
MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16" (CareFine Pen Needle)	2	GC
MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4" (BD Ultra-Fine Micro Pen Needle)	2	GC
MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16" (Comfort EZ Pen Needles)	2	GC
MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32" (Advocate Pen Needle)	2	GC
MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16" (Comfort EZ Pen Needles)	2	GC
MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4" (Comfort EZ Pen Needles)	2	GC
MINI ULTRA-THIN II PEN NDL (pen needle, diabetic) 31G STERILE 31 GAUGE X 3/16"	2	GC
MONOJECT 0.5 ML SYRN (insulin syringe-needle u-100) 28GX1/2" 1/2 ML 28 GAUGE	2	GC
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MONOJECT 1 ML SYRN 28GX1/2" (insulin syringe-needle u-100) (OTC) 1 ML 28 GAUGE X 1/2"	2	GC
MONOJECT INSUL SYR U100 (insulin syringe-needle u-100) (OTC) 0.3 ML 29 GAUGE X 1/2"	2	GC
MONOJECT INSUL SYR U100 (insulin syringe-needle u-100) .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8" (insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC) 1 ML (insulin syringes (disposable))	2	GC
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2"	2	GC
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
NOVOFINE 30 NEEDLE	2	GC
NOVOFINE 32G NEEDLES 32 GAUGE X 1/4" (pen needle, diabetic)	2	GC
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"	2	GC
NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5"	2	GC
OMNIPOD 5 G6 INTRO KIT (GEN 5) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
OMNIPOD 5 G6 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE	3	
OMNIPOD CLASSIC PDM KIT(GEN 3)	3	QL (1 per 365 days)
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE	3	
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD DASH PDM KIT (GEN 4)	3	QL (1 per 365 days)
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	3	
PC UNIFINE PENTIPS 8MM NEEDLE SHORT 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16" (pen needle, diabetic)	2	GC
PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16" (AboutTime Pen Needle)	2	GC
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2" (1st Tier Unifine Pentips Plus)	2	GC
PEN NEEDLES 12MM 29G 29GX12MM,STRL 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
PEN NEEDLES 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
PEN NEEDLES 6MM 31G 31GX6MM, STRL 31 GAUGE X 1/4" (1st Tier Unifine Pentips)	2	GC
PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
PENTIPS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
PENTIPS PEN NEEDLE 32GX5/32" (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
PENTIPS PEN NEEDLE 6MM 31G (pen needle, diabetic) 31 GAUGE X 1/4"	2	GC
PIP PEN NEEDLE 31G X 5MM 31 (pen needle, diabetic) GAUGE X 3/16"	2	GC
PIP PEN NEEDLE 32G X 4MM 32 (pen needle, diabetic) GAUGE X 5/32"	2	GC
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	GC
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	GC
PRO COMFORT 0.5 ML 30GX1/2" (insulin syringe-needle 0.5 ML 30 GAUGE X 1/2" u-100)	2	GC
PRO COMFORT 0.5 ML 30GX5/16" (insulin syringe-needle 0.5 ML 30 GAUGE X 5/16" u-100)	2	GC
PRO COMFORT 0.5 ML 31GX5/16" (insulin syringe-needle 0.5 ML 31 GAUGE X 5/16" u-100)	2	GC
PRO COMFORT 1 ML 30GX1/2" 1 (insulin syringe-needle ML 30 GAUGE X 1/2" u-100)	2	GC
PRO COMFORT 1 ML 30GX5/16" 1 (insulin syringe-needle ML 30 GAUGE X 5/16" u-100)	2	GC
PRO COMFORT 1 ML 31GX5/16" 1 (insulin syringe-needle ML 31 GAUGE X 5/16" u-100)	2	GC
PRO COMFORT PEN NDL (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	GC
PRO COMFORT PEN NDL 32G X (pen needle, diabetic) 1/4" 32 GAUGE X 1/4"	2	GC
PRO COMFORT PEN NDL 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	GC
PRO COMFORT PEN NDL 5MM (pen needle, diabetic) 32G 32 GAUGE X 3/16"	2	GC
PRODIGY INS SYR 1 ML (insulin syringe-needle 28GX1/2" 1 ML 28 GAUGE X 1/2" u-100)	2	GC
PRODIGY SYRNG 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16" (pen needle, diabetic)	2	GC
PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	2	GC
PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16" (pen needle, diabetic)	2	GC
RELI ON 31G X 1/4" NEEDLES 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (BD Veo Insulin Syringe UF)	2	GC
RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64" (BD Veo Insulin Syringe UF)	2	GC
RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64" (BD Veo Insulin Syringe UF)	2	GC
RELI-ON INSULIN 0.5 ML SYR 1/2 ML 29 (Lite Touch Insulin Syringe)	2	GC
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"	2	GC
RELION MINI PEN 31G X 1/4" NDL 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
RELION PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"	2	GC
RELION PEN NEEDLES 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"	2	GC
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"	2	GC
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"	2	GC
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"	2	GC
SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	2	GC
SAFETY PEN NEEDLE 5MM X (pen needle, diabetic, 31G 31 GAUGE X 3/16" safety)	2	GC
SECURES SAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"	2	GC
SM STERILE PADS 2" X 2" 2"X2", (gauze bandage) STERILE 2 X 2 "	1	GC
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"	2	GC
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	GC
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	GC
NEEDLES, INSULIN DISP., (insulin syringe-needle SAFETY u-100)	2	GC
SURE COMFORT 0.5 ML (insulin syringe-needle SYRINGE 0.5 ML 30 GAUGE X u-100) 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	2	GC
SURE COMFORT 1 ML SYRINGE (insulin syringe-needle 1 ML 28 GAUGE X 1/2", 1 ML 29 u-100) GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic) 2	GC
SURE COMFORT 31G PEN NEEDLE 31 GAUGE X 5/16"	(pen needle, diabetic) 2	GC
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100) 2	GC
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100) 2	GC
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100) 2	GC
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic) 2	GC
SURE COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic) 2	GC
SURE COMFORT PEN NDL 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic) 2	GC
SURE COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic) 2	GC
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic) 2	GC
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16"	(pen needle, diabetic) 2	GC
SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16"	(pen needle, diabetic) 2	GC
SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SURE-JECT INSU SYR U100 1 ML (insulin syringe-needle 1 ML 28 GAUGE X 1/2" u-100)	2	GC
SURE-JECT INSUL SYR U100 1 (insulin syringe-needle ML 1 ML 29 GAUGE X 1/2", 1 ML u-100) 30 GAUGE X 5/16	2	GC
SURE-JECT INSULIN SYRINGE 1 (insulin syringe-needle ML 1 ML 31 GAUGE X 5/16 u-100)	2	GC
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"	2	GC
TECHLITE 0.3 ML 30GX12MM (1/2) 0.3 ML 30 GAUGE X 1/2"	2	GC
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"	2	GC
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"	2	GC
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"	2	GC
TECHLITE 0.5 ML 29GX12MM (1/2) 0.5 ML 29 GAUGE X 1/2"	2	GC
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"	2	GC
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"	2	GC
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"	2	GC
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"	2	GC
TECHLITE INS SYR 1 ML (insulin syringe-needle 29GX12MM 1 ML 29 GAUGE X u-100) 1/2"	2	GC
TECHLITE INS SYR 1 ML (insulin syringe-needle 30GX12MM 1 ML 30 GAUGE X u-100) 1/2"	2	GC
TECHLITE INS SYR 1 ML (insulin syringe-needle 30GX8MM 1 ML 30 GAUGE X u-100) 5/16	2	GC
TECHLITE INS SYR 1 ML (insulin syringe-needle 31GX6MM 1 ML 31 GAUGE X u-100) 15/64"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"		2	GC
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
TERUMO INS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(Advocate Syringes)	2	GC
TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8"	(Thinpro Insulin Syringe)	2	GC
TERUMO INS SYRINGE U100-1/2 ML 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	GC
TERUMO INS SYRINGE U100-1/3 ML 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	GC
TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"	2	GC
THINPRO INS SYRIN U100-0.5 (insulin syringe-needle ML 0.5 ML 29 GAUGE X 1/2", 1/2 u-100) ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	2	GC
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"	2	GC
THINPRO INS SYRIN U100-1 ML (insulin syringe-needle 1 ML 28 GAUGE X 1/2", 1 ML 29 u-100) GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"	2	GC
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"	2	GC
TOPCARE CLICKFINE 31G X 1/4" (pen needle, diabetic) 31 GAUGE X 1/4"	2	GC
TOPCARE CLICKFINE 31G X (pen needle, diabetic) 5/16" 31 GAUGE X 5/16"	2	GC
TOPCARE ULTRA COMFORT (insulin syringe-needle SYRINGE 0.3 ML 29 GAUGE X u-100) 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	2	GC
TRUE CMFRT PRO 0.5 ML 30G (insulin syringe-needle 5/16" 0.5 ML 30 GAUGE X 5/16" u-100)	2	GC
TRUE CMFRT PRO 0.5 ML 31G (insulin syringe-needle 5/16" 0.5 ML 31 GAUGE X 5/16" u-100)	2	GC
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"	2	GC
TRUE COMFORT 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	GC
TRUE COMFORT 1 ML 31GX5/16" (insulin syringe-needle 1 ML 31 GAUGE X 5/16 u-100)	2	GC
TRUE COMFORT PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16" (pen needle, diabetic)	2	GC
TRUE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	2	GC
TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
TRUE COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)	2	GC
TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16" (pen needle, diabetic)	2	GC
TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4" (pen needle, diabetic)	2	GC
TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"	2	GC
TRUE COMFORT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
TRUEPLUS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
TRUEPLUS PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
TRUEPLUS PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100) 2	GC
TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100) 2	GC
ULT CFT 0.3 ML 30GX5/16" (1/2) 1/2 UNIT 0.3 ML 30 GAUGE X 5/16"	2	GC
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(insulin syr/ndl u100 half mark) 2	GC
ULTICARE INS 0.3 ML 31GX1/4" 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100) 2	GC
ULTICARE INS 0.5 ML 31GX1/4" 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100) 2	GC
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100) 2	GC
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic) 2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ULTICARE PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	2	GC
ULTICARE PEN NEEDLE 8MM (pen needle, diabetic) 31G 31 GAUGE X 5/16"	2	GC
ULTICARE PEN NEEDLES 12MM (pen needle, diabetic) 29G 29 GAUGE X 1/2"	2	GC
ULTICARE PEN NEEDLES 4MM (pen needle, diabetic) 32G MICRO, 32GX4MM 32 GAUGE X 5/32"	2	GC
ULTICARE PEN NEEDLES 6MM (pen needle, diabetic) 32G 32 GAUGE X 1/4"	2	GC
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"	2	GC
ULTICARE SAFE PEN NDL 8MM 30G 30 GAUGE X 5/16"	2	GC
ULTICARE SAFETY 0.5 ML (Advocate Syringes) 29GX1/2 (RX) 0.5 ML 29 GAUGE X 1/2"	2	GC
ULTICARE SYR 0.3 ML 30GX1/2" (insulin syringe-needle 0.3 ML 30 GAUGE X 1/2" u-100)	2	GC
ULTICARE SYR 0.3 ML (insulin syringe-needle 31GX5/16" SHORT NDL 0.3 ML 31 u-100) GAUGE X 5/16"	2	GC
ULTICARE SYR 0.5 ML 30GX1/2" (insulin syringe-needle 0.5 ML 30 GAUGE X 1/2" u-100)	2	GC
ULTICARE SYR 0.5 ML (insulin syringe-needle 31GX5/16" SHORT NDL 0.5 ML 31 u-100) GAUGE X 5/16"	2	GC
ULTICARE SYR 1 ML 31GX5/16" (insulin syringe-needle 1 ML 31 GAUGE X 5/16 u-100)	2	GC
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"	2	GC
ULTIGUARD SAFE PACK 29G 12.7MM 29 GAUGE X 1/2"	2	GC
ULTIGUARD SAFE PACK 32G 4MM 32 GAUGE X 5/32"	2	GC
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"	2	GC
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"	2	GC
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"	2	GC
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"	2	GC
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"	2	GC
ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"	2	GC
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"	2	GC
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"	2	GC
ULTILET INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
ULTILET INSULIN SYRINGE 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100) 2	GC
ULTILET PEN NEEDLE 29 GAUGE	2	GC
ULTILET PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic) 2	GC
ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE	(insulin syringe-needle u-100) 2	GC
ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100) 2	GC
ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"	2	GC
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"	2	GC
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"	2	GC
ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic) 2	GC
ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic) 2	GC
ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic) 2	GC
ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic) 2	GC
ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic) 2	GC
ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic) 2	GC
ULTRACARE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ULTRACARE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100) 2	GC
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100) 2	GC
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic) 2	GC
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic) 2	GC
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic) 2	GC
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic) 2	GC
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic) 2	GC
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic) 2	GC
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic) 2	GC
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100) 2	GC
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 GC
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 GC
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 GC
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 GC
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 GC
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2 GC
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	2 GC
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2 GC
UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	2 GC
UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2 GC
UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2 GC
UNIFINE PENTIPS 32GX5/32" 32GX4MM, STRL, NANO 32 GAUGE X 5/32"	(pen needle, diabetic)	2 GC
UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2 GC
UNIFINE PENTIPS 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2 GC
UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16"		2 GC
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE		2 GC
UNIFINE PENTIPS PLUS 29GX1/2" 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2 GC
UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16"		2 GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4"	2	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX3/16" MINI 31 GAUGE X 3/16"	2	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX5/16" SHORT 31 GAUGE X 5/16"	2	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 33GX5/32" 33 GAUGE X 5/32"	2	GC
UNIFINE SAFECONTROL 30GX3/16" 30 GAUGE X 3/16"	2	GC
UNIFINE SAFECONTROL 30GX5/16" 30 GAUGE X 5/16"	2	GC
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"	2	GC
UNIFINE ULTRA PEN NDL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	GC
UNIFINE ULTRA PEN NDL 31G (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	GC
UNIFINE ULTRA PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	GC
UNIFINE ULTRA PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
VANISHPOINT 0.5 ML 30GX1/2" (insulin syringe-needle SY OUTER 0.5 ML 30 GAUGE X u-100) 1/2"	2	GC
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"	2	GC
VANISHPOINT U-100 29X1/2 SYR (insulin syringe-needle 1 ML 29 GAUGE X 1/2" u-100)	2	GC
VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	GC
VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
VERIFINE PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
VERIFINE PEN NEEDLE 32G X 5MM 32 GAUGE X 3/16" (pen needle, diabetic)	2	GC
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "	1	GC
V-GO 20 DEVICE	3	
V-GO 30 DEVICE	3	
V-GO 40 DEVICE	3	
Enzyme Replacement/Modifiers		
Enzyme Replacement/Modifiers		
CERDELGA ORAL CAPSULE 84 MG	5	PA; NM; NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NM; NDS; QL (14 per 28 days)
<i>miglustat oral capsule 100 mg</i> (Zavesca)	5	PA; NM; NDS; QL (90 per 30 days)
<i>nitisinone oral capsule 10 mg, 2 mg, 5 mg</i> (Orfadin)	5	PA; NM; NDS
ORFADIN ORAL CAPSULE 20 MG	5	PA; NM; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NM; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NM; NDS
<i>sapropterin oral tablet,soluble 100 mg</i> (Kuvan)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000- 126,000- 168,000 UNIT, 5,000- 17,000- 24,000 UNIT	3	
Eye, Ear, Nose, Throat Agents		
Eye, Ear, Nose, Throat Agents, Miscellaneous		
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	2	GC
<i>atropine ophthalmic (eye) drops 1 % (Isopto Atropine)</i>	4	
<i>azelastine nasal aerosol,spray 137 mcg (0.1 %)</i>	2	GC; QL (30 per 25 days)
<i>azelastine nasal spray,non-aerosol (Astepro Allergy) 205.5 mcg (0.15 %)</i>	2	GC; QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	2	GC
<i>cromolyn ophthalmic (eye) drops 4 %</i>	2	GC
<i>cyclopentolate ophthalmic (eye) (Cyclogyl) drops 0.5 %, 1 %, 2 %</i>	2	GC
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	5	PA; NM; NDS; QL (60 per 28 days)
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	2	GC
<i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>	2	GC; QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	2	GC; QL (15 per 10 days)
<i>levofloxacin ophthalmic (eye) drops 1.5 %</i>	2	GC
<i>olopatadine ophthalmic (eye) drops (Eye Allergy Itch- 0.1 % Redness Rlf)</i>	2	GC
<i>olopatadine ophthalmic (eye) drops (Eye Allergy Itch Relief) 0.2 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>proparacaine ophthalmic (eye) drops</i> (Alcaine) 0.5 %	2	GC
Eye, Ear, Nose, Throat Anti-Infectives Agents		
<i>acetic acid otic (ear) solution</i> 2 %	2	GC
<i>bacitracin ophthalmic (eye) ointment</i> 500 unit/gram	2	GC
<i>bacitracin-polymyxin b ophthalmic (eye) ointment</i> 500-10,000 unit/gram (Polycin)	2	GC
<i>bleph-10 ophthalmic (eye) drops</i> 10 % (sulfacetamide sodium)	2	GC
<i>ciprofloxacin hcl ophthalmic (eye) drops</i> 0.3 % (Ciloxan)	2	GC
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension</i> 0.3-0.1 % (Ciprodex)	2	GC; QL (7.5 per 7 days)
<i>erythromycin ophthalmic (eye) ointment</i> 5 mg/gram (0.5 %)	2	GC; QL (3.5 per 4 days)
<i>gatifloxacin ophthalmic (eye) drops</i> 0.5 % (Zymaxid)	2	GC
<i>gentak ophthalmic (eye) ointment</i> 0.3 % (3 mg/gram) (gentamicin)	2	GC
<i>gentamicin ophthalmic (eye) drops</i> 0.3 %	2	GC
<i>hydrocortisone-acetic acid otic (ear) drops</i> 1-2 %	2	GC
<i>levofloxacin ophthalmic (eye) drops</i> 0.5 %	2	GC
<i>moxifloxacin ophthalmic (eye) drops</i> 0.5 % (Vigamox)	2	GC
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	4	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment</i> 3.5-400-10,000 mg-unit/g-1% (Neo-Polycin HC)	2	GC
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment</i> 3.5-400-10,000 mg-unit-unit/g (Neo-Polycin)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol)	2	GC
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> (Maxitrol)	2	GC
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	2	GC
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	2	GC
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	GC
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	GC
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (neomycin-bacitracin-poly-hc)	2	GC
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (neomycin-bacitracin-polymyxin)	2	GC
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i> (Ocuflox)	2	GC
<i>ofloxacin otic (ear) drops 0.3 %</i>	2	GC
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i> (bacitracin-polymyxin b)	2	GC
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i> (Polytrim)	1	GC
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>	2	GC
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	2	GC
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>tobramycin ophthalmic (eye) drops</i> (Tobrex) 0.3 %	2	GC
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension</i> (TobraDex) 0.3-0.1 %	2	GC
<i>trifluridine ophthalmic (eye) drops</i> 1 %	2	GC
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	
Eye, Ear, Nose, Throat Anti-Inflammatory Agents		
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	3	ST; QL (10 per 25 days)
BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %	3	
<i>dexamethasone sodium phosphate ophthalmic (eye) drops</i> 0.1 %	2	GC
<i>diclofenac sodium ophthalmic (eye) drops</i> 0.1 %	2	GC
<i>difluprednate ophthalmic (eye) drops</i> (Durezol) 0.05 %	2	GC
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	3	QL (8.3 per 14 days)
<i>flunisolide nasal spray,non-aerosol</i> 25 mcg (0.025 %)	2	GC; QL (50 per 25 days)
<i>fluocinolone acetonide oil otic (ear) drops</i> 0.01 % (DermOtic Oil)	2	GC
<i>fluorometholone ophthalmic (eye) drops,suspension</i> 0.1 % (FML Liquifilm)	4	
<i>flurbiprofen sodium ophthalmic (eye) drops</i> 0.03 %	2	GC
<i>fluticasone propionate nasal spray,suspension</i> 50 mcg/actuation (24 Hour Allergy Relief)	1	GC; QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	QL (5.6 per 14 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)	2	GC; QL (10 per 25 days)
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	3	QL (3.5 per 14 days)
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	3	QL (5 per 16 days)
<i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i> (Lotemax)	2	GC; QL (10 per 13 days)
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i>	2	GC; QL (34 per 30 days)
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Pred Forte)	4	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	2	GC
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %	3	
RESTASIS MULTIDOSE OPHTHALMIC (EYE) DROPS 0.05 %	3	QL (5.5 per 28 days)
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 % (cyclosporine)	2	GC; QL (60 per 30 days)
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION	3	ST; QL (32 per 30 days)
Gastrointestinal Agents		
Antiulcer Agents And Acid Suppressants		
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	2	GC
<i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg</i> (Nexium)	2	GC; QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg</i> (Nexium)	2	GC; QL (60 per 30 days)
<i>esomeprazole sodium intravenous recon soln 20 mg</i>	2	GC
<i>esomeprazole sodium intravenous recon soln 40 mg</i> (Nexium IV)	2	GC
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	2	GC
<i>famotidine intravenous solution 10 mg/ml</i>	2	GC
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	GC
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	GC
<i>lansoprazole oral capsule, delayed release(dr/ec) 15 mg</i> (Prevacid 24Hr)	1	GC; QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release(dr/ec) 30 mg</i> (Prevacid)	1	GC; QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	2	GC
<i>nizatidine oral capsule 150 mg, 300 mg</i>	2	GC
<i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i>	1	GC
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i> (Zegerid)	2	ST; GC; QL (30 per 30 days)
<i>pantoprazole intravenous recon soln 40 mg</i> (Protonix)	2	GC
<i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg</i> (Protonix)	1	GC; QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (dr/ec) 40 mg</i> (Protonix)	1	GC; QL (60 per 30 days)
<i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg</i> (AcipHex)	2	GC; QL (30 per 30 days)
<i>sucralfate oral tablet 1 gram</i> (Carafate)	2	GC
Gastrointestinal Agents, Other		
<i>carglumic acid oral tablet, dispersible 200 mg</i> (Carbaglu)	5	PA; NM; NDS
<i>constulose oral solution 10 gram/15 ml</i> (lactulose)	2	GC
<i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)	2	GC
<i>dicyclomine oral capsule 10 mg</i>	2	GC
<i>dicyclomine oral solution 10 mg/5 ml</i>	2	GC
<i>dicyclomine oral tablet 20 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>diphenoxylate-atropine oral tablet</i> (Lomotil) 2.5-0.025 mg	2	PA-HRM; GC; AGE (Max 64 Years)
<i>enulose oral solution 10 gram/15 ml</i> (lactulose)	2	GC
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	5	PA; NM; NDS
<i>generlac oral solution 10 gram/15 ml</i> (lactulose)	2	GC
<i>glycopyrrolate oral tablet 1 mg</i> (Robinul)	2	GC
<i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte)	2	GC
<i>lactulose oral solution 10 gram/15 ml</i> (Constulose)	2	GC
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM	3	QL (34 per 30 days)
LOKELMA ORAL POWDER IN PACKET 5 GRAM	3	QL (30 per 30 days)
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))	2	GC
<i>lubiprostone oral capsule 24 mcg, 8 mcg</i> (Amitiza)	3	QL (60 per 30 days)
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	2	GC
<i>metoclopramide hcl injection solution 5 mg/ml</i>	2	GC
<i>metoclopramide hcl injection syringe 5 mg/ml</i>	2	GC
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	2	GC
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	GC
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NM; NDS
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>sodium polystyrene sulfonate oral powder</i>	2	GC
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	GC
<i>ursodiol oral capsule 300 mg</i>	2	GC
<i>ursodiol oral tablet 250 mg</i> (URSO 250)	2	GC
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	2	GC
XERMELO ORAL TABLET 250 MG	5	PA; NM; NDS; QL (84 per 28 days)
Laxatives		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	3	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>	2	GC
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i> (peg 3350-electrolytes)	2	GC
<i>gavilyte-n oral recon soln 420 gram</i> (peg-electrolyte soln)	2	GC
<i>peg-electrolyte soln oral recon soln 420 gram</i> (GaviLyte-N)	2	GC
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram</i> (Suprep Bowel Prep Kit)	3	
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM (sodium,potassium,mag sulfates)	3	
SUTAB ORAL TABLET 1.479-0.188- 0.225 GRAM	3	
Phosphate Binders		
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i>	2	GC
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i>	2	GC
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	4	
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	5	NM; NDS
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	2	GC
<i>sevelamer hcl oral tablet 400 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
VELPHORO ORAL TABLET,CHEWABLE 500 MG	3	
Genitourinary Agents		
Antispasmodics, Urinary		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	2	GC
<i>fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg</i> (Toviaz)	2	GC
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	3	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	2	GC
<i>oxybutynin chloride oral tablet 5 mg</i>	2	GC
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 5 mg</i> (Ditropan XL)	2	GC
<i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i>	2	GC
<i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i> (Detrol LA)	2	GC
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)	2	GC
<i>trospium oral tablet 20 mg</i>	2	GC
Genitourinary Agents, Miscellaneous		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	GC; QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	2	GC
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	GC
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	GC
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	GC
<i>tiopronin oral tablet 100 mg</i> (Thiola)	5	NM; NDS
Heavy Metal Antagonists		
Heavy Metal Antagonists		
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)	5	PA; NM; NDS
<i>deferasirox oral tablet 180 mg, 360 mg</i> (Jadenu)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>deferasirox oral tablet 90 mg</i>	(Jadenu)	2	PA; GC
<i>deferasirox oral tablet, dispersible 125 mg, 250 mg, 500 mg</i>	(Exjade)	5	PA; NM; NDS
<i>deferiprone oral tablet 1,000 mg</i>	(Ferriprox (2 times a day))	5	PA; NM; NDS
<i>deferiprone oral tablet 500 mg</i>	(Ferriprox)	5	PA; NM; NDS
FERRIPROX (2 TIMES A DAY) ORAL TABLET 1,000 MG	(deferiprone)	5	PA; NM; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML		5	PA; NM; NDS
<i>penicillamine oral tablet 250 mg</i>	(Depen Titratabs)	5	PA; NM; NDS
<i>trientine oral capsule 250 mg</i>	(Syprine)	5	PA; NM; NDS; QL (240 per 30 days)
Hormonal Agents, Stimulant/Replacement/Modifying			
Androgens			
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>		2	GC
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i>	(Oxandrin)	2	GC
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i>	(Depo-Testosterone)	2	PA; GC
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>		2	PA; GC
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>		2	PA; GC; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i>	(Vogelxo)	2	PA; GC; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i>	(AndroGel)	2	PA; GC; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i>	(AndroGel)	2	PA; GC; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)</i>		2	PA; GC; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML	3	PA; QL (2 per 28 days)
Estrogens And Antiestrogens		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i> (estradiol-norethindrone acet)	2	PA-HRM; GC; AGE (Max 64 Years)
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (estradiol)	2	PA-HRM; GC; QL (8 per 28 days); AGE (Max 64 Years)
DUAVEE ORAL TABLET 0.45-20 MG	3	PA-HRM; AGE (Max 64 Years)
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace)	1	PA-HRM; GC; AGE (Max 64 Years)
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Dotti)	2	PA-HRM; GC; QL (8 per 28 days); AGE (Max 64 Years)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara)	2	PA-HRM; GC; QL (4 per 28 days); AGE (Max 64 Years)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace)	2	GC
<i>estradiol vaginal tablet 10 mcg</i> (Yuvafem)	2	GC; QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i> (Delestrogen)	2	GC
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i> (Amabelz)	2	PA-HRM; GC; AGE (Max 64 Years)
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	4	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (norethindrone ac-eth estradiol)	2	PA-HRM; GC; AGE (Max 64 Years)
<i>jinteli oral tablet 1-5 mg-mcg</i> (norethindrone ac-eth estradiol)	2	PA-HRM; GC; AGE (Max 64 Years)
<i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (estradiol)	2	PA-HRM; GC; QL (8 per 28 days); AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>mimvey oral tablet 1-0.5 mg</i> (estradiol-norethindrone acet)	2	PA-HRM; GC; AGE (Max 64 Years)
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (Fyavolv)	2	PA-HRM; GC; AGE (Max 64 Years)
PREMARIN INJECTION RECON SOLN 25 MG	3	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG	3	PA-HRM; AGE (Max 64 Years)
PREMARIN ORAL TABLET 0.625 MG, 1.25 MG (conjugated estrogens)	3	PA-HRM; AGE (Max 64 Years)
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	PA-HRM; AGE (Max 64 Years)
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	PA-HRM; AGE (Max 64 Years)
<i>raloxifene oral tablet 60 mg</i> (Evista)	2	GC
<i>yuvafem vaginal tablet 10 mcg</i> (estradiol)	2	GC; QL (18 per 28 days)
Glucocorticoids/Mineralocorticoids		
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i> (Celestone Soluspan)	2	GC
<i>dexamethasone oral solution 0.5 mg/5 ml</i>	2	GC
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg</i> (Decadron)	2	GC
<i>dexamethasone oral tablet 1 mg, 1.5 mg, 2 mg</i>	2	GC
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	GC
<i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	2	GC
<i>fludrocortisone oral tablet 0.1 mg</i>	2	GC
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i> (Depo-Medrol)	2	GC
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Medrol)	2	GC
<i>methylprednisolone oral tablets, dose pack 4 mg</i> (Medrol (Pak))	2	GC
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	GC
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i> (Solu-Medrol)	2	GC
<i>prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD; GC
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD; GC
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	2	PA BvD; GC
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred)	2	PA BvD; GC
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD; GC
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD; GC
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	GC
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 100 MG/2 ML	4	
<i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)	2	GC
Pituitary		
ACTHAR INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
CORTROPHIN GEL INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
<i>desmopressin injection solution 4 mcg/ml</i> (DDAVP)	2	GC
<i>desmopressin nasal spray with pump 10 mcg/spray (0.1 ml)</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	2	GC
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	NM; NDS
<i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot)	5	PA NSO; NM; NDS; QL (0.5 per 28 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	PA NSO; NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	5	PA NSO; NM; NDS
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NM; NDS
<i>octreotide acetate injection solution 1,000 mcg/ml, 200 mcg/ml</i>	2	GC
<i>octreotide acetate injection solution 100 mcg/ml, 50 mcg/ml</i> (Sandostatin)	2	GC
<i>octreotide acetate injection solution 500 mcg/ml</i> (Sandostatin)	5	NM; NDS
<i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)</i>	2	GC
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NM; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NM; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SOMATULINE DEPOT (lanreotide) SUBCUTANEOUS SYRINGE 120 MG/0.5 ML	5	PA NSO; NM; NDS; QL (0.5 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	5	PA NSO; NM; NDS; QL (0.2 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	5	PA NSO; NM; NDS; QL (0.3 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS
SYNAREL NASAL SPRAY, NON- AEROSOL 2 MG/ML	5	PA; NM; NDS
Progestins		
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)	2	GC; QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)	2	GC; QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	GC
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	2	PA-HRM; GC; AGE (Max 64 Years)
<i>norethindrone acetate oral tablet 5 mg</i> (Aygestin)	2	GC
<i>progesterone intramuscular oil 50 mg/ml</i>	2	GC
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	2	GC
Thyroid And Antithyroid Agents		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	1	GC
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	GC
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	2	GC
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	GC
<i>propylthiouracil oral tablet 50 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Immunological Agents		
Immunological Agents		
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NM; NDS
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NM; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NM; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	NM; NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	2	PA BvD; GC
<i>azathioprine sodium injection recon soln 100 mg</i>	2	PA BvD; GC
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; NM; NDS
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; NM; NDS
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NM; NDS
<i>cyclosporine intravenous solution</i> (Sandimmune) <i>250 mg/5 ml</i>	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>cyclosporine modified oral capsule</i> (Gengraf) 100 mg, 25 mg	2	PA BvD; GC
<i>cyclosporine modified oral capsule</i> 50 mg	2	PA BvD; GC
<i>cyclosporine modified oral solution</i> (Gengraf) 100 mg/ml	2	PA BvD; GC
<i>cyclosporine oral capsule</i> 100 mg, 25 mg (Sandimmune)	2	PA BvD; GC
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NM; NDS
<i>everolimus (immunosuppressive) oral</i> (Zortress) <i>tablet</i> 0.25 mg, 0.5 mg, 0.75 mg, 1 mg	5	PA BvD; NM; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
GAMIFANT INTRAVENOUS SOLUTION 5 MG/ML	5	PA; NM; NDS
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; NM; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; NM; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NM; NDS
<i>gengraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified)	2	PA BvD; GC
<i>gengraf oral solution 100 mg/ml</i> (cyclosporine modified)	2	PA BvD; GC
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN PSOR-UVEITS- ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA(CF) PEN CROHNS-UC- HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEN PSOR-UV- ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NM; NDS
<i>infliximab intravenous recon soln</i> (Remicade) <i>100 mg</i>	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NM; NDS
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NM; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	2	GC
<i>mycophenolate mofetil (hcl)</i> (CellCept Intravenous) <i>intravenous recon soln 500 mg</i>	2	PA BvD; GC
<i>mycophenolate mofetil oral capsule</i> (CellCept) <i>250 mg</i>	2	PA BvD; GC
<i>mycophenolate mofetil oral</i> (CellCept) <i>suspension for reconstitution 200</i> <i>mg/ml</i>	5	PA BvD; NM; NDS
<i>mycophenolate mofetil oral tablet</i> (CellCept) <i>500 mg</i>	2	PA BvD; GC
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NM; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
OLUMIANT ORAL TABLET 1 MG, 2 MG, 4 MG	5	PA; NM; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; NM; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO- INJECTOR 125 MG/ML	5	PA; NM; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NM; NDS
OTEZLA ORAL TABLET 30 MG	5	PA; NM; NDS
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)- 20 MG (4)-30 MG (47), 10 MG (4)- 20 MG (4)-30 MG(19)	5	PA; NM; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA BvD; NM; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD; ST
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	
REZUROCK ORAL TABLET 200 MG	5	PA NSO; NM; NDS
RIDAURA ORAL CAPSULE 3 MG	5	NM; NDS
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	5	PA BvD; NM; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg</i> (Rapamune)	2	PA BvD; GC
<i>sirolimus oral tablet 2 mg</i> (Rapamune)	5	PA BvD; NM; NDS
SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 360 MG/2.4 ML (150 MG/ML)	5	PA; NM; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	2	PA BvD; GC
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML	5	PA; NM; NDS
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	5	PA; NM; NDS
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; NM; LA; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NM; NDS
Vaccines		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5- 8-5 LF-MCG-LF/0.5ML	3	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	3	
DENG VAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	3	QL (3 per 365 days)
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	3	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25- 58-10 LF-MCG-LF/0.5ML	3	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	3	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF- 48MCG-62DU -10 MCG/0.5ML	3	
PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	3	PA BvD
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4-4.2- 3.3CCID50/0.5ML	3	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	3	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML, 15 LF-48 MCG- 5 LF UNIT/0.5ML (58 UNT/ML)	3	
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	3	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	3	QL (2 per 365 days)
TDVAX INTRAMUSCULAR (tetanus-diphtheria SUSPENSION 2-2 LF UNIT/0.5 ML toxoids-td)	3	
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	3	
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML, 2.4 MCG/0.5 ML	3	QL (1.5 per 365 days)
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	
TYPHIM VI INTRAMUSCULAR (typhoid vi polysacch SYRINGE 25 MCG/0.5 ML vaccine)	3	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	3	
Inflammatory Bowel Disease Agents		
Inflammatory Bowel Disease Agents		
<i>alosetron oral tablet 0.5 mg</i> (Lotronex)	2	GC
<i>alosetron oral tablet 1 mg</i> (Lotronex)	5	NM; NDS
<i>balsalazide oral capsule 750 mg</i> (Colazal)	2	GC
<i>budesonide oral capsule, delayed, extend. release 3 mg</i>	4	
DIPENTUM ORAL CAPSULE 250 MG	5	ST; NM; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	2	GC
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicol)	2	GC
<i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> (Apriso)	2	GC
<i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram</i> (Lialda)	2	GC; QL (120 per 30 days)
<i>mesalamine oral tablet, delayed release (dr/ec) 800 mg</i> (Asacol HD)	2	GC
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	2	GC
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	2	GC
<i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i> (Azulfidine EN-tabs)	4	
UCERIS RECTAL FOAM 2 MG/ACTUATION	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Metabolic Bone Disease Agents		
Metabolic Bone Disease Agents		
<i>alendronate oral solution 70 mg/75 ml</i>	2	GC; QL (300 per 28 days)
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	GC; QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	GC; QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>	2	GC; QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	GC
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	2	GC
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	2	GC
<i>cinacalcet oral tablet 30 mg</i> (Sensipar)	2	GC; QL (60 per 30 days)
<i>cinacalcet oral tablet 60 mg</i> (Sensipar)	5	NM; NDS; QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	5	NM; NDS; QL (120 per 30 days)
<i>ibandronate intravenous solution 3 mg/3 ml</i>	2	GC; QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i>	2	GC; QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i> (Boniva)	2	GC; QL (1 per 28 days)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NM; NDS; QL (2 per 28 days)
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemlar)	2	GC
<i>paricalcitol oral capsule 4 mcg</i>	2	GC
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i> (Actonel)	2	GC; QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i>	2	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>risedronate oral tablet 35 mg</i> (Actonel)	2	GC; QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	2	GC; QL (4 per 28 days)
<i>risedronate oral tablet, delayed release (dr/ec) 35 mg</i> (Atelvia)	2	GC; QL (4 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	3	PA; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NM; NDS
<i>zoledronic acid intravenous recon soln 4 mg</i>	2	GC
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	2	GC
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> (Reclast)	2	GC; QL (100 per 300 days)

Miscellaneous Therapeutic Agents

Miscellaneous Therapeutic Agents

ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NM; NDS
<i>betaine oral powder 1 gram/scoop</i> (Cystadane)	5	PA; NM; NDS
<i>bupirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	GC
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	2	GC
ELMIRON ORAL CAPSULE 100 MG	4	QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; NM; NDS; QL (180 per 30 days)
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; NM; NDS
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	3	
<i>hydroxyzine pamoate oral capsule 100 mg</i>	2	GC
<i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i> (Vistaril)	1	GC
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i>	2	GC
<i>leucovorin calcium injection solution 10 mg/ml</i>	2	GC
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	2	GC
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor)	2	GC
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	4	
<i>mesna intravenous solution 100 mg/ml</i> (Mesnex)	2	GC
MESNEX ORAL TABLET 400 MG	5	NM; NDS
OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML	5	PA; NM; NDS
<i>pyridostigmine bromide oral syrup 60 mg/5 ml</i> (Mestinon)	2	GC
<i>pyridostigmine bromide oral tablet 30 mg</i>	2	GC
<i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)	2	GC
RECTIV RECTAL OINTMENT 0.4 % (W/W)	4	QL (30 per 30 days)
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS; QL (4 per 28 days)
TAKHZYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
TYBOST ORAL TABLET 150 MG	4	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 0.6 MG/0.6 ML	3	
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	3	
Ophthalmic Agents		
Antiglaucoma Agents		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	GC
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	GC
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	GC
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	3	
AZOPT OPHTHALMIC (EYE) (brinzolamide) DROPS,SUSPENSION 1 %	2	GC
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	2	GC
<i>brimonidine-timolol ophthalmic (eye) (Combigan) drops 0.2-0.5 %</i>	2	GC
<i>carteolol ophthalmic (eye) drops 1 %</i>	2	GC
<i>dorzolamide ophthalmic (eye) drops (Trusopt) 2 %</i>	2	GC
<i>dorzolamide-timolol ophthalmic (eye) (Cosopt) drops 22.3-6.8 mg/ml</i>	2	GC
<i>latanoprost ophthalmic (eye) drops (Xalatan) 0.005 %</i>	1	GC; QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	GC
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 4 %</i>	2	GC
<i>pilocarpine hcl ophthalmic (eye) (Isopto Carpine) drops 2 %</i>	2	GC
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i> (Timoptic)	1	GC
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i> (Timoptic-XE)	2	GC
<i>travoprost ophthalmic (eye) drops 0.004 %</i> (Travatan Z)	2	GC; QL (2.5 per 25 days)
Replacement Preparations		
Replacement Preparations		
<i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i>	2	GC
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	2	GC
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	2	GC
ISOLYTE S IV SOLUTION-EXCEL SINGLE USE	4	
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i> (potassium chloride)	2	GC
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i> (potassium chloride)	2	GC
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i> (potassium chloride)	2	GC
<i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i>	2	GC
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i>	2	GC
<i>magnesium sulfate injection syringe 4 meq/ml</i>	2	GC
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	4	
<i>potassium chloride intravenous solution 2 meq/ml</i>	1	PA BvD; GC
<i>potassium chloride intravenous solution 2 meq/ml (20 ml)</i>	2	PA BvD; GC
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	2	GC
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	2	GC
<i>potassium chloride oral tablet extended release 10 meq, 20 meq</i> (K-Tab)	2	GC
<i>potassium chloride oral tablet extended release 8 meq</i> (Klor-Con 8)	2	GC
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i> (Klor-Con M10)	2	GC
<i>potassium chloride oral tablet,er particles/crystals 15 meq</i> (Klor-Con M15)	2	GC
<i>potassium chloride oral tablet,er particles/crystals 20 meq</i> (Klor-Con M20)	2	GC
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	2	GC
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10)	2	GC
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> (Urocit-K 5)	2	GC
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	2	GC
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	4	
<i>sodium chloride 0.9 % intravenous piggyback</i>	2	GC
<i>sodium chloride 0.9% solution viaflex, single use</i>	2	GC
Respiratory Tract Agents		
Anti-Inflammatories, Inhaled Corticosteroids		
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE (fluticasone propion-salmeterol)	2	GC; QL (60 per 30 days)
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	3	QL (12 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE (fluticasone furoate-vilanterol)	3	QL (60 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i> (Pulmicort)	2	PA BvD; GC; QL (120 per 30 days)
<i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i> (Pulmicort)	2	PA BvD; GC; QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION (fluticasone propionate)	3	QL (12 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION (fluticasone propionate)	3	QL (24 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION (fluticasone propionate)	3	QL (21.2 per 30 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION (budesonide-formoterol)	3	QL (30.6 per 30 days)
Antileukotrienes		
<i>montelukast oral tablet 10 mg</i> (Singulair)	1	GC
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair)	1	GC
<i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)	2	GC
Bronchodilators		
<i>albuterol 5 mg/ml solution 5 mg/ml</i>	2	PA BvD; GC; QL (120 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (ProAir HFA)	2	GC; QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>	2	GC; QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>	2	GC; QL (36 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %)</i>	2	PA BvD; GC; QL (360 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml</i>	2	PA BvD; GC; QL (120 per 30 days)
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	2	GC
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	4	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD; GC; QL (312.5 per 30 days)
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	2	PA BvD; GC; QL (540 per 30 days)
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	GC
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	3	QL (4 per 30 days)
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	3	QL (30 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>theophylline oral solution 80 mg/15 ml</i>	2	GC
<i>theophylline oral tablet extended release 12 hr 300 mg, 450 mg</i>	2	GC
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	GC
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200-62.5-25 MCG	3	QL (60 per 30 days)
Respiratory Tract Agents, Other		
<i>acetylcysteine intravenous solution 200 mg/ml (20 %) (Acetadote)</i>	2	GC
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	2	PA BvD; GC
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	2	PA BvD; GC
DALIRESPI ORAL TABLET 250 MCG	3	QL (28 per 28 days)
DALIRESPI ORAL TABLET 500 MCG	3	QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	5	PA; NM; NDS; QL (270 per 30 days)
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	5	PA; NM; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NM; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; NM; LA; NDS; QL (0.4 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG	5	PA; NM; NDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>pirfenidone oral tablet 267 mg</i> (Esbriet)	5	PA; NM; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 801 mg</i> (Esbriet)	5	PA; NM; NDS; QL (90 per 30 days)
PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,SUV 1,000 MG (+-)/20 ML	5	PA BvD; NM; NDS
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	PA BvD; NM; NDS
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; NM; NDS; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	5	PA; NM; NDS; QL (84 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NM; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	5	PA; NM; NDS

Skeletal Muscle Relaxants

Skeletal Muscle Relaxants

<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>	2	GC
<i>chlorzoxazone oral tablet 500 mg</i>	2	PA-HRM; GC; AGE (Max 64 Years)
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	PA-HRM; GC; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>dantrolene oral capsule 100 mg, 50 mg</i>	2	GC
<i>dantrolene oral capsule 25 mg</i> (Dantrium)	2	GC
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	2	PA-HRM; GC; AGE (Max 64 Years)
<i>revonto intravenous recon soln 20 mg</i> (dantrolene)	2	GC
<i>tizanidine oral tablet 2 mg</i>	2	GC
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	2	GC
Sleep Disorder Agents		
Sleep Disorder Agents		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	2	PA; GC; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	2	GC; QL (30 per 30 days)
HETLIOZ ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>modafinil oral tablet 100 mg</i> (Provigil)	2	PA; GC; QL (30 per 30 days)
<i>modafinil oral tablet 200 mg</i> (Provigil)	2	PA; GC; QL (60 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG	4	PA; QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML	5	PA; NM; LA; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	GC; QL (30 per 30 days)
Vasodilating Agents		
Vasodilating Agents		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension))	2	PA; GC; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)	5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
OPSUMIT ORAL TABLET 10 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)	1	PA; GC; QL (90 per 30 days)
<i>sildenafil oral tablet 100 mg, 25 mg, 50 mg</i> (Viagra)	2	GC; EX; CB (6 EA per 30 days)
<i>tadalafil (pulm. hypertension) oral tablet 20 mg</i> (Alyq)	2	PA; GC; QL (60 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG (bosentan)	5	PA; NM; LA; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	5	PA; NM; NDS; QL (112 per 28 days)
UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NM; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NM; NDS
Vitamins And Minerals		
Vitamins And Minerals		
<i>bal-care dha combo pack 27-1-430 mg</i>	2	GC
<i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i>	2	GC
<i>calcium pnv oral capsule 28-1-250 mg</i>	2	GC
<i>c-nate dha softgel 28 mg iron-1 mg - 200 mg</i>	2	GC
<i>completenate tablet chew 29 mg iron-1 mg</i>	2	GC
<i>dothelle dha oral capsule 35-1-200 mg</i>	2	GC
<i>extra-virt plus dha oral capsule 29 mg iron-1.25 mg-55 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>folivane-ob capsule 85-1 mg</i>	2	GC
<i>hemenatal ob + dha oral combo pack 28 mg iron-6 mg iron-1 mg</i>	2	GC
<i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>	2	GC
<i>marnatal-f capsule 60 mg iron-1 mg</i>	2	GC
<i>m-natal plus tablet 27 mg iron- 1 mg (pnv,calcium 72-iron- folic acid)</i>	2	GC
<i>mynatal advance oral tablet 90-1-50 mg</i>	2	GC
<i>mynatal capsule 65 mg iron- 1 mg</i>	2	GC
<i>mynatal oral tablet 90-1-50 mg</i>	2	GC
<i>mynatal plus captab 65 mg iron- 1 mg</i>	2	GC
<i>mynatal-z captab 65 mg iron- 1 mg</i>	2	GC
<i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i>	2	GC
<i>newgen tablet 32-1,000 mg-mcg</i>	2	GC
<i>niva-plus tablet 27 mg iron- 1 mg</i>	2	GC
<i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i>	2	GC
<i>o-cal prenatal tablet 15 mg iron- 1,000 mcg</i>	2	GC
<i>pnv 29-1 tablet (rx) 29 mg iron- 1 mg</i>	2	GC
<i>pnv-dha + docusate oral capsule 27- 1.25-55-300 mg</i>	2	GC
<i>pnv-ferrous fumarate-docu-fa oral tablet 29 mg iron- 1 mg-25 mg</i>	2	GC
<i>pnv-omega softgel 28-1-300 mg</i>	2	GC
<i>pnv-vp-u capsule 106.5-1 mg</i>	2	GC
<i>pr natal 400 combo pack 29-1-400 mg</i>	2	GC
<i>pr natal 400 ec combo pack 29-1-400 mg</i>	2	GC
<i>pr natal 430 combo pack 29 mg iron- 1 mg -430 mg</i>	2	GC
<i>pr natal 430 ec combo pack 29-1-430 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits	
<i>prenal true combo pack 30 mg iron-1.4 mg-300 mg</i>	2	GC	
<i>prenaissance oral capsule 29-1.25-55-325 mg</i>	2	GC	
<i>prenaissance plus oral capsule 28-1-50-250 mg</i>	2	GC	
<i>prenatabs fa tablet 29-1 mg</i>	2	GC	
<i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i>	2	GC	
<i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i>	2	GC	
<i>prenatal low iron tablet (rx) 27 mg iron- 1 mg</i>	2	GC	
<i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i>	(pnv,calcium 72-iron,carb-folic)	2	GC
<i>prenatal plus tablet (rx) 27 mg iron-1 mg</i>	(pnv,calcium 72-iron-folic acid)	2	GC
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid)	2	GC
<i>prenatal-u capsule 106.5-1 mg</i>	2	GC	
<i>preplus ca-fe 27 mg-fa 1 mg tb (rx) 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid)	2	GC
<i>pretab 29 mg-1 mg tablet (rx) 29-1 mg</i>	2	GC	
<i>purefe ob plus capsule 106 mg iron-1 mg</i>	2	GC	
<i>purefe plus capsule 106 mg iron- 1 mg</i>	2	GC	
<i>r-natal ob softgel 20 mg iron- 1 mg-320 mg</i>	2	GC	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	2	GC	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	2	GC	
<i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i>	2	GC	
<i>taron-c dha capsule 35-1-200 mg</i>	2	GC	
<i>taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg</i>	2	GC	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>triveen-duo dha combo pack 29-1-400 mg</i>	2	GC
<i>triveen-prx rnf oral capsule 26-1.2-55-300 mg</i>	2	GC
<i>vena-bal dha oral combo pack,tablet and cap,dr 27-1-430 mg</i>	2	GC
<i>vinate care chewable tablet 40 mg iron- 1 mg</i>	2	GC
<i>vinate gt oral tablet 90-1-50 mg</i>	2	GC
<i>vinate ii oral tablet 29 mg iron- 1 mg</i>	2	GC
<i>vinate ultra oral tablet 90-1-50 mg</i>	2	GC
<i>virt-c dha softgel (rx) 35-1-200 mg</i>	2	GC
<i>virt-nate dha softgel 28 mg iron-1 mg -200 mg</i>	2	GC
<i>virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg</i>	2	GC
<i>virt-pn oral tablet 27-1 mg</i>	2	GC
<i>virt-pn plus softgel (rx) 28-1-300 mg</i>	2	GC
<i>vitafol gummies 3.33 mg iron- 0.33 mg</i>	2	GC
<i>vitafol nano tablet 18 mg iron- 1 mg</i>	2	GC
<i>vitafol-ob+dha combo pack 65-1-250 mg</i>	2	GC
<i>viva dha oral capsule 28 mg iron-1 mg -200 mg</i>	2	GC
<i>vol-nate oral tablet 28 mg iron- 1 mg</i>	2	GC
<i>vol-tab rx oral tablet 29 mg iron- 1 mg</i>	2	GC
<i>vp-ch plus oral capsule 29 mg iron-1 mg -50 mg-265 mg</i>	2	GC
<i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg</i>	2	GC
<i>vp-ggr-b6 oral tablet 1.2 mg-40 mg-124.1 mg-100 mg</i>	2	GC
<i>vp-pnv-dha softgel (rx) 28 mg iron- 1 mg-200 mg</i>	2	GC
<i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>zatean-pn plus softgel 28-1-300 mg</i>	2	GC
<i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

INDEX

1		
1ST TIER UNIFINE PENTIPS		
.....	101	
1ST TIER UNIFINE PENTIPS PLUS.....	101	
A		
abacavir.....	58	
abacavir-lamivudine.....	58	
abacavir-lamivudine-zidovudine		
.....	58	
ABELCET.....	43	
abiraterone.....	18	
ABOUTTIME PEN NEEDLE		
.....	101, 102	
ABRAXANE.....	18	
acamprosate.....	9	
acarbose.....	39	
acutane.....	96	
acebutolol.....	74	
acetaminophen-codeine.....	3	
acetazolamide.....	168	
acetazolamide sodium.....	168	
acetic acid.....	141	
acetylcysteine.....	174	
acitretin.....	96	
ACTEMRA.....	155	
ACTEMRA ACTPEN.....	155	
ACTHAR.....	152	
ACTHIB (PF).....	160	
ACTIMMUNE.....	166	
acyclovir.....	64, 96	
acyclovir sodium.....	64	
ADACEL(TDAP		
ADOLESN/ADULT)(PF) 160		
adapalene.....	101	
adefovir.....	64	
ADEMPAS.....	176	
adrucil.....	18	
ADVAIR DISKUS.....	171	
ADVAIR HFA.....	171	
ADVOCATE PEN NEEDLE		
.....	102	
ADVOCATE SYRINGES ...	102	
afirmelle.....	86	
AJOVY AUTOINJECTOR....	47	
AJOVY SYRINGE.....	47	
AKYNZEO		
(FOSNETUPITANT)...	48, 49	
AKYNZEO (NETUPITANT)		
ala-cort.....	98	
albendazole.....	50	
albuterol sulfate.....	172, 173	
alclometasone.....	98	
ALCOHOL PADS.....	96	
ALCOHOL PREP PADS.....	97	
ALCOHOL PREP SWABS ...	96	
ALCOHOL SWABS.....	96	
ALCOHOL WIPES.....	97	
ALECENSA.....	18	
alendronate.....	165	
alfuzosin.....	148	
ALIMTA.....	18	
aliskiren.....	81	
allopurinol.....	45	
alosetron.....	164	
ALPHAGAN P.....	168	
alprazolam.....	10	
ALREX.....	143	
altavera (28).....	86	
ALTRENO.....	101	
ALUNBRIG.....	18	
alyacen 1/35 (28).....	86	
alyacen 7/7/7 (28).....	86	
alyq.....	176	
amabelz.....	150	
amantadine hcl.....	51	
AMBISOME.....	43	
ambrisentan.....	176	
amethia.....	86	
amiloride.....	78	
amiloride-hydrochlorothiazide		
.....	78	
AMINOSYN-PF 7 %		
(SULFITE-FREE).....	68	
amiodarone.....	73	
amitriptyline.....	36	
amlodipine.....	77	
amlodipine-atorvastatin.....	79	
amlodipine-benazepril.....	77	
amlodipine-olmesartan.....	78	
amlodipine-valsartan.....	78	
amlodipine-valsartan-hcthiazid		
.....	78	
ammonium lactate.....	96	
amoxapine.....	36	
amoxicillin.....	15	
amoxicillin-pot clavulanate ..	15,	
16		
amphotericin b.....	43	
amphotericin b liposome.....	44	
ampicillin.....	16	
ampicillin sodium.....	16	
ampicillin-sulbactam.....	16	
anagrelide.....	68	
anastrozole.....	18	
ANORO ELLIPTA.....	173	
apomorphine.....	51	
apraclonidine.....	140	
aprepitant.....	49	
APRETUDE.....	58	
apri.....	86	

APTIOM	31	azithromycin.....	14	BD ULTRA-FINE ORIG PEN	
APTIVUS.....	58	AZOPT	168	NEEDLE.....	105
aranelle (28).....	86	aztreonam	15	BD ULTRA-FINE SHORT	
ARCALYST	155	azurette (28)	87	PEN NEEDLE	105
aripiprazole	53	B		BD VEO INSULIN SYR	
ARISTADA	53, 54	bacitracin.....	141	(HALF UNIT)	105
ARISTADA INITIO	53	bacitracin-polymyxin b	141	BD VEO INSULIN SYRINGE	
armodafinil.....	176	baclofen.....	175	UF	105
ARNUITY ELLIPTA	171	bal-care dha	177	BELSOMRA	176
ascomp with codeine.....	3	bal-care dha essential	177	benazepril	72
asenapine maleate	54	balsalazide.....	164	benazepril-hydrochlorothiazide	
ashlyna	86	BALVERSA.....	19	72
aspirin-dipyridamole.....	68	balziva (28).....	87	BENDEKA.....	19
ASSURE ID DUO-SHIELD	102	BCG VACCINE, LIVE (PF)	160	BENLYSTA	155
ASSURE ID INSULIN		BD ALCOHOL SWABS	96	benztropine	51
SAFETY	103	BD AUTOSHIELD DUO PEN		BESREMI.....	155
ASSURE ID PEN NEEDLE	103	NEEDLE	103	betaine.....	166
atazanavir	58	BD ECLIPSE LUER-LOK ..	103	betamethasone acet,sod phos	151
atenolol.....	74	BD INSULIN SYRINGE	103	betamethasone dipropionate ..	98
atenolol-chlorthalidone	74	BD INSULIN SYRINGE		betamethasone valerate.....	99
atomoxetine.....	82	(HALF UNIT).....	103	betamethasone, augmented....	99
atorvastatin.....	79	BD INSULIN SYRINGE SLIP		BETASERON.....	82
atovaquone	50	TIP.....	104	betaxolol	74
atovaquone-proguanil	50	BD INSULIN SYRINGE U-500		bethanechol chloride.....	148
atropine	140	103	bexarotene.....	19
ATROVENT HFA.....	173	BD INSULIN SYRINGE		BEXSERO	160
AUBAGIO	82	ULTRA-FINE	103	bicalutamide	19
aubra eq.....	87	BD NANO 2ND GEN PEN		BICILLIN L-A	16
aurovela 1.5/30 (21).....	87	NEEDLE	104	BIDIL	81
aurovela 1/20 (21).....	87	BD SAFETYGLIDE INSULIN		BIKTARVY	59
aurovela 24 fe.....	87	SYRINGE	103, 104	bisoprolol fumarate.....	74
aurovela fe 1.5/30 (28).....	87	BD SAFETYGLIDE NEEDLE		bisoprolol-hydrochlorothiazide	
aurovela fe 1-20 (28).....	87	104	74
AUSTEDO.....	82	BD SAFETYGLIDE SYRINGE		bleomycin	19
aviane	87	104	bleph-10.....	141
AVONEX.....	82	BD ULTRA-FINE MICRO		blisovi 24 fe	87
ayuna	87	PEN NEEDLE.....	104	blisovi fe 1.5/30 (28)	87
AYVAKIT	19	BD ULTRA-FINE MINI PEN		blisovi fe 1/20 (28)	87
azacitidine	19	NEEDLE	105	BOOSTRIX TDAP.....	160
azathioprine.....	155	BD ULTRA-FINE NANO PEN		BORDERED GAUZE	105
azathioprine sodium.....	155	NEEDLE	105	bortezomib.....	19
azelastine.....	140			BOSULIF	19

BRAFTOVI	19	carbamazepine.....	31	chloramphenicol sod succinate	11
BREO ELLIPTA.....	171	carbidopa-levodopa.....	51, 52	11
BREZTRI AEROSPHERE ..	173	carbidopa-levodopa-entacapone	52	chlordiazepoxide hcl.....	10
briellyn.....	87	52	chlorhexidine gluconate.....	95
BRILINTA.....	68	CAREFINE PEN NEEDLE .	105	chloroquine phosphate.....	50
brimonidine.....	168	CARETOUCH ALCOHOL		chlorothiazide sodium	78
brimonidine-timolol.....	168	PREP PAD	96	chlorpromazine	54
BRIVIACT.....	31	CARETOUCH INSULIN		chlorthalidone	78
bromocriptine.....	51	SYRINGE	106	chlorzoxazone.....	175
BROMSITE	143	CARETOUCH PEN NEEDLE		cholestyramine (with sugar) ..	79
BRUKINSA	19	105, 106	cholestyramine light	79
budesonide	164, 171	carglumic acid.....	145	ciclopirox.....	44
bumetanide.....	78	carteolol.....	168	cilostazol.....	68
buprenorphine hcl	3, 9	cartia xt.....	75	CIMDUO	59
buprenorphine-naloxone	9	carvedilol.....	74	cimetidine hcl	144
bupropion hcl	36	casprofungin	44	CIMZIA	155
bupropion hcl (smoking deter).	9	CAYSTON.....	15	CIMZIA POWDER FOR	
buspirone.....	166	caziant (28).....	87	RECONST	155
butalbital-acetaminophen-caff.	3	cefaclor.....	12	cinacalcet	165
butalbital-aspirin-caffeine	3	cefadroxil.....	13	CINQAIR	174
C		cefazolin	13	CINRYZE.....	66
CABENUVA	59	cefazolin in dextrose (iso-os) .	13	ciprofloxacin.....	17
cabergoline.....	51	cefdinir	13	ciprofloxacin hcl.....	16, 17, 141
CABLIVI	68	cefepime	13	ciprofloxacin in 5 % dextrose	17
CABOMETYX	19	cefixime.....	13	ciprofloxacin-dexamethasone	
cabotegravir.....	59	cefotaxime.....	13	141
caffeine citrate.....	83	cefoxitin.....	13	citalopram	36
calcipotriene.....	96	cefpodoxime.....	13	clarithromycin.....	14
calcitonin (salmon).....	165	cefprozil.....	13	CLENPIQ	147
calcitriol	165	ceftazidime	13	CLICKFINE PEN NEEDLE	106
calcium acetate(phosphat bind)		CEFTAZIDIME	13	clindamycin hcl	11
.....	147	CEFTAZIDIME IN D5W	13	clindamycin in 5 % dextrose .	11
calcium chloride.....	169	ceftriaxone.....	13	clindamycin pediatric	11
calcium pnv.....	177	cefuroxime axetil.....	14	clindamycin phosphate ...	11, 46,
CALQUENCE	19	cefuroxime sodium.....	14	97	
camila.....	87	celecoxib	6	clindamycin-benzoyl peroxide	
candesartan.....	71	CELONTIN.....	31	98
candesartan-hydrochlorothiazid		cephalexin	14	CLINIMIX 5%/D15W	
.....	71	CERDELGA	139	SULFITE FREE	69
CAPLYTA	54	cevimeline	95	CLINIMIX 4.25%/D10W SULF	
CAPRELSA	19	chateal eq (28).....	87	FREE	69
captopril	72				

CLINIMIX 4.25%/D5W SULFIT FREE	69	colestipol	79	D
CLINIMIX 5%- D20W(SULFITE-FREE) ...	69	colistin (colistimethate na)	11	d5 % and 0.9 % sodium chloride
CLINIMIX 6%-D5W (SULFITE-FREE).....	69	COMBIVENT RESPIMAT .	173	d5 %-0.45 % sodium chloride
CLINIMIX 8%- D10W(SULFITE-FREE) ...	69	COMETRIQ	20	dantrolene
CLINIMIX 8%- D14W(SULFITE-FREE) ...	69	COMFORT EZ INSULIN SYRINGE	106, 107, 108	DALIRESP
CLINIMIX E 2.75%/D5W SULF FREE	69	COMFORT EZ PEN NEEDLES	107	danazol.....
CLINIMIX E 4.25%/D10W SUL FREE	69	COMFORT TOUCH PEN NEEDLE	108, 109	DANYELZA
CLINIMIX E 4.25%/D5W SULF FREE	69	COMPLERA	59	dapsone
CLINIMIX E 5%/D15W SULFIT FREE	69	completenate	177	DAPTACEL (DTAP PEDIATRIC) (PF).....
CLINIMIX E 5%/D20W SULFIT FREE	69	compro.....	49	daptomycin
CLINIMIX E 8%-D10W SULFITEFREE.....	69	constulose	145	dasetta 1/35 (28)
CLINIMIX E 8%-D14W SULFITEFREE.....	70	COPAXONE	83	dasetta 7/7/7 (28)
clobazam	31	COPIKTRA.....	20	DAURISMO
clobetasol	99	CORLANOR.....	76	daysee
clobetasol-emollient.....	99	CORTROPHIN GEL	152	deblitane
clomipramine	36	COSENTYX	155	decitabine.....
clonazepam	10	COSENTYX (2 SYRINGES)	155	deferasirox
clonidine.....	70	COSENTYX PEN (2 PENS)	155	deferiprone.....
clonidine hcl.....	70	COTELLIC	20	DELSTRIGO
clopidogrel	68	CREON	139	DENG VAXIA (PF).....
clorazepate dipotassium	10	CREON	139	denta 5000 plus.....
clotrimazole.....	44	cromolyn	140, 145, 174	dentagel.....
clotrimazole-betamethasone ..	44	cryselle (28).....	87	DERMACEA.....
clozapine	54	CURAD GAUZE PAD	109	DERMACEA NON-WOVEN
c-nate dha	177	CURITY ALCOHOL SWABS	96	DESCOVY
COARTEM	50	CURITY GAUZE	109	desipramine.....
codeine sulfate	3	cyclafem 1/35 (28)	87	desmopressin
codeine-butalbital-asa-caff.....	3	cyclafem 7/7/7 (28)	87	desog-e.estradiol/e.estradiol ..
colchicine	45	cyclobenzaprine.....	175	desogestrel-ethinyl estradiol ..
colesevelam.....	79	cyclopentolate	140	desoximetasone.....
		cyclophosphamide.....	20	desvenlafaxine succinate
		CYCLOPHOSPHAMIDE.....	20	dexamethasone
		cyclosporine	155, 156	dexamethasone sodium phos (pf)
		cyclosporine modified.....	156	dexamethasone sodium phosphate
		cyproheptadine	46	143, 151
		CYRAMZA.....	20	dexmethylphenidate.....
		cyred eq	88	83
		CYSTARAN	140	

dextroamphetamine sulfate 83	DOVATO59	EASY TOUCH ALCOHOL
dextroamphetamine-	doxazosin.....70	PREP PADS 96
amphetamine 83	doxepin.....37	EASY TOUCH FLIPLOCK
dextrose 10 % in water (d10w)	doxorubicin20	INSULIN 114
..... 70	doxorubicin, peg-liposomal....20	EASY TOUCH FLIPLOCK
dextrose 5 % in water (d5w).. 70	doxy-10017	SYRINGE..... 113
DIACOMIT..... 31, 32	doxycycline hyclate.....17	EASY TOUCH INSULIN
diazepam 10, 32	doxycycline monohydrate 17, 18	SAFETY SYR 113
diazepam intensol..... 10	DRIZALMA SPRINKLE.....37	EASY TOUCH INSULIN
diazoxide 166	dronabinol49	SYRINGE..... 113, 115
diclofenac potassium..... 6	droperidol49	EASY TOUCH LUER LOCK
diclofenac sodium 6, 7, 143	DROPLET INSULIN	INSULIN 114
diclofenac-misoprostol..... 7	SYR(HALF UNIT) ..109, 110	EASY TOUCH PEN NEEDLE
dicloxacillin..... 16	DROPLET INSULIN 114
dicyclomine..... 145	SYRINGE 109, 110	EASY TOUCH SAFETY PEN
didanosine 59	DROPLET MICRON PEN	NEEDLE..... 114, 115
DIFICID 14	NEEDLE 110	EASY TOUCH
difluprednate 143	DROPLET PEN NEEDLE.. 110,	SHEATHLOCK INSULIN
digitek 77	111 113, 114
digox 77	DROPSAFE ALCOHOL PREP	EASY TOUCH UNI-SLIP .. 115
digoxin 77	PADS.....96	ec-naproxen 7
dihydroergotamine 47	DROPSAFE PEN NEEDLE 111	econazole 44
diltiazem hcl..... 75, 76	drosiprone-ethinyl estradiol88	EDARBI 71
dilt-xr..... 76	DROXIA 68	EDARBYCLOR..... 71
dimenhydrinate 49	droxidopa.....70	EDURANT 59
dimethyl fumarate 83	DUAVEE 150	efavirenz 59
DIPENTUM..... 164	duloxetine37	efavirenz-emtricitabin-tenofov
diphenhydramine hcl..... 46	DUPIXENT PEN 156 59
diphenoxylate-atropine 146	DUPIXENT SYRINGE 156	efavirenz-lamivu-tenofov disop
dipyridamole 68	dutasteride148 59
disopyramide phosphate..... 73	E	EGRIFTA SV 153
disulfiram 9	EASY COMFORT ALCOHOL	ELIGARD..... 21
divalproex 32	PAD.....96	ELIGARD (3 MONTH) 20
dofetilide 73	EASY COMFORT INSULIN	ELIGARD (4 MONTH) 21
donepezil 35, 36	SYRINGE 111, 112	ELIGARD (6 MONTH) 21
DOPTELET (10 TAB PACK)66	EASY COMFORT PEN	elinest..... 88
DOPTELET (15 TAB PACK)66	NEEDLES 112	ELIQUIS..... 65
DOPTELET (30 TAB PACK)66	EASY GLIDE INSULIN	ELIQUIS DVT-PE TREAT 30D
dorzolamide..... 168	SYRINGE 112	START 65
dorzolamide-timolol..... 168	EASY GLIDE PEN NEEDLE	ELLA 88
dothelle dha 177 112	ELMIRON 166
dotti 150	EASY TOUCH..... 114	eluryng 88

EMCYT.....	21	ery pads	98	FARYDAK.....	21
EMEND	49	erythromycin	15, 141	FASENRA	174
EMGALITY PEN	47	erythromycin ethylsuccinate ..	14	FASENRA PEN	174
EMGALITY SYRINGE	47	erythromycin with ethanol	98	febuxostat	45
emoquette.....	88	ESBRIET.....	174	felbamate	32
EMSAM.....	37	escitalopram oxalate.....	37	FEMRING	150
emtricitabine	59	esomeprazole magnesium ...	144	femynor.....	89
emtricitabine-tenofovir (tdf) ..	59	esomeprazole sodium	144	fenofibrate.....	80
EMTRIVA	60	estarylla	88	fenofibrate micronized.....	80
enalapril maleate	72	estradiol	150	fenofibrate nanocrystallized ..	80
enalaprilat.....	72	estradiol valerate	150	fenofibric acid (choline)	80
enalapril-hydrochlorothiazide	72	estradiol-norethindrone acet.	150	fentanyl	4
ENBREL	156	eszopiclone	176	fentanyl citrate	4
ENBREL MINI.....	156	ethambutol.....	48	FERRIPROX	149
ENBREL SURECLICK.....	156	ethosuximide	32	FERRIPROX (2 TIMES A	
ENDARI	166	ethynodiol diac-eth estradiol ..	88	DAY)	149
endocet	3	etodolac	7	fesoterodine	148
ENGERIX-B (PF).....	160, 161	etonogestrel-ethinyl estradiol.	89	FETZIMA.....	37
ENGERIX-B PEDIATRIC (PF)		ETOPOPHOS.....	21	FIASP FLEXTOUCH U-100	
.....	161	etoposide	21	INSULIN	41
enoxaparin.....	65	etravirine	60	FIASP PENFILL U-100	
enpresse.....	88	EUCRISA.....	99	INSULIN	41
enskyce.....	88	everolimus (antineoplastic)....	21	FIASP U-100 INSULIN	41
entacapone.....	52	everolimus		finasteride	148
entecavir.....	64	(immunosuppressive)	156	FINTEPLA	32
ENTRESTO	71	EVOTAZ.....	60	FIRVANQ	12
enulose	146	EVRYSDI	166	FLEBOGAMMA DIF	156
EPCLUSA.....	63, 64	EXEL INSULIN.....	115	flecainide	73
EPIDIOLEX.....	32	exemestane	21	FLOVENT DISKUS ...	171, 172
epinastine	140	EXKIVITY.....	21	FLOVENT HFA	172
epinephrine.....	77	extra-virt plus dha	177	floxuridine	21
epitol	32	EYSUVIS.....	143	fluconazole	44
EPIVIR HBV	60	ezetimibe	79	fluconazole in nacl (iso-osm)	44
eplerenone	81	ezetimibe-simvastatin.....	80	flucytosine	44
EPRONTIA.....	32	F		fludrocortisone.....	151
ERBITUX	21	falmina (28).....	89	flumazenil	83
ergoloid	36	famciclovir	64	flunisolide	143
ERIVEDGE.....	21	famotidine	145	fluocinolone	99
ERLEADA.....	21	famotidine (pf)	144	fluocinolone acetonide oil ...	143
erlotinib.....	21	famotidine (pf)-nacl (iso-os)	145	fluocinonide.....	99
errin	88	FANAPT	54	fluocinonide-emollient	99
ertapenem.....	15	FARXIGA	39	fluoride (sodium)	95

fluorometholone.....	143	gatifloxacin.....	141	hailey fe 1.5/30 (28)	89
fluorouracil.....	22, 96	GATTEX 30-VIAL.....	146	hailey fe 1/20 (28)	89
fluoxetine	37	GAUZE PAD	116	halobetasol propionate.....	100
fluphenazine decanoate.....	54	gavilyte-c.....	147	haloperidol.....	55
fluphenazine hcl.....	54, 55	gavilyte-g.....	147	haloperidol decanoate.....	55
flurbiprofen	7	gavilyte-n.....	147	haloperidol lactate	55
flurbiprofen sodium	143	GAVRETO.....	22	HARVONI.....	64
flutamide	22	gemfibrozil	80	HAVRIX (PF)	161
fluticasone propionate... 99, 100,	143	generlac	146	HEALTHWISE INSULIN	
fluvastatin.....	80	gengraf.....	157	SYRINGE.....	116
fluvoxamine	37	gentak	141	HEALTHWISE PEN NEEDLE	
folivane-ob	178	gentamicin.....	11, 98, 141	116, 117
fondaparinux	65	gentamicin sulfate (ped) (pf)..	11	HEALTHY ACCENTS	
fosamprenavir	60	gentamicin sulfate (pf)	11	UNIFINE PENTIP.....	117
fosaprepitant.....	49	GENVOYA	60	heather	89
foscarnet.....	63	GILENYA	83	hemenatal ob + dha.....	178
fosinopril	72	GILOTRIF.....	22	heparin (porcine)	65
fosinopril-hydrochlorothiazide		glatiramer	84	heparin, porcine (pf)	66
.....	72	glatopa	84	HERCEPTIN HYLECTA	22
fosphenytoin.....	32	glimepiride	43	HERZUMA	22
FOTIVDA	22	glipizide.....	43	HETLIOZ	176
FREESTYLE PRECISION. 115,	116	glipizide-metformin.....	43	HIBERIX (PF).....	161
FULPHILA	66	glyburide	43	HUMIRA	157
fulvestrant	22	glyburide micronized	43	HUMIRA PEN	157
furosemide.....	78	glyburide-metformin	43	HUMIRA PEN CROHNS-UC-	
FUZEON.....	60	glycopyrrolate	146	HS START	157
fyavolv	150	glydo.....	8	HUMIRA PEN PSOR-	
FYCOMPA	32	GLYXAMBI	39	UVEITS-ADOL HS	157
G		granisetron (pf).....	49	HUMIRA(CF)	157
gabapentin	32, 33	granisetron hcl.....	49	HUMIRA(CF) PEDI CROHNS	
GALAFOLD.....	139	GRANIX	66	STARTER	157
galantamine.....	36	griseofulvin microsize.....	44	HUMIRA(CF) PEN.....	157
GAMIFANT	156	guanfacine	70, 84	HUMIRA(CF) PEN CROHNS-	
GAMMAGARD LIQUID....	156	GVOKE.....	167	UC-HS	157
GAMMAGARD S-D (IGA < 1		GVOKE HYPOPEN 2-PACK		HUMIRA(CF) PEN	
MCG/ML).....	156	166	PEDIATRIC UC.....	157
GAMMAPLEX.....	157	GVOKE PFS 1-PACK		HUMIRA(CF) PEN PSOR-UV-	
GAMMAPLEX (WITH		SYRINGE	166	ADOL HS.....	157
SORBITOL).....	157	H		HUMULIN R U-500 (CONC)	
GARDASIL 9 (PF)	161	HAEGARDA	66, 67	INSULIN	41
		hailey	89	HUMULIN R U-500 (CONC)	
		hailey 24 fe.....	89	KWIKPEN.....	41

hydralazine	77	indapamide	79	ISOLYTE-P IN 5 %	
hydrochlorothiazide	79	indomethacin	7	DEXTROSE	169
hydrocodone-acetaminophen ...	4	INFANRIX (DTAP) (PF)	161	ISOLYTE-S	169
hydrocodone-ibuprofen.....	4	infliximab	157	isoniazid.....	48
hydrocortisone.....	100, 151, 164	INLYTA	23	isosorbide dinitrate	81
hydrocortisone butyrate	100	INPEN (FOR HUMALOG)		isosorbide mononitrate	82
hydrocortisone valerate.....	100	BLUE	117	isosorbide-hydralazine.....	82
hydrocortisone-acetic acid ...	141	INPEN (NOVOLOG OR		isradipine	78
hydromorphone	4	FIASP) BLUE	117	itraconazole.....	44
hydromorphone (pf).....	4	INQOVI.....	23	IV PREP WIPES	97
hydroxychloroquine	51	INREBIC.....	23	ivermectin	51
hydroxyurea	22	INSULIN SYR/NDL U100		IXIARO (PF)	161
hydroxyzine hcl.....	46	HALF MARK	117	J	
hydroxyzine pamoate	167	INSULIN SYRINGE	104	jaimiess	89
I		INSULIN SYRINGE		JAKAFI	23
ibandronate.....	165	MICROFINE.....	104	jantoven	66
IBRANCE	22	INSULIN SYRINGE		JARDIANCE.....	39
ibu	7	NEEDLELESS	104	jasmiel (28).....	89
ibuprofen	7	INSULIN SYRINGE-NEEDLE		JEMPERLI	23
ibuprofen-famotidine	7	U-100.....	104, 105, 115, 117,	jencycla.....	89
icatibant.....	77	118, 125, 129, 133		JENTADUETO	39
iclevia.....	89	INSUPEN.....	118, 119	JENTADUETO XR.....	39
ICLUSIG.....	22	INTELENCE.....	60	jinteli.....	150
IDHIFA	22	INTRALIPID	70	juleber	89
ifosfamide	22	INTRON A.....	64	JULUCA.....	60
ILEVRO.....	143	INVEGA HAFYERA.....	55	junel 1.5/30 (21)	89
imatinib	22	INVEGA SUSTENNA.....	55	junel 1/20 (21)	89
IMBRUVICA.....	22, 23	INVEGA TRINZA.....	55, 56	junel fe 1.5/30 (28)	89
imipenem-cilastatin.....	15	INVELTYS	143	junel fe 1/20 (28)	89
imipramine hcl	37	INVIRASE	60	junel fe 24	90
imiquimod	97	IPOL	161	JUXTAPID	80
IMLYGIC	23	ipratropium bromide.....	140, 173	K	
IMOVAX RABIES VACCINE		ipratropium-albuterol	173	kalliga	90
(PF)	161	irbesartan	71	KALYDECO	174
IMPAVIDO.....	51	irbesartan-hydrochlorothiazide		kariva (28)	90
INBRIJA	52	71	kelnor 1/35 (28)	90
incassia.....	89	IRESSA	23	kelnor 1-50 (28).....	90
INCONTROL ALCOHOL		ISENTRESS	60	KERENDIA.....	81
PADS	96	ISENTRESS HD	60	KESIMPTA PEN.....	84
INCONTROL PEN NEEDLE		isibloom.....	89	ketoconazole	44
.....	117	ISOLYTE S PH 7.4.....	169	ketorolac	7, 144
INCRELEX.....	153			KEVZARA	158

KEYTRUDA.....	23	LEUKERAN	24	LORBRENA.....	24
KIMMTRAK	23	LEUKINE	67	loryna (28)	91
KINRIX (PF)	161	leuprolide.....	24	losartan	71
KISQALI.....	23	levetiracetam	33	losartan-hydrochlorothiazide .	71
KISQALI FEMARA CO-PACK		levobunolol.....	168	LOTEMAX.....	144
.....	23	levocarnitine	167	LOTEMAX SM.....	144
klor-con m10.....	169	levocarnitine (with sugar) ...	167	loteprednol etabonate.....	144
klor-con m15	169	levocetirizine	46	lovastatin.....	80
klor-con m20.....	169	levofloxacin.....	17, 140, 141	low-ogestrel (28)	91
KLOXXADO	9	levofloxacin in d5w	17	loxapine succinate	56
KORLYM	39	levonest (28).....	90	lo-zumandimine (28)	91
KOSELUGO	24	levonorgestrel-ethinyl estrad.	90,	lubiprostone	146
kosher prenatal plus iron.....	178	91		LUMAKRAS.....	24
KRINTAFEL	51	levonorg-eth estrad triphasic ..	91	LUMIGAN	168
kurvelo (28).....	90	levora-28	91	LUPRON DEPOT	153
KYNMOBI	52	levothyroxine.....	154	LUPRON DEPOT (3 MONTH)	
L		LEXIVA	60	24, 153
l norgest/e.estradiol-e.estrad ..	90	lidocaine	8	LUPRON DEPOT (4 MONTH)	
labetalol.....	74	lidocaine (pf)	8, 73	24
lacosamide.....	33	lidocaine hcl	8	LUPRON DEPOT (6 MONTH)	
lactulose	146	lidocaine viscous	8	24
lagevrio (eua)	64	lidocaine-prilocaine.....	8	lutra (28)	91
lamivudine.....	60	lillow (28).....	91	LYBALVI.....	56
lamivudine-zidovudine	60	linezolid.....	12	lyleq	91
lamotrigine	33	linezolid in dextrose 5%.....	12	lyllana	150
lanreotide.....	153	LINZESS.....	146	LYNPARZA.....	24
lansoprazole	145	liothyronine	154	LYSODREN.....	25
lapatinib.....	24	LISCO	119	lyza	91
larin 1.5/30 (21)	90	lisinopril	72	M	
larin 1/20 (21)	90	lisinopril-hydrochlorothiazide	73	MAGELLAN INSULIN	
larin 24 fe	90	LITE TOUCH INSULIN PEN		SAFETY SYRNG	120
larin fe 1.5/30 (28)	90	NEEDLES	119	MAGELLAN SYRINGE	120
larin fe 1/20 (28)	90	LITE TOUCH INSULIN		magnesium sulfate	170
larissia	90	SYRINGE	119, 120	magnesium sulfate in d5w ...	169
latanoprost.....	168	lithium carbonate.....	84	magnesium sulfate in water	169,
LATUDA	56	LIVALO	80	170	
leflunomide	158	lojaimiess.....	91	malathion	101
lenalidomide.....	24	LOKELMA	146	maprotiline.....	38
LENVIMA	24	LONSURF.....	24	maraviroc	61
lessina.....	90	loperamide.....	146	MARGENZA	25
letrozole.....	24	lopinavir-ritonavir	60, 61	marlissa (28)	91
leucovorin calcium.....	167	lorazepam	10	marnatal-f	178

MARPLAN	38	MENQUADFI (PF).....	161	mili.....	91
MATULANE	25	MENVEO A-C-Y-W-135-DIP		mimvey	151
matzim la.....	76	(PF).....	161	MINI ULTRA-THIN II	121
MAVENCLAD (10 TABLET		mercaptapurine.....	25	minitran.....	82
PACK)	84	meropenem.....	15	minocycline	18
MAVENCLAD (4 TABLET		merzee	91	minoxidil.....	82
PACK)	84	mesalamine.....	164	mirtazapine	38
MAVENCLAD (5 TABLET		mesna.....	167	misoprostol	145
PACK)	84	MESNEX	167	MITIGARE.....	46
MAVENCLAD (6 TABLET		metaproterenol.....	173	mitoxantrone.....	25
PACK)	84	metformin	39	M-M-R II (PF).....	162
MAVENCLAD (7 TABLET		methadone	4	m-natal plus	178
PACK)	84	methadose.....	4	modafinil.....	176
MAVENCLAD (8 TABLET		methenamine hippurate	12	moexipril.....	73
PACK)	84	methimazole	154	molindone	56
MAVENCLAD (9 TABLET		methocarbamol.....	176	mometasone	100, 144
PACK)	84	methotrexate sodium	25	mondoxyne nl	18
MAXICOMFORT II PEN		methotrexate sodium (pf)	25	MONOJECT INSULIN	
NEEDLE	120	methoxsalen.....	97	SAFETY SYRINGE	122
MAXICOMFORT INSULIN		methscopolamine.....	146	MONOJECT INSULIN	
SYRINGE	120	methyl dopa	71	SYRINGE.....	121, 122
MAXI-COMFORT INSULIN		methylphenidate hcl	85	MONOJECT SYRINGE	121
SYRINGE	120	methylprednisolone	152	MONOJECT ULTRA	
MAXI-COMFORT INSULIN		methylprednisolone acetate ..	152	COMFORT INSULIN.....	135
SYRINGE	120	methylprednisolone sodium succ		mono-lynyah.....	91
MAXICOMFORT SAFETY		152	montelukast.....	172
PEN NEEDLE	121	metoclopramide hcl.....	146	morphine.....	4, 5
MAYZENT	84	metolazone	79	MORPHINE	5
MAYZENT STARTER(FOR		metoprolol succinate	74	morphine concentrate	4
1MG MAINT).....	85	metoprolol ta-hydrochlorothiaz		MOVANTIK	146
MAYZENT STARTER(FOR		75	moxifloxacin.....	17, 141
2MG MAINT).....	85	metoprolol tartrate	75	MULTAQ	73
meclizine	49	metronidazole.....	12, 46, 98	mupirocin.....	98
medroxyprogesterone.....	154	metronidazole in nacl (iso-os)	12	MVASI	25
mefenamic acid	7	metyrosine	77	mycophenolate mofetil	158
mefloquine	51	mexiletine.....	73	mycophenolate mofetil (hcl)	158
megestrol.....	25, 154	miconazole-3	44	mynatal	178
MEKINIST	25	MICRODOT INSULIN PEN		mynatal advance	178
MEKTOVI.....	25	NEEDLE	121	mynatal plus.....	178
meloxicam.....	7	microgestin fe 1/20 (28).....	91	mynatal-z	178
memantine.....	36	midodrine	71	mynate 90 plus.....	178
MENACTRA (PF).....	161	miglustat.....	139	MYRBETRIQ.....	148

N		
nabumetone	7	
nafcillin	16	
nafcillin in dextrose iso-osm..	16	
naloxone	9	
naltrexone.....	9	
naproxen.....	8	
naratriptan	47	
NATACYN	141	
nateglinide.....	40	
NATPARA.....	165	
NAYZILAM	33	
nebivolol	75	
necon 0.5/35 (28).....	91	
nefazodone	38	
neomycin.....	11	
neomycin-bacitracin-poly-hc	141	
neomycin-bacitracin-polymyxin	141	
.....		
neomycin-polymyxin b gu	98	
neomycin-polymyxin b-		
dexameth	142	
neomycin-polymyxin-		
gramicidin	142	
neomycin-polymyxin-hc	142	
neo-polycin	142	
neo-polycin hc.....	142	
NERLYNX	25	
NEULASTA	67	
NEULASTA ONPRO	67	
NEUPRO	52	
nevirapine.....	61	
newgen	178	
NEXLETOL.....	80	
NEXLIZET	80	
niacin.....	80	
niacor.....	80	
nicardipine.....	78	
NICOTROL	9	
nifedipine	78	
nikki (28).....	91	
nilutamide	25	
NINLARO	25	
nitazoxanide	51	
nitisinone	139	
nitrofurantoin macrocrystal....	12	
nitrofurantoin monohyd/m-cryst	12	
.....		
nitroglycerin	82	
niva-plus	178	
NIVESTYM	67	
nizatidine	145	
NORDITROPIN FLEXPEN	153	
norethindrone (contraceptive)	92	
norethindrone acetate	154	
norethindrone ac-eth estradiol	92, 151	
.....		
norethindrone-e.estradiol-iron	92	
norgestimate-ethinyl estradiol	92	
norlyda.....	92	
NORMOSOL-M IN 5 %		
DEXTROSE.....	170	
nortrel 0.5/35 (28)	92	
nortrel 1/35 (21)	92	
nortrel 1/35 (28)	92	
nortrel 7/7/7 (28)	92	
nortriptyline.....	38	
NORVIR	61	
NOVOFINE 30	122	
NOVOFINE 32	122	
NOVOFINE PLUS.....	122	
NOVOLIN 70/30 U-100		
INSULIN.....	41	
NOVOLIN 70-30 FLEXPEN U-		
100.....	41	
NOVOLIN N FLEXPEN	42	
NOVOLIN N NPH U-100		
INSULIN.....	42	
NOVOLIN R FLEXPEN	42	
NOVOLIN R REGULAR U-		
100 INSULN	42	
NOVOLOG FLEXPEN U-100		
INSULIN.....	42	
NOVOLOG MIX 70-30 U-100		
INSULN	42	
NOVOLOG MIX 70-		
30FLEXPEN U-100	42	
NOVOLOG PENFILL U-100		
INSULIN	42	
NOVOLOG U-100 INSULIN		
ASPART.....	42	
NOVOTWIST	122	
NOXAFIL.....	45	
NUBEQA	25	
NUCALA	174, 175	
NULOJIX	158	
NUPLAZID	56	
NURTEC ODT	47	
NUTRILIPID.....	70	
nyamyc	45	
nylia 1/35 (28)	92	
nylia 7/7/7 (28)	92	
nymyo	92	
nystatin	45	
nystatin-triamcinolone.....	45	
nystop	45	
NYVEPRIA	67	
O		
obstetrix dha	178	
o-cal prenatal	178	
OICALIVA	146	
OCREVUS	85	
OCTAGAM.....	158	
octreotide acetate	153	
ODEFSEY	61	
ODOMZO.....	25	
OFEV.....	175	
ofloxacin	142	
OGIVRI	25	
olanzapine.....	56	
olmesartan.....	71	
olmesartan-amlodipin-hcthiiazid		
.....	71	
olmesartan-hydrochlorothiazide		
.....	72	

olopatadine.....	140	oxandrolone.....	149	perindopril erbumine	73
OLUMIANT	158	oxazepam.....	10	perio gard.....	95
omega-3 acid ethyl esters.....	81	oxcarbazepine.....	33	permethrin.....	101
omeprazole.....	145	OXLUMO	167	perphenazine.....	56
omeprazole-sodium bicarbonate	145	oxybutynin chloride	148	perphenazine-amitriptyline....	38
OMNIPOD 5 G6 INTRO KIT (GEN 5).....	122	oxycodone	5	PERSERIS	57
OMNIPOD 5 G6 PODS (GEN 5).....	123	oxycodone-acetaminophen.....	5	pfizerpen-g.....	16
OMNIPOD CLASSIC PDM KIT(GEN 3).....	123	OXYCONTIN	5	phenelzine.....	38
OMNIPOD CLASSIC PODS (GEN 3).....	123	oxymorphone.....	5, 6	phenobarbital	33
OMNIPOD DASH INTRO KIT (GEN 4).....	123	OZEMPIC	40	phenylephrine hcl	71
OMNIPOD DASH PDM KIT (GEN 4).....	123	P		phenytoin	34
OMNIPOD DASH PODS (GEN 4).....	123	pacerone	73	phenytoin sodium	34
ondansetron.....	50	paclitaxel protein-bound.....	26	phenytoin sodium extended...	34
ondansetron hcl	49, 50	paliperidone.....	56	philith.....	92
ondansetron hcl (pf)	49	PALYNZIQ.....	139	PHOSLYRA	147
ONTRUZANT	26	PANRETIN	97	PIFELTRO	61
ONUREG.....	26	pantoprazole	145	pilocarpine hcl	95, 168
OPDIVO	26	paricalcitol.....	165	pimecrolimus	100
OPDUALAG.....	26	paroex oral rinse.....	95	pimozide	57
OPSUMIT	177	paromomycin.....	51	pimtrea (28)	93
oralone.....	95	paroxetine hcl	38	pindolol.....	75
ORENCIA.....	158	PAXLOVID (EUA)	63	pioglitazone	40
ORENCIA (WITH MALTOSE)	158	PEDIARIX (PF).....	162	pioglitazone-metformin	40
ORENCIA CLICKJECT.....	158	PEDVAX HIB (PF).....	162	PIP PEN NEEDLE	124
ORFADIN.....	139	PEGASYS	64	piperacillin-tazobactam	16
ORGOVYX.....	153	peg-electrolyte soln	147	PIQRAY	26
ORLISSA	153	PEMAZYRE	26	pirfenidone.....	175
ORKAMBI.....	175	pemetrexed	26	pirmella.....	93
orsythia.....	92	pemetrexed disodium	26	piroxicam.....	8
oseltamivir.....	63	PEN NEEDLE.....	115, 123, 125	PLASMA-LYTE 148	170
OSMOLEX ER	52	PEN NEEDLE, DIABETIC	108,	PLASMA-LYTE A	170
OTEZLA	158	121, 123, 125		PLEGRIDY	85, 86
OTEZLA STARTER	158	PEN NEEDLE, DIABETIC, SAFETY	126	pnv 29-1	178
		penicillamine	149	pnv-dha + docusate.....	178
		penicillin g potassium	16	pnv-ferrous fumarate-docu-fa	178
		penicillin g procaine	16	pnv-omega	178
		penicillin v potassium	16	pnv-vp-u	178
		PENTACEL (PF)	162	podofilox.....	97
		pentamidine	51	polycin	142
		PENTIPS	123, 124	polymyxin b sulfate	12
		pentoxifylline	68		

polymyxin b sulf-trimethoprim	142	pretab.....	179	propranolol	75
POMALYST.....	26	PRETOMANID.....	48	propranolol-hydrochlorothiazid	75
portia 28	93	prevalite.....	81	propylthiouracil	154
posaconazole.....	45	PREVENT DROPSAFE PEN NEEDLE	124	PROQUAD (PF).....	162
potassium chloride	170	previfem	93	PROSOL 20 %	70
potassium chloride-0.45 % nacl	170	PREVYMIS.....	63	protamine	68
potassium citrate	170, 171	PREZCOBIX.....	61	protriptyline	38
pr natal 400	178	PREZISTA	61	PULMOZYME.....	139
pr natal 400 ec.....	178	PRIFTIN.....	48	PURE COMFORT ALCOHOL PADS	97
pr natal 430	178	PRIMAQUINE.....	51	PURE COMFORT PEN NEEDLE.....	125
pr natal 430 ec.....	178	primidone	34	purefe ob plus	179
PRALUENT PEN	81	PRIORIX (PF).....	162	purefe plus	179
pramipexole.....	53	PRIVIGEN	158	PURIXAN	26
prasugrel.....	68	PRO COMFORT ALCOHOL PADS.....	97	pyrazinamide	48
pravastatin	81	PRO COMFORT INSULIN SYRINGE	124	pyridostigmine bromide.....	167
prazosin	71	PRO COMFORT PEN NEEDLE	124	pyrimethamine	51
prednicarbate.....	100	probenecid	46	Q	
prednisolone.....	152	probenecid-colchicine	46	QINLOCK	26
prednisolone acetate.....	144	procainamide	73, 74	QUADRACEL (PF)	162
prednisolone sodium phosphate	144, 152	PROCALAMINE 3%.....	70	quetiapine	57
prednisone	152	prochlorperazine.....	50	quinapril.....	73
pregabalin.....	34	prochlorperazine edisylate	50	quinapril-hydrochlorothiazide	73
PREHEVBRIO (PF)	162	prochlorperazine maleate	50	quinidine gluconate	74
PREMARIN.....	151	proctosol hc	100	quinidine sulfate	74
PREMPHASE	151	proctozone-hc.....	100	quinine sulfate	51
PREMPRO.....	151	PRODIGY INSULIN SYRINGE	124, 125	R	
prena1 true	179	progesterone	154	RABAVERT (PF)	162
prenaissance	179	progesterone micronized	154	rabeprazole	145
prenaissance plus	179	PROGRAF	158, 159	raloxifene	151
prenatabs fa	179	PROLASTIN-C.....	175	ramipril	73
prenatal 19.....	179	PROLENSA	144	ranolazine	77
prenatal 19 (with docusate)..	179	PROLIA	165	rasagiline.....	53
prenatal low iron	179	PROMACTA.....	67	RASUVO (PF).....	159
prenatal plus.....	179	promethazine	46, 50	RAVICTI.....	146
prenatal plus (calcium carb). 179		promethegan	50	RAYALDEE.....	165
prenatal vitamin plus low iron	179	propafenone.....	74	reclipsen (28).....	93
prenatal-u	179	proparacaine	141	RECOMBIVAX HB (PF)...	162, 163
preplus.....	179			RECTIV.....	167

RELENZA DISKHALER.....	63	RUBRACA	27	sildenafil (pulm.hypertension)	177
RELEUKO	67	rufinamide	34	177
RELION NEEDLES	125	RUKOBIA.....	61	silver sulfadiazine	98
RELION PEN NEEDLES....	125	RUXIENCE.....	27	SIMBRINZA	169
repaglinide.....	40	RYBELSUS	40	simliya (28).....	93
REPATHA PUSHTRONEX..	81	RYBREVANT	27	simpesse.....	93
REPATHA SURECLICK.....	81	RYDAPT	27	simvastatin	81
REPATHA SYRINGE.....	81	S		sirolimus	159
RESTASIS	144	SAFESNAP INSULIN		SIRTURO	48
RESTASIS MULTIDOSE...	144	SYRINGE	125, 126	SKYRIZI	159
RETACRIT	67, 68	SAFETY PEN NEEDLE.....	126	sodium chloride 0.45 %.....	171
RETEVMO	26	sajazir	77	sodium chloride 0.9 %.....	171
RETROVIR.....	61	SANTYL	97	sodium fluoride-pot nitrate	95
REVLIMID	26	sapropterin.....	139	sodium phenylbutyrate	146
revonto	176	SAVELLA.....	86	sodium polystyrene sulfonate	
REXULTI	57	SCEMBLIX.....	27	147
REYATAZ.....	61	scopolamine base	50	sodium,potassium,mag sulfates	
REZUROCK.....	159	SECUADO.....	57	147
RHOPRESSA	168	SECURESAFE PEN NEEDLE		SOLIQUA 100/33	42
RIABNI.....	27	126	SOLTAMOX.....	27
ribavirin.....	64	select-ob	179	SOLU-CORTEF ACT-O-VIAL	
RIDAURA	159	select-ob (folic acid).....	179	(PF).....	152
rifabutin.....	48	selegiline hcl.....	53	SOMATULINE DEPOT	154
rifampin.....	48	selenium sulfide	98	SOMAVERT	154
rilpivirine.....	61	SELZENTRY	62	sorafenib	27
riluzole	86	SEMGLEE(INSULIN		sorine	75
rimantadine	63	GLARGINE-YFGN).....	42	sotalol	75
risedronate.....	165, 166	SEMGLEE(INSULIN GLARG-		sotalol af	75
risperidone.....	57	YFGN)PEN	42	SPIRIVA RESPIMAT.....	173
ritonavir.....	61	se-natal 19 chewable	179	SPIRIVA WITH	
RITUXAN HYCELA	27	SEREVENT DISKUS	173	HANDIHALER.....	173
rivastigmine.....	36	SEROSTIM	153	spironolactone.....	79
rivastigmine tartrate	36	sertraline	38	SPRAVATO	38
rizatriptan	47	setlakin	93	sprintec (28).....	93
r-natal ob	179	sevelamer carbonate	147	SPRITAM.....	34
ROCKLATAN.....	169	sevelamer hcl.....	147	SPRYCEL.....	27
ropinirole.....	53	sf 5000 plus	95	sps (with sorbitol)	147
rosadan	98	sharobel	93	sronyx	93
rosuvastatin	81	SHINGRIX (PF).....	163	ssd	98
ROTARIX.....	163	SIGNIFOR	153	stavudine.....	62
ROTATEQ VACCINE	163	SIKLOS.....	68	STELARA	159
ROZLYTREK.....	27	sildenafil.....	177	STERILE PADS	126

STIOLTO RESPIMAT	173	SYMLINPEN 120	40	TEMIXYS	62
STIVARGA	27	SYMLINPEN 60	40	TENIVAC (PF)	163
streptomycin.....	11	SYMPAZAN.....	34	tenofovir disoproxil fumarate	62
STRIBILD.....	62	SYMTUZA	62	TEPMETKO.....	28
STRIVERDI RESPIMAT	173	SYNAREL	154	terazosin.....	148
subvenite	34	SYNJARDY	40	terbinafine hcl.....	45
sucralfate	145	SYNJARDY XR	40	terbutaline	173
sulfacetamide sodium.....	142	SYNRIBO	27	terconazole.....	46
sulfacetamide sodium (acne)..	98	T		TERUMO INSULIN SYRINGE	
sulfacetamide-prednisolone .	142	TABLOID	27	129
sulfadiazine	17	TABRECTA.....	27	testosterone	149
sulfamethoxazole-trimethoprim		tacrolimus.....	100, 159	testosterone cypionate	149
.....	17	tadalafil (pulm. hypertension)		testosterone enanthate.....	149
sulfasalazine	164	177	TETANUS,DIPHThERIA TOX	
sulindac	8	TAFINLAR.....	28	PED(PF)	163
sumatriptan.....	47	TAGRISSO	28	tetrabenazine.....	86
sumatriptan succinate.....	47, 48	TAKHZYRO.....	167	tetracycline	18
sumatriptan-naproxen	48	TALTZ AUTOINJECTOR ..	159	THALOMID.....	167
sunitinib	27	TALTZ SYRINGE.....	159	theophylline	174
SUNOSI.....	176	TALZENNA	28	THINPRO INSULIN SYRINGE	
SUPREP BOWEL PREP KIT		tamoxifen.....	28	129, 130
.....	147	tamsulosin	148	thioridazine	57
SURE COMFORT ALCOHOL		tarina 24 fe.....	93	thiothixene	57
PREP PADS.....	97	tarina fe 1-20 eq (28).....	93	tiadylt er.....	76
SURE COMFORT INS. SYR.		taron-c dha.....	179	tiagabine	34
U-100	126	taron-prex prenatal-dha	179	TIBSOVO.....	28
SURE COMFORT INSULIN		TASIGNA	28	TICE BCG	28
SYRINGE	126, 127	tazarotene	101	TICOVAC	163
SURE COMFORT PEN		TAZORAC.....	101	tigecycline.....	18
NEEDLE.....	127	taztia xt.....	76	timolol maleate	75, 169
SURE COMFORT SAFETY		TAZVERIK.....	28	tiopronin	148
PEN NEEDLE	126	TDVAX.....	163	TIVDAK.....	28
SURE-FINE PEN NEEDLES		TECHLITE INSULIN		TIVICAY.....	62
.....	127	SYRINGE	128, 129	TIVICAY PD.....	62
SURE-JECT INSULIN		TECHLITE INSULN		tizanidine	176
SYRINGE	127, 128	SYR(HALF UNIT)	128	tobramycin.....	11, 143
SURE-PREP ALCOHOL PREP		TECHLITE PEN NEEDLE..	129	tobramycin in 0.225 % nacl...	11
PADS	97	TEFLARO.....	14	tobramycin sulfate	11
SUTAB	147	telmisartan	72	tobramycin-dexamethasone.	143
syeda	93	telmisartan-hydrochlorothiazid		tolterodine.....	148
SYMBICORT	172	72	TOPCARE CLICKFINE	130
SYMDEKO.....	175	temazepam.....	11		

TOPCARE ULTRA			
COMFORT	130		
topiramate	34		
toposar	28		
toremifene	28		
torse mide	79		
TOUJEO MAX U-300			
SOLOSTAR	43		
TOUJEO SOLOSTAR U-300			
INSULIN	43		
TRACLEER	177		
TRADJENTA	40		
tramadol	6		
tramadol-acetaminophen	6		
trandolapril	73		
trandolapril-verapamil	73		
tranexamic acid	68		
tranylcypromine	38		
TRAVASOL 10 %	70		
travoprost	169		
TRAZIMERA	28		
trazodone	38		
TRECTOR	48		
TRELEGY ELLIPTA	174		
TRELSTAR	28		
tretinoin	101		
tretinoin (antineoplastic)	28		
tri femynor	93		
triamcinolone acetonide 95, 100, 152			
triamterene-hydrochlorothiazid	79		
trientine	149		
tri-estarylla	93		
trifluoperazine	58		
trifluridine	143		
trihexyphenidyl	53		
TRIJARDY XR	40, 41		
TRIKAFTA	175		
tri-legest fe	93		
tri-linyah	93		
tri-lo-estarylla	94		
tri-lo-marzia	94		
tri-lo-mili	94		
tri-lo-sprintec	94		
trimethoprim	12		
tri-mili	94		
trimipramine	38		
TRINTELLIX	38		
tri-nymyo	94		
tri-previfem (28)	94		
tri-sprintec (28)	94		
TRIUMEQ	62		
TRIUMEQ PD	62		
triveen-duo dha	180		
triveen-prx rnf	180		
trivora (28)	94		
tri-vylibra	94		
tri-vylibra lo	94		
TRIZIVIR	62		
TROGARZO	62		
TROPHAMINE 10 %	70		
tropium	148		
TRUE COMFORT ALCOHOL PADS	97		
TRUE COMFORT INSULIN SYRINGE	130		
TRUE COMFORT PEN NEEDLE	130, 131		
TRUE COMFORT PRO ALCOHOL PADS	97		
TRUE COMFORT PRO INS SYRINGE	130, 131		
TRUEPLUS INSULIN	131, 132		
TRUEPLUS PEN NEEDLE	131		
TRULICITY	41		
TRUMENBA	163		
TRUSELTIQ	28		
TRUXIMA	29		
TUKYSA	29		
tulana	94		
TURALIO	29		
TWINRIX (PF)	163		
tyblume	94		
TYBOST	167		
TYMLOS	166		
TYPHIM VI	163		
TYSABRI	159		
U			
UCERIS	164		
UDENYCA	68		
ULTICARE	132, 133		
ULTICARE INSULIN SYRINGE	132		
ULTICARE INSULN SYR(HALF UNIT)	132		
ULTICARE PEN NEEDLE	132, 133		
ULTICARE SAFETY PEN NEEDLE	133		
ULTIGUARD SAFEPACK-INSULIN SYR	133, 134		
ULTIGUARD SAFEPACK-PEN NEEDLE	133, 134		
ULTILET ALCOHOL SWAB	97		
ULTILET INSULIN SYRINGE	118, 134		
ULTILET PEN NEEDLE	134		
ULTRA CMFT INS SYR (HALF UNIT)	116, 126, 132		
ULTRA COMFORT INSULIN SYRINGE	111, 116, 134, 135		
ULTRA FLO INSUL SYR(HALF UNIT)	135		
ULTRA FLO INSULIN SYRINGE	135		
ULTRA FLO PEN NEEDLE	135		
ULTRA THIN PEN NEEDLE	135		
ULTRACARE INSULIN SYRINGE	135, 136		
ULTRACARE PEN NEEDLE	136		

ULTRA-THIN II (SHORT) INS SYR.....	136, 137	VEMLIDY	62	VOCABRIA	63
ULTRA-THIN II (SHORT) PEN NDL.....	137	vena-bal dha	180	vol-nate	180
ULTRA-THIN II INS PEN NEEDLES.....	137	VENCLEXTA.....	29	volnea (28).....	94
ULTRA-THIN II INSULIN SYRINGE	137	VENCLEXTA STARTING PACK.....	29	vol-tab rx	180
UNIFINE PEN NEEDLE ...	137	venlafaxine	39	VONJO	29
UNIFINE PENTIPS.....	123, 137	verapamil.....	76	voriconazole	45
UNIFINE PENTIPS MAXFLOW	137	VERIFINE PEN NEEDLE .	138,	VOSEVI	64
UNIFINE PENTIPS PLUS .	137,	139		VOTRIENT	29
UNIFINE PENTIPS PLUS MAXFLOW	137	VERSACLOZ	58	vp-ch plus	180
UNIFINE SAFECONTROL	138	VERSALON	139	vp-ch-pnv.....	180
UNIFINE ULTRA PEN NEEDLE	138	VERZENIO.....	29	vp-ggr-b6	180
UPTRAVI	177	vestura (28).....	94	vp-pnv-dha.....	180
ursodiol	147	V-GO 20.....	139	VRAYLAR.....	58
V		V-GO 30.....	139	VUMERITY	86
valacyclovir.....	65	V-GO 40.....	139	vyfemla (28)	94
VALCHLOR.....	97	VICTOZA	41	vylibra.....	95
valganciclovir.....	65	vienva	94	W	
valproate sodium.....	35	vigabatrin.....	35	warfarin.....	66
valproic acid.....	35	vigadrone.....	35	WEBCOL	97
valproic acid (as sodium salt)	35	VIIBRYD	39	WELIREG	29
valsartan	72	vilazodone	39	wera (28).....	95
valsartan-hydrochlorothiazide	72	VIMPAT	35	X	
VALTOCO	35	vinate care	180	XALKORI	30
vancomycin	12	vinate gt.....	180	XARELTO	66
VANISHPOINT INSULIN SYRINGE	138	vinate ii.....	180	XARELTO DVT-PE TREAT 30D START.....	66
VANISHPOINT SYRINGE	138	vinate ultra.....	180	XATMEP.....	30
VAQTA (PF)	163, 164	vinorelbine.....	29	XCOPRI	35
varenicline.....	9	viorele (28).....	94	XCOPRI MAINTENANCE PACK	35
VARIVAX (PF).....	164	VIRACEPT	62	XCOPRI TITRATION PACK	35
VASCEPA	81	VIREAD.....	62	XELJANZ.....	159, 160
VELCADE.....	29	virt-c dha	180	XELJANZ XR.....	160
velivet triphasic regimen (28)	94	virt-nate dha	180	XERMELO.....	147
VELPHORO	148	virt-pn.....	180	XGEVA	166
		virt-pn dha	180	XHANCE	144
		virt-pn plus	180	XIFAXAN	12
		vitafol gummies.....	180	XIGDUO XR.....	41
		vitafol nano.....	180	XOFLUZA	63
		vitafol-ob+dha.....	180	XOLAIR.....	175
		VITRAKVI	29	XOSPATA.....	30
		viva dha	180		
		VIZIMPRO	29		

XPOVIO	30	ZARXIO.....	68	zoledronic acid.....	166
XTAMPZA ER	6	zatean-pn dha	180	zoledronic acid-mannitol-water	
XTANDI	30	zatean-pn plus.....	181	166
xulane.....	95	ZEGALOGUE		ZOLINZA.....	30
XULTOPHY 100/3.6.....	43	AUTOINJECTOR.....	168	zolmitriptan.....	48
XYOSTED.....	150	ZEGALOGUE SYRINGE ...	168	zolpidem	176
XYREM.....	176	ZEJULA	30	zonisamide.....	35
Y		ZELBORAF	30	zovia 1-35 (28)	95
YERVOY.....	30	zenatane.....	97	ZTLIDO.....	9
YF-VAX (PF)	164	ZENPEP	140	zumandimine (28).....	95
YONSA.....	30	zidovudine.....	63	ZYDELIG.....	31
yuvafem.....	151	zingiber.....	181	ZYKADIA	31
Z		ziprasidone hcl	58	ZYLET	143
zafemy.....	95	ziprasidone mesylate	58	ZYNLONTA	31
zafirlukast.....	172	ZIRABEV	30	ZYPREXA RELPREVV	58
zaleplon.....	176	ZIRGAN.....	143		
zarah.....	95	ZOLADEX.....	30		



For questions about this formulary, please contact Ochsner Health Plan's Pharmacy Help Desk at 1-800-910-1837 (TTY: 711). Hours of Operation: 24 hours a day, 7 days a week.



Ochsner Health Plan
1450 Poydras St., Suite 110
New Orleans, LA 70112
1-833-674-2112 Member Services
www.ochsnerhealthplan.com

This formulary was updated on 10/01/2022. For more recent information or other questions, please contact Ochsner Health Plan's Pharmacy Help Desk at 1-800-910-1837 (TTY users should call 711). Hours of Operation are 24 hours a day, 7 days a week or visit www.ochsnerhealthplan.com. **Important Message About What You Pay for Vaccines** - Our plan covers most Part D vaccines at no cost to you. Call Member Services for more information. **Important Message About What You Pay for Insulin** - You won't pay more than \$35 for a one-month supply of each insulin product covered by our plan, no matter what cost-sharing tier it's on.